









UNIFORM SCHEDULE OF VALUES, STANDARDS & RULES

PRESENT USE VALUE
MANUAL
FOR AGRICULTURE,
HORTICULTURE, AND
FORESTLANDS

REVALUATION January 1, 2017

Table of Contents

Pages	Contents
1-72	2016 Use-Value Manual published by the North Carolina Use-Value Advisory Board and the North Carolina Department of Revenue
73-85	North Carolina General Statutes Pertaining to Present Use Value Assessment and Taxation of Agricultural, Horticultural, and Forestlands
86	Stanly County Present Use Value Schedule of Values for Agriculture, Horticulture, and Forestlands for 2017 Reappraisal

Stanly County 2017 Present Use Value Schedule

The present use values that go into effect on January 1, 2017 are derived from the 2017 Use Value Manual published by the North Carolina Use Value Advisory Board and the North Carolina Department of Revenue. These values are calculated from the tables complied for Major Land Resource Area 136, which is the Piedmont and encompasses Stanly County.

These values are divided into three major classifications:

- Agriculture which includes CRP land (Conservation Reserve Program)
- 2. Horticulture (Fruit, Floral, or Nursery type products)
- 3. Forestland which includes CRP land (Conservation Reserve Program)

Each of these classes are further divided based on productivity levels. There is also a Non-Productive classification that is <u>not</u> eligible to be assessed at present use value, but has a set rate in the present use value schedule and is described as Wasteland.

New to this revaluation cycle, a descriptive category has been added to identify lands that are under conservation easements. This type of easement is also not eligible for present use value assessment.

Leigh Anne Lowder, Present Use Value Specialist Clinton Swaringen, Tax Administrator

2017 USE-VALUE MANUAL FOR AGRICULTURAL, HORTICULTURAL AND FOREST LAND



March 2016

North Carolina Use-Value Advisory Board North Carolina Department of Revenue Raleigh, North Carolina

Table of Contents

Foreword
Use-Value Advisory Board Members3
Use-Value Advisory Board Subcommittee Members4
Use-Value Advisory Board Manual5
North Carolina Major Land Resource Areas (MLRA Map)9
Agricultural Schedule10
Horticultural Schedule11
Forestry Schedule12
Cash Rents Survey13
Christmas Tree Guidelines20
Procedure for Forestry Schedules23
Forestry Net Present Values Table28
MLRA 130 Soil Survey30
MLRA 133A Soil Survey40
MLRA 136 Soil Survey45
MLRA 137 Soil Survey64
MLRA 153A Soil Survey66
MLRA 153B Soil Survey70

Foreword

When originally enacted in 1973, the objective of the present-use value program was to keep "the family farm in the hands of the farming family." By the early 1970's, North Carolina had become a prime site for industrial and commercial companies to relocate because of its plentiful and reliable work force. With this growth came other improvements to the State's infrastructure to accommodate this growth, such as new and larger road systems, more residential subdivisions, and new industrial and commercial developments. The land on which to build these improvements came primarily from one source: farmland. As the demand for this land skyrocketed, so did its price as well as its assessed value, as counties changed from a fractional assessment to a market value system. Farmers who owned land near these sites soon could not afford the increase in property values and sought relief from the General Assembly.

In response, the General Assembly passed legislation known as the Present-Use Value program. As originally enacted, the basic tenets of this program were that only individuals who lived on the land for which they were applying could immediately qualify and that the land had to have a highest and best use as agriculture, horticulture or forest land. Land might also have qualified if the farmer owned it for seven years. Passage of this law eased the financial burden of most farmers and eliminated to some degree the "sticker shock" of the new property tax values. From that time until the mid-1980's, the present-use value schedules were based on farmer-to-farmer sales, and quite often the market value schedules were very similar to the present use schedules, especially in the more rural areas.

Virtually every session of the General Assembly has seen new changes to the law, causing a constant rethinking as to how the law is to be administered. The mid-1980's saw several court cases that aided in this transformation. Among the legislative changes that resulted from these cases were the use of soil productivity to determine value, the use of a 9% capitalization rate, and the utilization of the "unit concept" to bring smaller tracts under the present use value guidelines.

Through the years the General Assembly has expanded the present-use value program to include new types of ownership such as business entities, tenants in common, trusts, and testamentary trusts. Legislation also expanded the definition of a relative. More recent legislation has established cash rents as the basis for determining present-use value for agricultural and horticultural land, while retaining the net income basis for determining present-use value for forestland.

This Use-Value Advisory Board Manual is published yearly to communicate the UVAB recommended present-use value rates and to explain the methodology used in establishing the recommended rates.

NORTH CAROLINA USE-VALUE ADVISORY BOARD

Chairman

Dr. A. Richard Bonanno

Associate Dean & Director North Carolina Cooperative Extension Service North Carolina State University NCSU Box 7602 Raleigh, NC 27695-7602 919.515.2811 (T) 919.515.3135 (F)

rich-bonanno@ncsu.edu

(Representing the NC Cooperative Extension Service at NCSU)

Members

Mr. Sean M. Brogan, Director

Forest Management & Forest Development

NC Forest Service

Archdale Building-10th Fl Raleigh, NC 27699-1616 Telephone: 919.857.4818

Fax:

919.857.4805

Email:

Sean.Brogan@ncagr.gov

(Representing NC Forest Service, NC Department

of Agricultural and Consumer Services)

Ms. Tina Hlabse

General Counsel

NC Dept. of Agriculture & Consumer Services

Mail Service Center 1001 Raleigh, NC 27699

Telephone:

919.707.3013

Fax:

919.716.0090

Email:

tina.hlabse@ncagr.gov

(Representing Dept of Agriculture & Consumer Services)

Mr. Sam Croom

Jones County Assessor

PO Box 87

Trenton, NC 28585

Telephone:

252.448.2546

Fax:

252,448,1357

Email:

scroom@jonescountync.gov

(Representing NC Assn. Of Assessing Officers)

Mr. Dan A. Hunsucker

Catawba County Commissioner

3216 John Daniel Drive

Conover, NC 28613

828.312-0102

Telephone:

Fax:

828.465.8392

Email: dhunsucker@catawbacountync.gov (Representing NC Assn. Of County Commissioners) Dr. Rosalind Dale

Interim Administrator

NC Cooperative Extension Program

NC A&T State University

PO Box 21928

Greensboro, NC 27420-1928 Telephone: 336.285.4671 Email: rdale@ncat.edu

(Representing the NC Cooperative Extension

Program at NC A&T State University

Mr. Julian Philpott

Secretary and General Counsel North Carolina Farm Bureau

PO Box 27766

Raleigh, NC 27611 Telephone: 919.783.3572

Fax: 919.783.3593

julian.philpott@ncfb.org Email:

(Representing NC Farm Bureau Federation, Inc.)

Mr. David Baker

Director, Local Government Division

NC Department of Revenue

PO Box 871

Raleigh, NC 27602

Telephone: 919.814.1129

Fax:

919.715.3107

david.baker@dornc.com Email:

(Representing NC Dept of Revenue)

Mr. Pryor Gibson

Executive VP, NC Forestry Association

1600 Glenwood Avenue Raleigh, NC 27608

Telephone: 919.834.3943 (press 5)

919.832.6188 Fax:

pgibson@ncforestry.org Email: (Representing NC Forestry Association)

USE-VALUE ADVISORY BOARD SUBCOMMITTEES

Administration and Implementation

Michael Brown, DOR
Steve Woodson, Farm Bureau
Dee Webb, NCDA&CS
Linda Millsaps, NCACC
Sam Croom, Jones County
Daniel J. Whittle, Environmental Defense
Robert Horton, NRCS

Soils

Roy Vick, NRCS
Milton Cortes', NRCS
Matt Flint, NRCS
Michael Brown, DOR
Chris Green, Cleveland County
Godfrey Gayle, N.C. A&T State University
Joseph Kleiss, Soil Science, NCSU

Cash Rents

Arnie Oltmans, ARE, NCSU
Guido van der Hoeven, ARE, NCSU
Michael Brown, DOR
Tony Simpson, DOR
Sam Croom, Jones County
Julian Philpott, Farm Bureau
Jim Dunphy, Crop Science, NCSU

Forestry

Mark Megalos, Forestry, NCSU
Tony Simpson, DOR
Kelvin Byrd, Rowan County
Steve Whitfield, NC Forest Landowners Assn.
Mike Huggins, Private Landowner Representative
Clay Altizer, Utilization Forester, NCFS

USE-VALUE ADVISORY BOARD MANUAL

Following are explanations of the major components of this manual.

I. Cash Rents

Beginning in 1985, the basis for determining present-use value for agricultural land was based on the soil productivity for growing corn and soybeans. At that time, corn and soybeans were considered the predominant crops in the state. Over time, fewer and fewer acres went into the production of corn and soybeans and the land used for these crops tended to be lower quality. As a result, both the productivity and value of these crops plummeted, thus resulting in lower present-use values. A viable alternative was sought to replace corn and soybeans as the basis for present-use value. Following a 1998 study by North Carolina State University, cash rents for agricultural and horticultural land were determined to be the preferred alternative. Cash rents are a very good indicator of net income, which can be converted into a value using an appropriate capitalization rate.

The General Assembly passed legislation that established cash rents as the required method for determining the recommended present-use values for agricultural and horticultural land. The cash rents data from the NCSU study served as the basis for determining present-use value for the 2004-2007 UVAB manuals. However, starting in 2006, funding became available for the North Carolina Department of Agriculture to perform an extensive statewide cash rents survey on a yearly basis. The 2006 survey became the basis for the 2008 UVAB recommended values,

and this process will continue forward until changes dictate otherwise (i.e. the 2007 survey is used to establish the 2009 UVAB values, etc).

Forestland does not lend itself well to cash rents analysis and continues to be valued using the net income from actual production.

II. Soil Types and Soil Classification

The 1985 legislation divided the state using the six Major Land Resource Areas (MLRAs). Five different classes of productive soils and one non-productive soil class for each MLRA were determined. Each class was identified by its net income according to type: agriculture, horticulture and forestry. The net income was then divided by a 9% capitalization rate to determine the present-use value. For 2004 and forward, the following change has taken place. For agricultural and horticultural classifications, the five different soil classes have been reduced to three soil classes and one non-productive soil class. Forestland present-use value has kept the five soil classes and one non-productive soil class. The use of the six MLRAs has been retained.

The six MLRAs are as follows:

MLRA 130 Mountains
MLRA 133A Upper Coastal Plain
MLRA 136 Piedmont
MLRA 137 Sandhills
MLRA 153A Lower Coastal Plains
MLRA 153B Tidewater

The soils are listed in this manual according to the MLRA in which they occur. They are then further broken down into their productivity for each of the three types of use: agriculture, horticulture and forestry. Every soil listed in each of the MLRAs is ranked by its productivity into four classes (with the exception of forestry which retained its previous six classes). The classes for agricultural and horticultural land are as follows:

CLASS I Best Soils
CLASS II Average Soils
CLASS III Fair Soils
CLASS IV Non-Productive Soils

It should be noted that, in some soil types, all the various slopes of that soil have the same productivity class for each of the usages, and therefore for the sake of brevity, the word "ALL" is listed to combine these soils. Each of the classes set up by the UVAB soils subcommittee corresponds to a cash rent income established by the most recent cash rents survey conducted by the North Carolina Department of Agriculture. This rent income is then capitalized by a rate established each year by the UVAB (see below). The criteria for establishing present-use value for forestry have remained basically unchanged from previous years due to the quantity and quality of information already available.

III. Capitalization Rate


The capitalization rate mandated by the 1985 legislation for all types of present-use value land was 9%. The 1998 study by NCSU strongly indicated that a lower capitalization rate for agricultural and horticultural land was more in line with current sales and rental information. The 2002 legislation mandated a rate between 6%-7% for agricultural and horticultural land.

For the year 2004 and the subsequent years, the UVAB has set the capitalization rate at 6.5% for agricultural and horticultural land.

The capitalization rate for forestland continues to be fixed at 9% as mandated by the statutes.

IV. Other Issues

The value for the best agricultural land can be no higher than \$1,200 an acre for any MLRA.



PRESENT-USE VALUE SCHEDULES

AGRICULTURAL RENTS

MLRA	BEST	AVERAGE	FAIR
130	82.10	49.40	32.30
133A	74.70	53.00	39.70
136	56.20	38.30	24.90
137	61.40	43.00	29.30
153A	70.10	51.00	38.40
153B	94.50	64.30	48.20

AGRICULTURAL SCHEDULE

MLRA	CLASS I	CLASS II	CLASS III
130	\$1,200*	\$760	\$495
133A	\$1,150	\$815	\$610
136	\$865	\$590	\$385
137	\$945	\$660	\$450
153A	\$1,080	\$785	\$590
153B	\$1,200*	\$990	\$740

⁻⁻NOTE: All Class 4 or Non-Productive Land will be appraised at \$40.00 per acre.

⁻⁻Rents were divided by a capitalization rate of 6.5% to produce the Agricultural Schedule.

^{*} As required by statute, agricultural values cannot exceed \$1,200.

HORTICULTURAL SCHEDULE

All horticultural crops requiring more than one growing season between planting or setting out and harvest, such as Christmas trees, ornamental shrubs and nursery stock, apple and peach orchards, grapes, blueberries, strawberries, sod and other similar horticultural crops should be classified as horticulture regardless of location in the state.

HORTICULTURAL RENTS

MLRA	BEST	AVERAGE	FAIR
130	147.00	101.10	66.30
133A	90.10	62.20	47.50
136	81.10	52.80	36.50
137	76.70	51.70	34.30
153A	85.30	52.90	40.40
153B	111.30	84.40	76.70

HORTICULTURAL SCHEDULE

MLRA	CLASS I	CLASS II	CLASS III
130	\$2,260	\$1,555	\$1,020
133A	\$1,385	\$955	\$730
136	\$1,250	\$810	\$560
137	\$1,180	\$795	\$530
153A	\$1,310	\$815	\$620
153B	\$1,710	\$1,300	\$1,180

⁻⁻NOTE: All Class 4 or Non-Productive Land will be appraised at \$40.00 per acre.

⁻⁻Rents were divided by a capitalization rate of 6.5% to produce the Horticultural Schedule.

FORESTLAND NET PRESENT VALUES

MLRA	Class I	Class II	Class III	Class IV	Class V
130	\$22.98	\$17.14	\$4.67	\$3.61	\$3.49
133A	\$23.80	\$18.95	\$15.52	\$5.81	\$3.96
136	\$28.72	\$22.04	\$19.55	\$12.21	\$8.66
137	\$33.15	\$22.04	\$20.99	\$7.47	\$2.69
153A	\$23.80	\$18.95	\$15.52	\$5.81	\$3.96
153B	\$18.45	\$15.47	\$14.90	\$5.81	\$3.97

FORESTLAND SCHEDULE

MLRA	Class I	Class II	Class III	Class IV	Class V
130	\$255	\$190	\$50	\$40	\$40
133A	\$260	\$210	\$170	\$65	\$45
136	\$315	\$245	\$215	\$135	\$95
137	\$365	\$245	\$235	\$85	\$40
153A	\$260	\$210	\$170	\$65	\$45
153B	\$205	\$170	\$165	\$65	\$45

⁻⁻NOTE: All Class VI or Non-Productive Land will be appraised at \$40.00/Acre. Exception: For MLRA 130 use 80 % of the lowest valued productive land.

⁻⁻Net Present Values were divided by a capitalization rate of 9.00% to produce the Forestland Schedule.

2009 Cash Rent Study

INTRODUCTION

The National Agricultural Statistics Service in cooperation with the North Carolina Department of Agricultural and Consumer Services collected cash rents data on the 2009 County Estimates Survey. North Carolina farmers were surveyed to obtain cash rent values per acre for three land types: Agricultural, horticultural, and Christmas tree land. Supporting funds for this project were provided by the North Carolina Legislature. Appreciation is expressed to all survey participants who provided the data on which this report is based.

THE SURVEY

The survey was conducted by mail with telephone follow-up during September through February. Values relate to the data collection time period when the respondent completed the survey.

THE DATA

This report includes the current number of responses and average rental rate per acre. Producers were asked to provide their best estimate of cash rent values in their county by land quality. The data published here are simple averages of the best estimate of the cash rent value per acre. These averages are not official estimates of actual sales.

Reported data that did not represent agricultural usage were removed in order to give a more accurate reflection of agricultural rents and values. To ensure respondent confidentiality and provide more statistical reliability, counties and districts with fewer than 10 reports are not published individually, but are included in aggregate totals. Published values in this report should never be used as the only factor to establish rental arrangements.

Data were collected for three land types: Agricultural, horticultural, and Christmas tree land. Agricultural land includes land used to produce row crops such as soybeans, corn, peanuts, and small grains, pasture land, and hay. Agricultural land also includes any land on which livestock are grown. Horticultural land includes commercial production or growing of fruits or vegetables or nursery or floral products such as apple orchards, blueberries, cucumbers, tomatoes, potted plants, flowers, shrubs, sod, and turfgrass. Christmas tree land includes any land to produce Christmas trees, including cut and balled Christmas trees.

	Agric	Agricultural	Agrica	Agricultural	Agricultura	ıltural	Horticultural	ltural	Horticultural	Itural	Horticultural	ıltural	Christmas Trees	s Trees	Christmas Trees	S Trees	Christme	Christmac Trace
	π	High	Me	Medium	Low	AN.	High	-	Medium	igu	Low	*	High		Medium	E 5	Low) }
	Prodt	Productivity	Produ	Productivity	Productiv	ctivity	Productivity	ctivity	Productivity	ctivity	Productivity	ctivity	Productivity	tivity	Productivity	divito	Productivity	ctivity
	No. of		No. of		No. of		No. of		No. of		No. of		No. of	•	No. of		No. of	
County	reports	Ave	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	renorte	Average	o trough	Aronomo
ALL EGHANY	22	89.80		65.50	21	33.30										+	21000	Avelage
ASHE	17	76.50	15		15	28.30							12	162.50		Ī	T	
AVERY											ľ				Ī	T	İ	
BUNCOMBE	37	100.70	31	63.90	27	33.80										Ī	1	
BURKE	25		22		19]	26.60							İ			Ī	İ	
CALDWELL	13		111	23.20	10	16.70							ĺ	Ī	T	Ī	T	
CHEROKEE	16		11	48.60		29.50							T	T	İ		1	
CLAY	15	02.89	14		13	25.20							Ī	I			İ	
GRAHAM															ľ		T	
HAYWOOD	41	117.90		73.80	82	43.50								Ī	İ	Ī	T	
HENDERSON	24	83.50	18		18	36.90								İ			1	
JACKSON										ľ							T	
MACDOWELL															T		Ì	
MACON	11	73.20															Ī	
MADISON	26	116.50	72	63.20	23	40.50											Ī	
MITCHELL																		
POLK															ľ			
SWAIN																		
TRANSYLVANIA	14												F	181.36				
WATAUGA	27	79.10	18		14													
WILKES	79		14	39.30	69	27.00											Ī	
YANCEY	17	ļ	13															
AREA TOTAL	422	82.10	349	49.40	317	32.30	78	147.00	47	101.10	41	66.30	69	153.60	47	93.60	88	61.30
														İ				

2009 Average Cash Rents for Resource Area = 133A Upper Coastal Plain

					_	_	_	_	_	_	_	_		_			_					
Christmas Trees	Low	Productivity		Avorage	Display.																	
Christn	ت	Prod	No.	reporte	charles																	
Christmas Trees	ium	ctivity		Ανοισπο	Spinar																	
Christm	Medium	Productivity	JO ON	renorte																		
Christmas Trees	High	Productivity		Average	200																	
Christm	Ĩ	Produ	No of	reports																		
ıltural	ş	ctivity		Average																		47.50
Horticultural	Low	Productivity	No of	reports																		35
ltural	m m	ctivity		Average									53.00									62 20
Horticultural	Medium	Productivity	No of	reports									ō									46
Itural		ctivity		Average									93.90					95.00				90.10
Horticultural	High	Productivity	No. of	reports									13	-				10				61
itural	»,	ctivity		Average	33.80	34.60	30.40	39.70	43.60	41.30	42.10	36.40	33.40	42.10	43.10	57.30	32.40	41.80		47.00	48.20	39.70
Agricultura	Low	Productivit	No. of	reports		51	22			96	14	<u> 68</u>	29		31	13					72	659
iltural	Medium	ctivity		Average	49.20	45.80	44.70	50.80	57.20	55.00		51.70	49.90	58.70			38.90	56.40			61.50	53.00
Agricultural	Med	Productivity	No. of	reports	32	28	53	113	82	40	18	25	84	45	39		25	109		49	30	819
ltural	ا	ctivity		Average	63.10	60.80	66.40	69.30	77.10	79.70	83.30	74.50	71.90	81.60	77.80	102.60	49.60	81.60	44.50	89.70	82.80	74.70
Agricultural	High	Productivity	No. of	reports	36	11	96	142	36	61	28	89	103	09	51	Ø	53	128	101	96	40	1038
				County	BLADEN	COLUMBUS	CUMBERLAND	DUPLIN	EDGECOMBE	GREENE	HALIFAX	HARNETT	JOHNSTON	LENOIR	NASH	NORTHAMPTON	ROBESON	SAMPSON	SCOTLAND	WAYNE	MILSON	AREA TOTAL

Piedmont
136
i ox
Resource
Rents for
ash
erage C

	Agric	Agricultural	Agricultural	ıltural	Agricultura	iftural	Horticultural	Itural	Horticultural	tural	Hortic	Horticultural	Christm	Christmas Trees	Christm	Christmas Trees	Christm	Christmas Trees
	I	High	Med	Medium	Low	, MX	High	-E	Medium	E	Low	w	Ī	High	Medium	ium	Low	Ą
	Prod	Productivity	Productivity	ctivity	Productivi	ctivity	Productivity	ctivity	Productivity	tivity	Produ	Productivity	Produ	Productivity	Produ	Productivity	Produ	Productivity
, de	No. of	4.0			No. of		No. of				No. of		No. of		No. of		No. of	
AI AMANCE	Silvania Silvania	Average 52.30	shorts 51	Avelage 32.90	200 al	Average 20.70	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average
ALEXANDER	35	1 1		33.40	82	20.00				Ī			T				Ī	T
ANSON	38			41.30	25	28.40											Ī	Ī
BURKE	22			33.20	19	26.60												
CABARRUS	8			37.80	13	23.90												I
CALDWELL	13			23.50		16.70												Ī
CASWELL	54			30.90		19.20												Ī
CATAWBA	32					19.20												
CHATHAM	47	48.80	48	34.70	37	23.10												
CLEVEL AND	4					21.20		1										
DAVIDSON	3				١	21.40	1											
DAVIE	38	07.09				21.30		1		1								
DUKHAM	2 (8				I	06.12 06.02	1	1	1									
FORSTIN	8		ļ	l	l	23.30	1		1	1								
FKANKLIN	4	l	8		İ	21.90												
GASION						18.80	1											
GRANVILLE	R		₹ 2		3	1/.80	1	1										
GUILFORD	\$ 8			27.00		17.60	†	1										
HALIFAX	8 8			l		42.10	1		1									
IKEDELL GEOGRAFIA	36					27.90												
JOHNSTON	36		3 8			33.40	13	93.90	=	23.00								
TEE	श					33.10	1		1									
LINCOLN	16		14	21.80	12	15.60	1		1									
MECKLENBURG	- 5	61.40					1			Ī								
MOODE					l		†	T	\dagger	1								
NASH	3 6						<u> </u>		\dagger									
ORANGE	3																	
PERSON	No.	60.70	26	40.60	22	23.30												
POLK																		
RANDOLPH	96																	
RICHMOND	21																	
ROCKINGHAM	58	55.10	١	30.30	8				1									
ROWAN	4				l													
RUTHERFORD	17			١														
STANLY	ষ্ঠ	52.50			R													
STOKES	ሟ																	
SURRY	73	П	22	53.90	53	35.30												
UNION	ಚ				۱													
VANCE	3%		į															
WAKE	35																	
WARREN	24	40.90		25.30														
WILKES	¥ ا																	
YADKUN	ĭ.																	
AREA TOTAL	179	H					125	81.10	101	52.80	88	36.50	48	17.90	43	52.90	41	35.00

2009 Average Cash Rents for Resource Area = 137 Sandhills

	Agrice	Agricultural	Agric	Agricultural	Agrica	Agricultural	Horticultural	iltural	Horticultural	ulturai	Horticultural	ultural	Christm	Christmas Trees	Christm	Christmas Trees	Christm	Christmas Trees
7.00	Ī	High	Me	Medium	۲	Low	Ĩ	High	Med	Medium	Ļ	Low	Ť	High	Med	Medium	r	Low
	Produ	Productivity	Produ	Productivity	Produ	Productivity	Productivity	ctivity	Produ	Productivity	Produ	Productivity	Produ	Productivity	Produ	Productivity	Produ	Productivity
	No. of		No. of		No. of		No. of		No. of		No. of		No. of		No. of		No. of	
County	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average reports		Average
HARNETT	89		25	51.70	68	.,												
HOKE	17	56.50	11	45.00	11	29.10												
LEE	25	72.40	20	45.40	91	33.10												
MOORE	37	56.50	33	37.30	92													
RICHMOND	21	32.60	15	23.30	181	19.30												
SCOTLAND	101	44.50																
AREA TOTAL	168	61.40	139	43.00	115	29.30	æ	76.70		51.70	K -	34.30						Š
An * indicates the data is published even though there are less than 10 reports.	paysignd si	even though	there are les	ss than 10 rep	orts.													

2009 Average Cash Rents for Resource Ja = 153A Lower Coastal Plain

	Agric	Agricultural	Agric	Amrionthural	Amelanth	144			:							ľ		
			1		Agile	ullulai	нопас	ногисипига	Horticultural	ultural	Hortic	Horticultural	Christmas Trees	s Trees	Christmas Trees	s Trees	Christme	Christmas Trees
	I	High	æ	Medium	Ĺ	Low	Ξ	High	Med	Medium	ĭ	Low	High		Medium		1	
	Prod	Productivity	Produ	Productivity	Prod	Productivity	Produ	Productivity	Produ	Productivity	Produ	Productivity	Productivity	tivity	Droduotiniha	- April 1	3	
															- I	MAIN	Froductivity	CUVIEY
	No. of		No. of		No. of		No of		N V		30		77					
County	reports	Average	reports	Average	reports	Average	reports	Аунгале	reports	Average	roporte.	Aromony			No. 0		No .	
BEAUFORT	30				2				21122	2	en color	Avoidige	SHOOM	Average	reports	Average	reports	Average
BERTIE	1 41	75.00	23	60.10	24						1		1	†			1	
BLADEN	38	63.10			25									1	1		1	
BRUNSWICK	23		15	38.00	13									1	1		1	
CARTERET						l							1	1	1		1	
CHOWAN	20	00:78	13	28.90	12	51.70							1	1	1	1	1	
COLUMBUS	4	60.80	99 28		51										Ī	1	1	
CRAVEN	32	60.60	62	47.80	21						Ī			T	1	1	1	
DUPLIN	142		113		8								1	T	1	1	1	
EDGECOMBE	36	77.10	29	57.20	22										1		1	
GATES	13		11												I	1	1	
HERTFORD	15		11	49.60										T	Ī	Ī	1	
JONES	25	64.40	22	49.80	8	41.30								T	Ī	1	1	
MARTIN	46	80.70		53.20	83								1	†	Ī	1	1	
NEW HANOVER														T	Ī	1	1	Ī
ONSTOW	8		24	42.80	S	34.80								T	T	1	1	
PAMLICO	13			51.20	13								l	T	T	1	T	
PENDER	24		21		19									T	Ī	1	T	
PITT	45			26.20	33	l								†	Ì	1	1	Ī
WASHINGTON	12	128.80	10	61.00											1	Ī	1	
AREA TOTAL	672	70.10	525	51.00	442	38.40	8	85.30	61	5290	13	40 40		ľ	1	İ	1	

2009 Average Cash Rents for Resource. sa = 153B Tidewater

	Agric	Agricultural	Agric	Agricultural	Agricultura	ıltural	Horticultural	ıftural	Horticultural	ultural	Horticultural	ultural	Christma	Christmas Trees	Christm	Christmas Trees	Christm	Christmas Trees
الله والمرادية المرادية المرادية المرادية المرادية المرادية المرادية المرادية المرادية المرادية المرادية المرا	-E	High	₩	Medium	<u> </u>	Low	Ť	High	Med	Medium	Low	AN.	Ħ	High	Medium	ig.	Low	*
	Prod	Productivity	Produ	Productivity	Productivi	ıctivity	Produ	Productivity	Produ	Productivity	Produ	Productivity	Productivity	ctivity	Productivity	ctivity	Productivity	ctivity
	No. of		No. of		No. of		No. of		No. of		No. of		No. of		No. of		No of	
County	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	moorts	Average	renorte	Average	Panorto	Arozona
BEAUFORT	30	83.70	23	52.00	12	37.10								a Raman		Picion	53 50 50	Avelage
CAMDEN																		
CARTERET																		
CHOWAN	82	87.00	13	58.40	12	51.70												
CURRITUCK	10	88.00											ľ					
DARE															Ī			
HYDE																		ľ
PAMLICO	13	70.40	13	51.20	13	36.50												
PASQUOTANK	19	105.30	11	73.20														I
PERQUIMANS	24	101.90	21	78.10	81													
TYRRELL	10	109.50																Ī
WASHINGTON	12	,	10															Ī
AREA TOTAL	163	94.50	117	64.30	111	48.20	12	111.30	ľ	84.40	×	76.70						
An * indicates the data is published even though there are less than 10 reports	is published	even though	there are les	ss than 10 rec	orts.]		

	ı			
	ı	į	Ų	i
	ŀ	i	Ė	į
		ľ	5	ľ
		<		:
		ì		:
			į	į
			Ċ	3
			,	,
			į	3
		•	•	٠
				ί
			•	Ś
		i	à	j
		d	E	i
		Ļ	Ė	Ė
				ï
			ļ	•
		3		2
		į	į	į
		i	i	ì
	I	L = -1-4- 1 1 1 4t 1 1 1 1	Ē	į
	ı	į		!
	ı		4	?
	l	Į	Ľ	ì
		į	Ċ	Ĺ
	I		4	2
	i		ì	ĺ
	ł	4		i
			ū	,
	l			;
	ı		Ų	?
		1	į	i
	I		2	,
,	ı			•
	ı	- T		•
	ĺ		5	;
	ı	9	1	•

		2009 4	4∨erag	2009 Average Cash Rents	h Ren		- State Total	otal										
	Agric	Agricultural	Agrica	Agricultural	Agricultural	ltural	Horticultural	ılturai	Horticultural	ltural	Horticultural	iltural	Christmas Trees	s Trees	Christma	sea	Christmas Trees	s Trees
		High	Me	Medium	Low		High	<u> </u>	Medium	E E	Low	<u> </u>	High	 _	Medium	ᄠ	Low	
	Prod	Productivity	Productivity	cfivity	Productivit	ctivity	Productivity	ctivity	Productivity	ctivity	Productivity	ctivity	Productivity	ctivity	Productivity	tivity	Productivity	tivity
	No. of		No of		No of		No of		Jo N		No of		JO ON		JO ON		y o	
County	reports	Average	reports	Average	reports	Average		Average		Average	reports	reports Average		Average reports Average reports Average	reports	Average	reports	Average
STATE TOTAL	3431	06.99	27.43	45.60	2414	31.50	254	103.20	184	67.70	155	46.90	114	121.50	93	75.30	80	49.40

Christmas Tree Guidelines

This information replaces a previous memorandum issued by our office dated December 12, 1989. The 1989 General Assembly enacted an "<u>in-lieu of income</u>" provision allowing land previously qualified as horticulture to continue to receive benefits of the present-use value program when the crop being produced changed from any horticultural product to Christmas trees. It also directed the Department of Revenue to establish a separate gross income requirement different from the \$1,000 gross income requirement for horticultural land, when the crop being grown was evergreens intended for use as Christmas trees. N.C.G.S. 105-289(a)(6) directs the Department of Revenue:

"To establish requirements for horticultural land, used to produce evergreens intended for use as Christmas trees, in lieu of a gross income requirement until evergreens are harvested from the land, and to establish a gross income requirement for this type of horticultural land, that differs from the income requirement for other horticultural land, when evergreens are harvested from the land."

It should be noted that horticultural land used to produce evergreens intended for use as Christmas trees is the only use allowed benefit of the present-use value program without first having met a gross income requirement. The trade-off for this exception is a different gross income requirement in recognition of the potential for greater income than would normally be associated with other horticultural or agricultural commodities.

While the majority of Christmas tree production occurs in the western mountain counties (MLRA 130), surveys as far back as 1996 indicate that there are approximately 135 Christmas tree operations in non-mountain counties (MLRAs 136, 137, 133A, 153A & 153B). They include such counties in the piedmont and coastal plain as Craven, Halifax, Robeson, Wake, and Warren. For this reason we have prepared separate in-lieu of income requirements and gross income requirements for these two areas of the State. The different requirements recognize the difference in species, growing practices, markets, and resulting gross income potential.

After consulting with cooperative extension agents, the regional Christmas tree/horticultural specialist at the Western North Carolina Experimental Research Station, and various landowners/growers, we have determined the standards in the following attachments to be reasonable guidelines for compliance with G.S. 105-289(a)(6). Please note these requirements are subject to the whims of weather and other conditions that can have a significant impact. The combined effect of recent hurricanes, spring freezes, and ice storms across some parts of the State should be taken into consideration when appropriate within each county. As with other aspects of the present-use value program, owners of Christmas tree land should not be held accountable for conditions such as adverse weather or disease outbreak beyond their control.

We encourage every county to contact their local Cooperative Extension Service Office to obtain the appropriate local data and expertise to support particular situations in each county.

I. Gross Income Requirement for Christmas Trees

For MLRA 130, the gross income requirement for horticultural land used to grow evergreens intended for use as Christmas trees is \$2,000 per acre.

For all other MLRAs, the gross income requirement for horticultural land used to grow evergreens intended for use as Christmas trees is \$1,500 per acre.

II. In-Lieu of Income Requirement

MLRA 130 - Mountains

The <u>in-lieu of income requirement</u> is for acreage in production but not yet undergoing harvest, and will be determined by sound management practices, best evidenced by the following:

- 1. Sites prepared by controlling problem weeds and saplings, taking soil samples, and applying fertilizer and/or lime as appropriate.
- 2. Generally, a 5' x 5' spacing producing approximately 1,750 potential trees per acre. Spacing must allow for adequate air movement around the trees. (There is very little 4' x 4' or 4.5' x 4.5' spacing. Some experimentation has occurred with 5' x 6' spacing, primarily aimed at producing a 6' tree in 5 years. All of the preceding examples should be acceptable.)
- 3. A program for insect and weed control.
- 4. Generally, an eight-to-ten year setting to harvest cycle. (Most leases are for 10 years, which allows for a replanting of non-established or dying seedlings up through the second year.)

The gross income requirement for acres undergoing Christmas tree harvest in the mountain region of North Carolina (MLRA 130) is \$2,000 per acre. Once Christmas trees are harvested from specific acreage, the requirement for those harvested acres will revert to the in-lieu of income requirement.

As an example, if the total amount of acres devoted to Christmas tree production is six acres, three of which are undergoing harvest and three of which have yet to reach maturity, the gross income requirement would be \$6,000.

MLRA 136 – Piedmont, MLRA 137 – Sandhills, MLRA 133A – Upper Coastal Plain, MLRA 153A – Lower Coastal Plain, and MLRA 153B – Tidewater.

The <u>in-lieu of income requirement</u> is for acreage in production but not yet undergoing harvest, and will be determined by sound management practices, best evidenced by the following:

- 1. Sites prepared by controlling problem weeds and saplings, taking soil samples, and applying fertilizer and/or lime as appropriate.
- 2. Generally, a 7' x 7' spacing producing approximately 900 potential trees per acre. Spacing must allow for adequate air movement around the trees. (There may be variations in the spacing dependent on the species being grown, most likely Virginia Pine, White Pine, Eastern Red Cedar, and Leyland Cypress. All reasonable spacing practices should be acceptable.)
- 3. A program for insect and weed control.
- 4. Generally a five-to-six year setting to harvest cycle. (Due to the species being grown, soil conditions and growing practices, most operations are capable of producing trees for market in the five-to-six year range. However, the combined effect of adverse weather and disease outbreak may force greater replanting of damaged trees thereby lengthening the current cycle beyond that considered typical.)

The gross income requirement for acres undergoing Christmas tree harvest in the non-mountain regions of North Carolina (MLRAs 136, 137, 133A, 153A, and 153B) is \$1,500 per acre. Once Christmas trees are harvested from specific acreage, the requirement for those harvested acres will revert to the in-lieu of income requirement.

As an example, if the total amount of acres devoted to Christmas tree production is six acres, three of which are undergoing harvest and three of which have yet to reach maturity, the gross income requirement would be \$4,500.

Procedure for Forestry Schedules

The charge to the Forestry Group is to develop five net income per-acre ranges for each MLRA based on the ability of the soils to produce timber income. The task is confounded by variable species and stand type; management level, costs and opportunities; markets and stumpage prices; topographies; and landowner objectives across North Carolina.

In an attempt to develop realistic net income per acre in each MLRA, the Forestry Group considered the following items by area:

- 1. soil productivity and indicator tree species (or stand type);
- 2. average stand establishment and annual management costs;
- 3. average rotation length and timber yield; and
- 4. average timber stumpage prices.

Having selected the appropriate combinations above, the harvest value (gross income) from a managed rotation on a given soil productivity level can be calculated, netted of costs and amortized to arrive at the net income per acre per year soil expectation value. The ensuing discussion introduces users of this manual to the procedure, literature and software citations and decisions leading to the five forest land classes for each MLRA. Column numbers beside subheadings refer to columns in the Forestry Net Present Values Table.

Soil Productivity/Indicator Species Selection (Col. 1). Soil productivity in forestry is measured by site index (SI). Site index is the height to which trees of a given species will grow on a given soil/site over a designed period of time (usually 50 or 25 years, depending on species, site or age

of site table). The Forestry Group identified key indicator species (or stand types) for each MLRA and then assigned site index ranges for the indicator species that captured the management opportunities for that region. The site index ranges became the productivity class basis for further calculations of timber yield and generally can be correlated to Natural Resource Conservation Service (NRCS) cubic foot per acre productivity classes for most stand types. By MLRA, the following site index ranges and species/stand types cover the overwhelming majority of soils/sites and management opportunities.

MLRA 153A, 153B, 137, 136, 133A:

Species/Stand Type	SI Range (50 yr. basis)
Loblolly pine	86-104
Loblolly pine	66-85
Loblolly pine	60-65
Mixed hardwoods	Mixed species and site indices on coves, river
	bottoms, bottomlands
Pond and/or longleaf pine	50-55
Upland hardwoods (MLRA 136)	40-68 (Upland oak)

MLRA 130:

Species/Stand Type	SI Range (50 yr. basis)
White pine White pine Shortleaf/mixed hardwoods Bottomland/cove hardwoods Upland oak ridges	70-89 55-69 Mixed species/sites (SI 42-58 shortleaf) Mixed species/site indices on coves and bottoms 40-68

The site index ranges above, in most cases, can be correlated to individual soil series (and series' phases) according to NRCS cubic foot per acre productivity classes. An exception will be the cove, bottomland, riverbottom, and other hardwood sites where topographic position must also

be considered. The Soils Group is responsible for assigning soil series to the appropriate class for agriculture, horticulture and forestry.

Stand Establishment and Annual Management Costs (Columns 2 and 3). Stand establishment costs include site preparation and tree planting costs. Costs vary from \$0 to over \$200 per acre depending on soils, species, and management objectives. No cost would be incurred for natural regeneration (as practiced for hardwoods) with costs increasing as pine plantations are intensively managed on highly productive sites. The second column in the Forestry Net Present Values Table contains average establishment costs for the past ten years as reported by the N.C. Forest Service for site classes in each MLRA.

Annual management may include costs of pine release, timber stand improvement activities, prescribed burning, boundary line maintenance, consultant fees and other contractual services. Cost may vary from \$0 on typical floodplain or bottomland stands to as high as \$6 per acre per year on intensively managed pine plantations. Annual management costs in Forestry Net Present Values Table are the best estimates under average stand management regimes by site class.

Rotation Length and Timber Yields (Columns 4, 5, 6). Sawtimber rotations are recommended on all sites in North Carolina. This decision is based on the market situation throughout the state, particularly the scarce markets for low quality and small-diameter pine and hardwood, which normally would be used for pulpwood. Timber thinnings are not available to most woodlot managers and, therefore, rotations are assumed to proceed unthinned until the optimum economic product mix is achieved.

Timber yields are based on the most current yield models developed at the N.C. State University School of Forest Resources for loblolly pine. (Hafley, Smith, and Buford, 1982) and natural hardwood stands (Gardner et al. 1982). White pine yields, mountain mixed stand yields, and upland oak yields are derived from U.S. Forest Service yield models developed by Vimmerstedt (1962) and McClure and Knight. Longleaf and pond pine yields are from Schumacher and Coile (1960).

<u>Timber Stumpage Prices (Columns 7 and 8)</u>. Cost of forestry operations are derived from the past five year regional data (provided by the NC DFR). For timber, stumpage prices (prices paid for standing timber to landowners) are derived over the same 5-year period from regional Forest2Market reports, a timber price reporting system.

<u>Harvest Values (Column 9</u>). Multiplication of timber yields (columns 5 and 6) times the respective timber stumpage prices (columns 7 and 8) gives the gross harvest value of one rotation.

Annualized Net Present Value (NPV) (Column 10). Harvest values (column 9) are discounted to present value at a 4 percent discount rate, which is consistent with rates used and documented by the U.S. Forest Service, forestry industry and forestry economists. This rate approximates the long-term measures of the opportunity cost of capital in the private sector of the U.S. economy (Row et al. 1981; Gunter and Haney, 1984). The respective establishment costs and the present value of annual management costs are subtracted from the present value of the income to obtain

the net present value of the timber stand. This is then amortized over the life of the rotation to arrive at the annualized net present value (or annual net income) figure.

Forestry Net Present Values

Indicator Species or Stand Types, Lengths of Rotation, Costs, Yields, Price and Annualized Net Present Value per Acre of Land by Site Index Ranges in Each Major Land Resource Area, North Carolina.

(1) Species/Stand Type	(2) Est. Cost	(3) Mgmt. Cost	(4) Rot. Lgth.	(5) Yield	(6) Yield	(7) Price	(8) Price /cd	(9) Harvest Value	(10) Annualized NPV
MLRAs 153A and 133A	(\$)	(\$)	(yrs)	(MBF)	(cds)	(\$)	(\$)	\$	(\$)
Mixed hardwoodsa	0	0	20	11.5	4	201	13.2	2892	18.95
Loblolly pine (86-104)	359	ო	30	12	14.4	191	26.4	2667	23.8
Loblolly pine (66-85)	246	2	30	7	16.8	191	26.4	1781	15.52
Loblolly pine (60-65)	126	_	40	4.8	12.7	191	26.4	1252	5.81
Pond pine (50-55)	51	0.5	90	2.7	20	191	26.4	1044	3.96
Longleaf pine (50-55)	51	0.5	20	3.2	ω	191	26.4	821	3.23
MLRA 153B									
Mixed hardwoodsa	0	0	90	8.43	44	201	13.2	2275	14.9
Loblolly pine (86-104)	451.5	က	30	12	14.4	191	26.4	2667	18.45
Loblolly pine (66-85)	246	2	30	7	16.8	191	26.4	1778	15.47
Loblolly pine (60-65)	126	•	40	4.8	12.7	191	26.4	1252	5.81
Pond pine (low site)	51	0.5	90	2.7	70	192	26.4	1045	3.97
MLRA 137									
Mixed hardwoodsa	0	0	50	11.9	46	214	17.8	3365	22.04
Loblolly pine (86-104)	249	ന	30	12	15.6	207	22.5	2835	33.15
Loblolly pine (66-85)	128.2	2	30	6.4	16.9	207	22.5	1705	20.99
Loblolly pine (60-65)	20	~-	20	7.2	7	207	22.5	1648	7.47
Longleaf pine (50-55)	20	0.5	20	3.2	∞	207	22.5	842	2.69

(1) Species/Stand Type	(2) Est. Cost	(3) Mgmt. Cost	(4) Rot. Lgth.	(5) Yield	(6) Yield	(7) Price /mbf	(8) Price /cd	(9) Harvest Value	Amualized NPV
MLRA 136	(\$)	(\$)	(yrs)	(MBF)	(cds)	(\$)	(\$)	(\$)	(\$)
Mixed hardwoodsa	0	0	50	11.9	46	214	17.8	3365	22.04
Loblolly pine (86-104)	249	ო	30	11.5	15.6	194	22.5	2587	28.72
Loblolly pine (66-85)	128.2	2	30	6.4	16.9	194	22.5	1624	19.55
Loblolly pine (60-65)	52	0.5	40	4.1	15	194	22.5	1135	8.66
Upland hardwoods	0	0	20	6.05	32	214	17.8	1864	12.21
MLRA 130									
Mixed hardwoodsa	0	0	20	10.95	0	239	19	2617	17.14
White pine (70-89)	254	2	30	17.8	0	125	16.8	2225	22.98
White pine (55-69)	163.4	~	35	8.5	0	125	16.8	1063	4.67
Shortleaf/mixed hwd.	0	0	90	9	0	143	16.8	858	3.61
Upland oak ridge (40-68)	0	0	70	5.32		239	16.8	1271	3.49

MLRA 130 - Mountains

Alluvial land, wet	Mon Unit Nome	Agri	For	Hort
Arents, loamy Arkaqua loam, 0 to 2 percent slopes, frequently flooded Arkaqua loam, 0 to 2 percent slopes, occasionally flooded II III III Arkaqua loam, 0 to 2 percent slopes, occasionally flooded II IIII III Arkaqua loam, 0 to 2 percent slopes, occasionally flooded II IIII III Ashe and Edneyville soils, 15 to 25 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV I IIII IIII Ashe fine sandy loam, 10 to 25 percent slopes IV IIII IIII Ashe fine sandy loam, 10 to 25 percent slopes IV IIII IIII Ashe fine sandy loam, 10 to 25 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IV Ashe stony fine sandy loam, ALL Ashe stony fine sandy loam, ALL IV IIII IV Ashe-Cleveland complex, very stony, ALL IV III IV Ashe-Cleveland complex, stony, ALL IV III IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV IV IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV IV IV Balsam-Rubble land complex, windswept, ALL IV IV IV Balsam-Rubble land complex, windswept, ALL IV IV IV Balsam-Tanasee complex, extremely bouldery, ALL Balsam, ALL IV IV IV Balsam-Tanasee complex, ot 03 percent slopes, occasionally flooded III III Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III III Bandana-Ostin complex, 0 to 3 percent slopes, conded III III Bandana-Ostin complex, 0 to 3 percent slopes, eroded III III Braddock clay loam, 2 to 8 percent slopes, eroded III III Braddock loam, 2 to 8 percent slopes, eroded III III Braddock loam, 2 to 8 percent slopes, eroded III III Braddock loam, 2 to 8 percent slopes, eroded III III Braddock loam, 2 to 8 percent slopes, eroded III IIII Braddock loam, 8 to 15 percent slopes, eroded III IIII Braddoc				
Arkaqua loam, 0 to 2 percent slopes, frequently flooded Arkaqua loam, 0 to 2 percent slopes, occasionally flooded Arkaqua loam, 0 to 2 percent slopes, occasionally flooded II III III Arkaqua loam, 0 to 2 percent slopes, occasionally flooded Arkaqua loam, 0 to 2 percent slopes, are load of the limit III III Ashe and Edneyville soils, 6 to 15 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV IIII Ashe flies sandy loam, 6 to 15 percent slopes IV IIII Ashe fine sandy loam, 15 to 25 percent slopes IV IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IV Ashe cloveland complex, story, ALL Ashe story sandy loam, ALL Ashe story sandy loam, ALL Ashe story sandy loam, ALL Ashe cloveland-Rock outerop complex, ALL IV IIII IV Ashe-Cleveland-Rock outerop complex, ALL Ashe-Cleveland-Rock outerop complex, ALL Ashe-Cleveland-Rock outerop complex, ALL IV IV IV Ashe-Cleveland-Rock outerop complex, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, ot 3 percent slopes, occasionally flooded II III Balsam-Rubble land complex, windswept, ALL Braddock lay loam, 5 to 5 percent slopes, croded II III Braddock lay loam, 5 to 5 percent slopes, eroded II III Braddock lay loam, 5 to 5 percent slopes, eroded II III Braddock lay loam, 5 to 5 percent slopes, eroded III III Braddock lay loam, 5 to 5 percent slopes, eroded III III Braddock lay loam, 5 to 5 percent slopes III I III Braddock lay loam, 5 to 5 percent slopes, eroded				
Arkaqua loam, 0 to 2 percent slopes, occasionally flooded II III III III Arkaqua loam, 0 to 2 percent slopes, araley flooded III III III III Arkaqua loam, 0 to 2 percent slopes araley flooded III III III III Ashe and Edneyville solis, 6 to 15 percent slopes IV I III III Ashe and Edneyville solis, 5 to 15 percent slopes IV III III III Ashe and Edneyville solis, 25 to 45 percent slopes IV III III III Ashe fine sandy loam, 6 to 15 percent slopes IV III III III Ashe fine sandy loam, 6 to 15 percent slopes IV III III III III III III III III III				
Arkaqua toam, 0 to 2 percent slopes, rarely flooded				
Ashe and Edneyville soils, 6 to 15 percent slopes IV I III Ashe and Edneyville soils, 15 to 25 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV I IIII Ashe and Edneyville soils, 25 to 45 percent slopes IV I IIII III Ashe fine sandy loam, 6 to 15 percent slopes IV IIII IIII Ashe fine sandy loam, 10 to 25 percent slopes IV IIII IIII Ashe fine sandy loam, 10 to 25 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IIII Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IV Ashe fine sandy loam, 25 to 45 percent slopes IV IIII IV Ashe sloop fine sandy loam, ALL Ashe gravelly fine sandy loam, ALL IV IIII IV Ashe stony sandy loam, ALL Ashe-Cheveland-Rock outerop complex, very stony, ALL IV IIII IV Ashe-Cleveland-complex, stony, ALL Ashe-Cleveland-Rock outerop complex, ALL Ashe-Cleveland-Rock outerop complex, ALL Ashe-Cleveland-Rock outerop complex, 15 to 70 percent slopes IV IV Ashe-Cheveland-Rock outerop complex, ALL Ashe-Rock outerop complex, 15 to 70 percent slopes IV IV VI IV Ashe-Rock outerop complex, 15 to 70 percent slopes IV VI IV Ashe-Rock outerop complex, stony, ALL Ashe-Rock outerop complex, 15 to 70 percent slopes IV VI IV Ashe-Rock outerop complex, stony, ALL IV IV Ashe-Rock outerop complex, stony, ALL IV IV Ashe-Rock outerop complex, stony, ALL IV IV Ashe-Rock outerop complex, stony, ALL IV IV Ashe-Rock outerop complex, stony, ALL IV IV Ashe-Rock outerop complex, stony, ALL IV IV Balsam-Tanasee complex, extremely bouldery, ALL Balsam, ALL IV IV Balsam-Tanasee complex, on the stony				
Ashe and Edneyville soils, 15 to 25 percent slopes				
Ashe and Edneyville soils, 25 to 45 percent slopes				
Ashe fine sandy loam, 6 to 15 percent slopes				
Ashe fine sandy loam, 10 to 25 percent slopes IV III III Ashe fine sandy loam, 15 to 25 percent slopes IV III III III Ashe fine sandy loam, 25 to 45 percent slopes IV III III IV Ashe fine sandy loam, 25 to 45 percent slopes IV III IV Ashe gravelly fine sandy loam, 25 to 65 percent slopes IV III IV Ashe stony fine sandy loam, ALL IV III IV Ashe stony fine sandy loam, ALL IV III IV Ashe-Chestnut-Buladean complex, very stony, ALL IV III IV Ashe-Cleveland complex, stony, ALL IV IV III IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV IV IV IV IV IV IV Ashe-Rock outcrop complex, and the stony of the sandy loam, to 30 percent slopes IV IV IV IV IV IV IV IV IV IV IV IV IV				
Ashe fine sandy loam, 15 to 25 percent slopes IV III III Ashe fine sandy loam, 25 to 45 percent slopes IV III IV Ashe fine sandy loam, 25 to 45 percent slopes IV III IV Ashe stony fine sandy loam, 25 to 65 percent slopes IV III IV Ashe stony fine sandy loam, ALL IV III IV Ashe stony sandy loam, ALL IV III IV Ashe stony sandy loam, ALL IV III IV Ashe-Cleveland complex, very stony, ALL IV IIII IV Ashe-Cleveland complex, stony, ALL IV IV III IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, Stony of percent slopes IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV IV IV Ashe-Rock outcrop complex, Stony of percent slopes IV IV IV Ashe-Rock outcrop complex, Stony of percent slopes IV IV IV Ashe-Rock outcrop complex, IS to 70 percent slopes IV IV IV Ashe-Rock outcrop complex, IS to 70 percent slopes IV IV IV Ashe-Rock outcrop complex, windswept, ALL IV IV IV IV Ashe-Rock outcrop complex, cytragetely bouldery, ALL IV IV IV IV Balsam-Ransee complex, extremely bouldery, ALL IV IV IV IV Balsam-Tanasee complex, extremely bouldery, ALL IV IV IV IV Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III II III Braddock shad hayesville clay loams, eroded, ALL IV IV III IV Braddock and Hayesville clay loams, eroded, ALL IIII III Braddock clay loam, 2 to 6 percent slopes, eroded III III Braddock clay loam, 2 to 8 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slop				
Ashe fine sandy loam, 25 to 45 percent slopes IV III IV Ashe gravelly fine sandy loam, 25 to 65 percent slopes IV III IV Ashe stony fine sandy loam, ALL Ashe stony sandy loam, ALL IV III IV Ashe stony sandy loam, ALL IV III IV Ashe-Chestnut-Buladean complex, very stony, ALL IV III IV Ashe-Chestnut-Buladean complex, very stony, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV Ashe-Rock outcrop complex, I5 to 70 percent slopes IV VI IV Ashe-Cleveland-Rock outcrop complex, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Tanasee complex, extremely bouldery, ALL IV VI IV Balsam-Tanasee complex, 0 to 3 percent slopes, occasionally flooded III II Braddock clay loam, 0 to 3 percent slopes, occasionally flooded III III Braddock clay loam, 2 to 6 percent slopes, croded III III Braddock clay loam, 2 to 6 percent slopes, eroded III III Braddock clay loam, 2 to 8 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock clay loam, 15 to 30 percent slopes III III Braddock fine sandy loam, 15 to 30 percent slopes III III Braddock fine sandy loam, 15 to 30 percent slopes III III Braddock fine sandy loam, 8 to 15 percent slopes III III Braddock loam, 2 to 8 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 10 to 25 percent slopes III III B				
Ashe gravelly fine sandy loam, 25 to 65 percent slopes IV III IV Ashe stony fine sandy loam, ALL IV III IV Ashe stony sandy loam, ALL IV III IV Ashe-Cheveland complex, very stony, ALL IV III IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV Ashe-Cleveland complex, 15 to 70 percent slopes IV VI IV Ashe-Cleveland complex, by 15 to 70 percent slopes IV VI IV Ashe-Cleveland complex, indowept, ALL IV IV IV Ashe-Cleveland complex, windswept, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Tanasee complex, extremely bouldery, ALL IV VI IV Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III II Biltmore, ALL Biltmore,				
Ashe stony fine sandy loam, ALL Ashe stony sandy loam, ALL Ashe-Chestnut-Buladean complex, very stony, ALL IV III IV Ashe-Chestnut-Buladean complex, very stony, ALL IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV Ashe-Cleveland-Rock outerop complex, ALL IV IV IV IV Ashe-Cleveland-Rock outerop complex, ALL IV IV IV IV Ashe-Cleveland-Rock outerop complex, ALL IV IV IV IV IV Ashe-Cleveland-Rock outerop complex, ALL IV IV IV IV IV IV IV IV IV IV IV IV IV				
Ashe stony sandy loam, ALL Ashe-Chestnut-Buladean complex, very stony, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Cleveland-Rock outcrop complex, I to 70 percent slopes IV VI Augusta fine sandy loam, Cool variant, 1 to 4 percent slopes (Delanco) II I Balsam, ALL IV VI Balsam-Rubble land complex, windswept, ALL Balsam-Tanasee complex, extremely bouldery, ALL Bandana-Stan complex, extremely bouldery, ALL Bandana-Stan complex, on 3 percent slopes, occasionally flooded II III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III III Brandana-Ostin complex, 0 to 3 percent slopes, croded III III Brandadock and Hayesville clay loams, eroded, ALL Brandadock and Hayesville clay loams, eroded, ALL Brandadock clay loam, 2 to 6 percent slopes, eroded III IIII Brandadock clay loam, 2 to 8 percent slopes, eroded III IIII Brandadock clay loam, 8 to 15 percent slopes, eroded III IIII Brandadock clay loam, 8 to 15 percent slopes, eroded III IIII Brandadock clay loam, 15 to 30 percent slopes III IIII Brandadock clay loam, 15 to 30 percent slopes III IIII Brandadock gravelly loam, 2 to 8 percent slopes III I IIII Brandadock gravelly loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 8 to 15 percent slopes III I IIII Brandadock loam, 6 to 10 percent slopes III I I IIII				
Ashe-Chestnut-Buladean complex, very stony, ALL IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV IV Ashe-Cleveland complex, stony, ALL IV IV IV IV IV Ashe-Cleveland complex, is to 70 percent slopes IV VI IV IV Ashe-Rock outcrop complex, IS to 70 percent slopes IV VI IV IV IV Ashe-Rock outcrop complex, IS to 70 percent slopes IV VI IV IV IV IV IV IV IV IV IV IV IV				
Ashe-Cleveland complex, stony, ALL Ashe-Cleveland-Rock outcrop complex, ALL IV IV IV IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV VI IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV VI IV Ashe-Rock outcrop complex, 15 to 70 percent slopes IV VI IV IV IV Balsam, ALL Balsam, ALL IV VI Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL Balsam-Rubble land complex, extremely bouldery, ALL IV VI IV Balsam-Rubble land complex, extremely bouldery, ALL IV VI IV Balsam-Rubble land complex, extremely bouldery, ALL IV VI IV Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III Biltmore, ALL Biltmore, ALL Braddock and Hayesville clay loams, eroded, ALL III Braddock clay loam, 2 to 6 percent slopes, eroded III Braddock clay loam, 2 to 6 percent slopes, eroded III Braddock clay loam, 2 to 8 percent slopes, eroded III Braddock clay loam, 8 to 15 percent slopes, eroded III Braddock clay loam, 8 to 15 percent slopes, eroded III Braddock clay loam, 8 to 15 percent slopes, eroded III Braddock clay loam, 15 to 30 percent slopes III Braddock fine sandy loam, 15 to 30 percent slopes III Braddock gravelly loam, 2 to 8 percent slopes III Braddock gravelly loam, 2 to 8 percent slopes III Braddock gravelly loam, 8 to 15 percent slopes III Braddock loam, 8 to 15 percent slopes III Braddock loam, 8 to 15 percent slopes III Braddock loam, 8 to 15 percent slopes III Braddock loam, 8 to 15 percent slopes III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III Braddock loam, 8 to 15 percent slopes III III III Braddo			l	
Ashe-Cleveland-Rock outcrop complex, ALL Ashe-Rock outcrop complex, 15 to 70 percent slopes Augusta fine sandy loam, cool variant, 1 to 4 percent slopes (Delanco) Augusta fine sandy loam, cool variant, 1 to 4 percent slopes (Delanco) II II Balsam, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL Balsam-Tanasee complex, extremely bouldery, ALL IV VI IV Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III III Biltmore, ALL Brandane-Ostin complex, 0 to 3 percent slopes, occasionally flooded III III Biltmore, ALL Braddock and Hayesville clay loams, eroded, ALL Braddock clay loam, 2 to 6 percent slopes, occasionally flooded III IIII Braddock clay loam, 2 to 8 percent slopes, eroded III IIII Braddock clay loam, 6 to 15 percent slopes, eroded III IIII Braddock clay loam, 6 to 15 percent slopes, eroded III IIII Braddock clay loam, 6 to 15 percent slopes, eroded III IIII Braddock clay loam, 7 to 8 percent slopes, eroded III IIII Braddock clay loam, 8 to 15 percent slopes, eroded III IIII Braddock clay loam, 15 to 30 percent slopes, eroded III IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I IV Braddock fine sandy loam, 15 to 30 percent slopes III IIII Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock gravelly loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I III Braddock loam, 8 to 15 percent slopes III I IIII Braddock loam, 8 to 15 percent slopes III I IIII Braddock loam, 8 to 15 percent slope				
Ashe-Rock outcrop complex, 15 to 70 percent slopes				
Augusta fine sandy loam, cool variant, 1 to 4 percent slopes (Delanco) Balsam, ALL Balsam, ALL Balsam, ALL Balsam, ALL Balsam-Rubble land complex, windswept, ALL BIV VI IV Balsam-Tanasee complex, extremely bouldery, ALL Brandana sandy loam, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III Brandana-Ostin complex, 0 to 5 percent slopes, eroded III Brandadock clay loam, 2 to 6 percent slopes, eroded III Brandadock clay loam, 2 to 8 percent slopes, eroded III Brandadock clay loam, 6 to 15 percent slopes, eroded III Brandadock clay loam, 6 to 15 percent slopes, eroded III Brandadock clay loam, 15 to 30 percent slopes, eroded, stony IV III Brandadock gravelly loam, 15 to 30 percent slopes III Brandadock gravelly loam, 2 to 8 percent slopes III Brandadock gravelly loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam, 8 to 15 percent slopes III Brandadock loam,				
Balsam, ALL IV VI IV Balsam-Rubble land complex, windswept, ALL IV VI IV Balsam-Tanasee complex, extremely bouldery, ALL IV VI IV Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III III III Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III III III Biltmore, ALL IV III IV Braddock and Hayesville clay loams, eroded, ALL III III III Braddock clay loam, 2 to 6 percent slopes, eroded III III IIII Braddock clay loam, 2 to 8 percent slopes, eroded III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
Balsam-Rubble land complex, windswept, ALL Balsam-Tanasee complex, extremely bouldery, ALL Balsam-Tanasee complex, extremely bouldery, ALL Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III III Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded Biltmore, ALL Braddock and Hayesville clay loams, eroded, ALL Braddock clay loam, 2 to 6 percent slopes, eroded Braddock clay loam, 2 to 8 percent slopes, eroded Braddock clay loam, 2 to 8 percent slopes, eroded Braddock clay loam, 6 to 15 percent slopes, eroded Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, 6 to 15 percent slopes, eroded Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, 15 to 30 percent slopes, eroded Braddock clay loam, 15 to 30 percent slopes, eroded Braddock fine sandy loam, 15 to 30 percent slopes Braddock fine sandy loam, 15 to 30 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 1 to 6 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Braddock Joam, 8 to 15 percent slopes Brevard Joam, 10 to 25 percent slopes Brevard Joam, 10 to 25 percent slopes Brevard Joam, 10 to 25 percent slopes Brevard Joam				
Balsam-Tanasee complex, extremely bouldery, ALL Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded II II III Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III III III Biltmore, ALL Braddock and Hayesville clay loams, eroded, ALL Braddock clay loam, 2 to 6 percent slopes, eroded III IIII Braddock clay loam, 2 to 8 percent slopes, eroded III IIII Braddock clay loam, 2 to 8 percent slopes, eroded III IIII Braddock clay loam, 6 to 15 percent slopes, eroded III IIIII Braddock clay loam, 8 to 15 percent slopes, eroded III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded III III III Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded IIII III III Biltmore, ALL IV III IV Braddock and Hayesville clay loams, eroded, ALL IIII I IIII Braddock clay loam, 2 to 6 percent slopes, eroded III I IIII Braddock clay loam, 2 to 8 percent slopes, eroded III I IIII Braddock clay loam, 6 to 15 percent slopes, eroded III I IIII Braddock clay loam, 6 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 15 to 30 percent slopes, eroded III I IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I IIII Braddock fine sandy loam, 15 to 30 percent slopes III I IIII Braddock fine sandy loam, 2 to 8 percent slopes III I I IIII Braddock gravelly loam, 2 to 8 percent slopes III I I IIII Braddock loam, 8 to 15 percent slopes III I I IIII Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Bradson gravelly loam, ALL III I III Bradson gravelly loam, ALL III I III Bradson-Junaluska complex, ALL III I III Brasstown-Junaluska complex, 8 to 15 percent slopes III IV III Brasstown-Junaluska complex, 15 to 30 percent slopes IV IV IV IV Brasstown-Junaluska complex, ALL OTHER II I I Brasstown-Junaluska complex, ALL OTHER III I III Brasstown-Junaluska complex, 10 to 9 percent slopes III I I I III Brasstown-Junaluska complex, 10 to 9 percent slopes III I I I IIII Bravard loam, 7 to 15 percent slopes III I I I IIII Brevard loam, 7 to 15 percent slopes III I I IIII Brevard loam, 15 to 25 percent slopes IIV I III Brevard loam, 15 to 25 percent slopes IIV I III Brevard loam, 15 to 25 percent slopes IIV I III				
Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded III II III Biltmore, ALL IV III IV Braddock and Hayesville clay loams, eroded, ALL III III Braddock clay loam, 2 to 6 percent slopes, eroded III I III Braddock clay loam, 2 to 8 percent slopes, eroded III I IIII Braddock clay loam, 6 to 15 percent slopes, eroded III I IIII Braddock clay loam, 6 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 15 to 30 percent slopes, eroded III IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I III Braddock clay loam, 15 to 30 percent slopes III I IIII Braddock fine sandy loam, 15 to 30 percent slopes III I III Braddock gravelly loam, 2 to 8 percent slopes III I I III Braddock gravelly loam, 8 to 15 percent slopes III I I III Braddock loam, 2 to 8 percent slopes III I I III Braddock-Urban land complex, ALL III I III Braddock-Urban land complex, ALL III I III Braddock-Urban land complex, ALL III I III Brasstown-Junaluska complex, 8 to 15 percent slopes III I I III Brasstown-Junaluska complex, 8 to 15 percent slopes III I I III Brasstown-Junaluska complex, 8 to 15 percent slopes III I I III Brasstown-Junaluska complex, ALL OTHER IV IV IV Brasstown-Junaluska complex, ALL OTHER IV IV III Brasvard loam, 2 to 6 percent slopes III I I III Brevard loam, 6 to 10 percent slopes III I I III Brevard loam, 7 to 15 percent slopes III I I I IIII Brevard loam, 15 to 25 percent slopes IV IV III Brevard loam, 15 to 25 percent slopes IV II III Brevard loam, 25 to 45 percent slopes				
Biltmore, ALL Braddock and Hayesville clay loams, eroded, ALL Braddock clay loam, 2 to 6 percent slopes, eroded II I III Braddock clay loam, 2 to 8 percent slopes, eroded III I III Braddock clay loam, 6 to 15 percent slopes, eroded III I III Braddock clay loam, 8 to 15 percent slopes, eroded III I III Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, eroded, ALL OTHER IV I IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I IV Braddock fine sandy loam, 15 to 30 percent slopes III I I IIII Braddock gravelly loam, 2 to 8 percent slopes III I I III Braddock gravelly loam, 2 to 15 percent slopes III I I I III Braddock loam, 2 to 8 percent slopes III I I I I I I I I I I I I I I I I I				
Braddock and Hayesville clay loams, eroded, ALL Braddock clay loam, 2 to 6 percent slopes, eroded Braddock clay loam, 2 to 8 percent slopes, eroded Braddock clay loam, 6 to 15 percent slopes, eroded Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, 15 to 30 percent slopes, eroded Braddock clay loam, 15 to 30 percent slopes, eroded, stony Braddock fine sandy loam, 15 to 30 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Bradson gravelly loam, ALL Braddock-Urban land complex, ALL Bradson gravelly loam, ALL Braddock-Urban land complex, ALL Braddock-Urban lan				
Braddock clay loam, 2 to 6 percent slopes, eroded II I III Braddock clay loam, 2 to 8 percent slopes, eroded III III Braddock clay loam, 6 to 15 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock clay loam, 8 to 15 percent slopes, eroded III III Braddock clay loam, eroded, ALL OTHER IV I IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I IV Braddock fine sandy loam, 15 to 30 percent slopes III I III Braddock gravelly loam, 2 to 8 percent slopes III I I III Braddock gravelly loam, 8 to 15 percent slopes III I I III Braddock loam, 2 to 8 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL IIV IV Brasstown-Junaluska complex, 8 to 15 percent slopes III I I III Braddock-Urban land complex, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes III IV Brasstown-Junaluska complex, 15 to 30 percent slopes III IV Brasstown-Junaluska complex, ALL OTHER Brevard loam, 2 to 6 percent slopes III I I Brevard loam, 6 to 10 percent slopes III I I Brevard loam, 7 to 15 percent slopes III I I Brevard loam, 10 to 25 percent slopes IV IV Brevard loam, 15 to 25 percent slopes IV IV Brevard loam, 15 to 25 percent slopes IV IV Brevard loam, 15 to 25 percent slopes IV III Brevard loam, 25 to 45 percent slopes				
Braddock clay loam, 2 to 8 percent slopes, eroded II I III Braddock clay loam, 6 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, eroded, ALL OTHER IV I IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I III Braddock fine sandy loam, 15 to 30 percent slopes IIII I IIII Braddock gravelly loam, 2 to 8 percent slopes III I I III Braddock gravelly loam, 8 to 15 percent slopes III I I III Braddock loam, 2 to 8 percent slopes III I I III Braddock loam, 2 to 8 percent slopes III I I III Braddock loam, 8 to 15 percent slopes III I I III Braddock-Urban land complex, ALL IV IV IV Bradson gravelly loam, ALL III I III Brandywine stony soils, ALL IV IV IV Brasstown-Junaluska complex, 8 to 15 percent slopes IIII IV Brasstown-Junaluska complex, 15 to 30 percent slopes IIII IV Brasstown-Junaluska complex, ALL OTHER IV IV IV Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I I Brevard loam, 2 to 6 percent slopes III I I Brevard loam, 7 to 15 percent slopes III I I Brevard loam, 7 to 15 percent slopes III I I Brevard loam, 10 to 25 percent slopes IV I III Brevard loam, 10 to 25 percent slopes IV I III Brevard loam, 15 to 25 percent slopes IV I III Brevard loam, 15 to 25 percent slopes IV I III Brevard loam, 25 to 45 percent slopes				
Braddock clay loam, 6 to 15 percent slopes, eroded II I III Braddock clay loam, 8 to 15 percent slopes, eroded III I IIII Braddock clay loam, eroded, ALL OTHER IV I IIII Braddock clay loam, 15 to 30 percent slopes, eroded, stony IV I IIII Braddock fine sandy loam, 15 to 30 percent slopes III I IIII Braddock gravelly loam, 2 to 8 percent slopes III I I III Braddock gravelly loam, 8 to 15 percent slopes III I I III Braddock loam, 2 to 8 percent slopes III I I I III Braddock loam, 2 to 8 percent slopes III I I I III Braddock loam, 8 to 15 percent slopes III I I I III Braddock loam, 8 to 15 percent slopes III I I I III Braddock-Urban land complex, ALL IV IV IV Bradson gravelly loam, ALL III I I III Brandywine stony soils, ALL III I I III Brandywine stony soils, ALL Brandywine stony soils, ALL IV IV Brasstown-Junaluska complex, 8 to 15 percent slopes III IV III Brasstown-Junaluska complex, ALL OTHER IV IV IV Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I Brevard loam, 2 to 6 percent slopes III I I Brevard loam, 7 to 15 percent slopes III I I Brevard loam, 7 to 15 percent slopes IV I III Brevard loam, 10 to 25 percent slopes IV I III Brevard loam, 15 to 25 percent slopes IV III Brevard loam, 15 to 25 percent slopes IV I III Brevard loam, 25 to 45 percent slopes				
Braddock clay loam, 8 to 15 percent slopes, eroded Braddock clay loam, eroded, ALL OTHER Braddock clay loam, 15 to 30 percent slopes, eroded, stony Braddock fine sandy loam, 15 to 30 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard loam, 2 to 6 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV III Brevard loam, 25 to 45 percent slopes				
Braddock clay loam, eroded, ALL OTHER Braddock clay loam, 15 to 30 percent slopes, eroded, stony Braddock clay loam, 15 to 30 percent slopes Braddock clay loam, 15 to 30 percent slopes Braddock fine sandy loam, 15 to 30 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV III Brevard loam, 25 to 45 percent slopes				
Braddock clay loam, 15 to 30 percent slopes, eroded, stony Braddock fine sandy loam, 15 to 30 percent slopes Braddock fine sandy loam, 2 to 8 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV III Brevard loam, 25 to 45 percent slopes IV III Brevard loam, 25 to 45 percent slopes				
Braddock fine sandy loam, 15 to 30 percent slopes Braddock gravelly loam, 2 to 8 percent slopes Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes Brevard loam, 25 to 45 percent slopes Brevard loam, 25 to 45 percent slopes Brevard loam, 25 to 45 percent slopes				
Braddock gravelly loam, 2 to 8 percent slopes II I I I Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes II I I I I I I I I I I I I I I I I I	Braddock clay loam, 15 to 30 percent slopes, eroded, stony			
Braddock gravelly loam, 8 to 15 percent slopes Braddock loam, 2 to 8 percent slopes Braddock loam, 8 to 15 percent slopes Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Bradson gravelly loam, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes III Brasstown-Junaluska complex, 8 to 15 percent slopes IV IV IV Brasstown-Junaluska complex, 15 to 30 percent slopes IV IV IV Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I Brevard loam, 2 to 6 percent slopes III Brevard loam, 6 to 10 percent slopes III Brevard loam, 7 to 15 percent slopes III Brevard loam, 10 to 25 percent slopes IV III Brevard loam, 15 to 25 percent slopes IV III Brevard loam, 25 to 45 percent slopes	Braddock fine sandy loam, 15 to 30 percent slopes	III		
Braddock loam, 2 to 8 percent slopes I I I I I Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL Braddock-Urban land complex, ALL IV IV IV IV Brasstown-Junaluska complex, 8 to 15 percent slopes III IV Brasstown-Junaluska complex, 15 to 30 percent slopes IV IV Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I Brevard loam, 2 to 6 percent slopes II I I Brevard loam, 6 to 10 percent slopes II I I Brevard loam, 7 to 15 percent slopes II I I Brevard loam, 10 to 25 percent slopes IV I I Brevard loam, 15 to 25 percent slopes IV I II Brevard loam, 25 to 45 percent slopes	Braddock gravelly loam, 2 to 8 percent slopes			
Braddock loam, 8 to 15 percent slopes Braddock-Urban land complex, ALL Bradson gravelly loam, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes II I Brevard loam, 25 to 45 percent slopes IV I Brevard loam, 25 to 45 percent slopes	Braddock gravelly loam, 8 to 15 percent slopes			
Braddock-Urban land complex, ALL Bradson gravelly loam, ALL Brandywine stony soils, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV IV IV IV IV IV IV IV IV I		I	I	I
Bradson gravelly loam, ALL Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes II I Brevard loam, 25 to 45 percent slopes IV I Brevard loam, 25 to 45 percent slopes	Braddock loam, 8 to 15 percent slopes			
Brandywine stony soils, ALL Brasstown-Junaluska complex, 8 to 15 percent slopes III Brasstown-Junaluska complex, 15 to 30 percent slopes IV IV III Brasstown-Junaluska complex, ALL OTHER IV Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I Brevard loam, 2 to 6 percent slopes II Brevard loam, 6 to 10 percent slopes II Brevard loam, 7 to 15 percent slopes II Brevard loam, 10 to 25 percent slopes IV Brevard loam, 15 to 25 percent slopes IV II Brevard loam, 25 to 45 percent slopes IV II II II II II II II II II II II II	Braddock-Urban land complex, ALL	IV		IV
Brasstown-Junaluska complex, 8 to 15 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes II I I Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes II I I Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV I Brevard loam, 25 to 45 percent slopes	Bradson gravelly loam, ALL			
Brasstown-Junaluska complex, 15 to 30 percent slopes Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded Brevard loam, 2 to 6 percent slopes Brevard loam, 6 to 10 percent slopes Brevard loam, 7 to 15 percent slopes Brevard loam, 10 to 25 percent slopes Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV III II Brevard loam, 15 to 25 percent slopes IV II II Brevard loam, 25 to 45 percent slopes	Brandywine stony soils, ALL			
Brasstown-Junaluska complex, ALL OTHER Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I Brevard loam, 2 to 6 percent slopes II I I Brevard loam, 6 to 10 percent slopes III I I Brevard loam, 7 to 15 percent slopes III I I Brevard loam, 10 to 25 percent slopes IV I I Brevard loam, 15 to 25 percent slopes IV I I Brevard loam, 25 to 45 percent slopes	Brasstown-Junaluska complex, 8 to 15 percent slopes	III		
Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I Brevard loam, 2 to 6 percent slopes I I I Brevard loam, 6 to 10 percent slopes II I I Brevard loam, 7 to 15 percent slopes II I I Brevard loam, 10 to 25 percent slopes IV I I Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV I II Brevard loam, 25 to 45 percent slopes	Brasstown-Junaluska complex, 15 to 30 percent slopes	IV		
Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded I I I Brevard loam, 2 to 6 percent slopes I I I Brevard loam, 6 to 10 percent slopes II I I Brevard loam, 7 to 15 percent slopes II I I Brevard loam, 10 to 25 percent slopes IV I I Brevard loam, 15 to 25 percent slopes Brevard loam, 25 to 45 percent slopes IV I II Brevard loam, 25 to 45 percent slopes	Brasstown-Junaluska complex, ALL OTHER	IV	IV	IV
Brevard loam, 2 to 6 percent slopesIIIBrevard loam, 6 to 10 percent slopesIIIIBrevard loam, 7 to 15 percent slopesIIIIBrevard loam, 10 to 25 percent slopesIVIIBrevard loam, 15 to 25 percent slopesIVIIBrevard loam, 25 to 45 percent slopesIVIII		I	I	
Brevard loam, 6 to 10 percent slopesIIIIBrevard loam, 7 to 15 percent slopesIIIIBrevard loam, 10 to 25 percent slopesIVIIBrevard loam, 15 to 25 percent slopesIVIIBrevard loam, 25 to 45 percent slopesIVIII			I	I
Brevard loam, 7 to 15 percent slopesIIIIBrevard loam, 10 to 25 percent slopesIVIIBrevard loam, 15 to 25 percent slopesIVIIBrevard loam, 25 to 45 percent slopesIVIII		II		I
Brevard loam, 10 to 25 percent slopesIVIIBrevard loam, 15 to 25 percent slopesIVIIBrevard loam, 25 to 45 percent slopesIVIII		II	I	I
Brevard loam, 15 to 25 percent slopes IV I I Brevard loam, 25 to 45 percent slopes IV I II		IV	I	I
Brevard loam, 25 to 45 percent slopes IV I II		IV	I	I
		IV	I	II
Dievalu salidy loani, o to 15 percent stopes	Brevard sandy loam, 8 to 15 percent slopes	II	I	I

MLRA 130 - Mountains

M. T. A.Nama	Agri	For	Hort
Map Unit Name	IV	I	IV
Brevard-Greenlee complex, extremely bouldery, ALL	IV	I	III
Buladean-Chestnut complex, 15 to 30 percent slopes, stony	IV	I	IV
Buladean-Chestnut complex, stony, ALL OTHER	IV	V	ĪV
Burton stony loam, ALL	IV	VI	IV
Burton-Craggey complex, windswept, ALL	IV	VI	IV
Burton-Craggey-Rock outcrop complex, windswept, ALL	IV	VI	IV
Burton-Wayah complex, windswept, ALL		I	I
Cashiers fine sandy loam, 2 to 8 percent slopes	II	I	II
Cashiers fine sandy loam, 8 to 15 percent slopes	IV	<u>I</u>	II
Cashiers fine sandy loam, 15 to 30 percent slopes, stony		<u> </u>	III
Cashiers fine sandy loam, 30 to 50 percent slopes, stony	IV		IV
Cashiers fine sandy loam, 50 to 95 percent slopes, stony	IV	I	
Cashiers gravelly fine sandy loam, 8 to 15 percent slopes	II	<u>I</u>	II
Cashiers gravelly fine sandy loam, 15 to 30 percent slopes	IV	I	II
Cashiers gravelly fine sandy loam, 30 to 50 percent slopes	IV	I	III
Cashiers gravelly fine sandy loam, 50 to 95 percent slopes	IV	I	IV
Cashiers sandy loam, 8 to 15 percent slopes, stony	II	I	II
Cashiers sandy loam, 15 to 30 percent slopes, stony	IV	I	II
Cashiers sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Cashiers sandy loam, 50 to 95 percent slopes, stony	IV	I	IV
Cataska-Rock outcrop complex, 30 to 95 percent slopes	IV	VI	IV
Cataska-Sylco complex, 50 to 95 percent slopes	IV	VI	IV
Chandler and Fannin soils, 25 to 45 percent slopes	IV	I	IV
Chandler gravelly fine sandy loam, 8 to 15 percent slopes	IV	III	II
Chandler gravelly fine sandy loam, 15 to 30 percent slopes	IV	III	II
Chandler gravelly fine sandy loam, 30 to 50 percent slopes	IV	III	III
Chandler gravelly fine sandy loam, ALL OTHER	IV	III	IV
Chandler gravelly fine sandy loam, windswept, ALL	IV	VI	IV
Chandler loam, 2 to 8 percent slopes	III	III	II
Chandler loam, 8 to 15 percent slopes	IV	III	II
Chandler loam, 15 to 25 percent slopes Chandler loam, 15 to 25 percent slopes	IV	III	III
Chandler loam, 25 to 65 percent slopes Chandler loam, 25 to 65 percent slopes	IV	III	IV
Chandler silt loam, 10 to 25 percent slopes	IV	III	II
	IV	III	III
Chandler silt loam, 25 to 45 percent slopes	IV	III	IV
Chandler stony loam, 45 to 70 percent slopes	IV	III	IV
Chandler stony silt loam, ALL	IV	III	II
Chandler-Micaville complex, 8 to 15 percent slopes	IV	III	II
Chandler-Micaville complex, 15 to 30 percent slopes, stony	IV	III	III
Chandler-Micaville complex, 30 to 50 percent slopes, stony	IV	III	IV
Chandler-Micaville complex, 50 to 95 percent slopes, stony	IV	I I	IV
Cheoah channery loam, ALL	IV	I	IV
Cheoah channery loam, stony, ALL	IV	VI	IV
Cheoah channery loam, windswept, stony			III
Chester clay loam, 15 to 45 percent slopes, eroded (Evard)	IV	$\frac{I}{I}$	I
Chester fine sandy loam, 6 to 15 percent slopes (Evard)	II		III
Chester fine sandy loam, 15 to 25 percent slopes (Evard)	II	I	
Chester fine sandy loam, 25 to 45 percent slopes (Evard)	IV	I	III
Chester loam, 2 to 6 percent slopes	II	<u>I</u>	I
Chester loam, 6 to 10 percent slopes	III	<u>I</u>	I
Chester loam, 10 to 25 percent slopes	IV	I	II
Chester loam, 25 to 45 percent slopes	IV	I	III
Chester stony loam, 10 to 15 percent slopes (Evard)	III	I	III

Map Unit Name	Agri	For	Hort
Chester stony loam, (Evard), ALL OTHER	IV	I	IV
Chestnut and Edneyville soils, 15 to 25 percent slopes	IV	Ī	II
Chestnut and Edneyville soils, 25 to 50 percent slopes	IV	Î	III
Chestnut gravelly loam, 50 to 80 percent slopes	IV	III	ĪV
Chestnut-Ashe complex, ALL	IV	III	IV
Chestnut-Yishe complex, 711128 Chestnut-Buladean complex, 8 to 15 percent slopes, rocky	III	III	III
Chestnut-Buladean complex, stony, ALL	IV	III	IV
Chestnut-Duradean complex, stony, ADD Chestnut-Cleveland-Rock outcrop complex, windswept, ALL	IV	VI	IV
Chestnut-Edneyville complex, 8 to 25 percent slopes, stony	IV	III	III
Chestnut-Edneyville complex, 3 to 23 percent slopes, story Chestnut-Edneyville complex, 25 to 60 percent slopes, story	IV	III	IV
Chestnut-Edneyville complex, 25 to 60 percent stopes, story Chestnut-Edneyville complex, windswept, stony, ALL	IV	VI	ĪV
Chestoa-Ditney-Rock outcrop complex, 30 to 95 percent slopes, very	IV	VI	IV
bouldery	**	'-	
Cleveland-Chestnut-Rock outcrop complex, windswept, ALL	IV	VI	IV
Cleveland-Rock outcrop complex, 8 to 90 percent slopes	IV	VI	IV
Cliffield-Cowee complex, 15 to 30 percent slopes, very stony	IV	V	IV
Cliffield-Fairview complex, 15 to 25 percent slopes	IV	v	ĪV
Cliffield-Pigeonroost complex, very stony, ALL	IV	v	IV
Cliffield-Rhodhiss complex, 25 to 60 percent slopes, very stony	IV	v	IV
Cliffield-Rock outcrop complex, 50 to 95 percent slopes	IV	VI	IV
Cliffield-Woolwine complex, 8 to 15 percent slopes	IV	V	ĪV
Clifton (Evard) stony loam, ALL	IV	I	IV
Clifton clay loam, 8 to 15 percent slopes, eroded	III	Ī	III
Clifton clay loam, 15 to 30 percent slopes, eroded	IV	I	III
Clifton clay loam, 30 to 50 percent slopes, croded	IV	Ī	IIII
Clifton loam, 2 to 8 percent slopes	II	Ī	I
Clifton loam, 6 to 10 percent slopes	II	Ī	Ī
Clifton loam, 8 to 15 percent slopes	II	I I	II
Clifton loam, 10 to 25 percent slopes	IV	i i	II
Clifton loam, 15 to 25 percent slopes	IV	Ī	II
Clifton loam, 25 to 45 percent slopes	IV	Ī	III
Clifton stony loam, 15 to 45 percent slopes	IV	I	IV
Clingman-Craggey-Rock outcrop complex, windswept, 15 to 95 percent	IV	VI	IV
slopes, extremely bouldery	''	**	''
Codorus, ALL	II	II	III
Colvard, ALL	I	II I	III
Comus, ALL	Ī	II	III
Cowee gravelly loam, stony, ALL	IV	V	IV
Cowee-Evard-Urban land complex, 15 to 30 percent slopes	IV	III	IV
Cowee-Saluda complex, stony, ALL	IV	V	IV
Craggey-Rock outcrop complex, 40 to 90 percent slopes	IV	VI	IV
Craggey-Rock outcrop-Clingman complex, windswept, rubbly, ALL	IV	VI	IV
Crossnore-Jeffrey complex, very stony, ALL	IV	I	IV
Cullasaja cobbly fine sandy loam, 8 to 30 percent slopes, very bouldery	IV	II	IV
Cullasaja cobbly loam, extremely bouldery, ALL	IV	II	IV
Cullasaja very cobbly fine sandy loam, extremely bouldery, ALL	IV	II	ĪV
Cullasaja very cobbly loam, extremely bouldery, ALL	IV	II	ĪV
Cullasaja very cobbly sandy loam, extremely bouldery, ALL	IV	II	IV
Cullasaja-Tuckasegee complex, 8 to 15 percent slopes, stony	IV	II	II
Cullasaja-Tuckasegee complex, 15 to 30 percent slopes, stony	IV	II	II
Cullasaja-Tuckasegee complex, 30 to 50 percent slopes, stony	IV	II	III
Cullasaja-Tuckasegee complex, 50 to 90 percent slopes, stony	IV	II	IV
Cullasaja-Tuckasegee complex, 50 to 95 percent slopes, stony	IV	II	IV
		·	

Cullowhee fine sandy loam, 0 to 2 percent slopes	Man Unit Nama	Agri	For	Hort
Cullowhee, frequently flooded, ALL. Cullowhee, frequently flooded, ALL. Cullowhee, frequently flooded, ALL. Cullowhee, frequently flooded, ALL. IV II IV Delanco (Dillard) loam, ALL. Delanco (Dillard) loam, ALL. LI I I I Delanco (Dillard) loam, ALL. Delanco fine sandy loam, 2 to 6 percent slopes II I I I Delanco fine sandy loam, 2 to 6 percent slopes II I I I Delanco fine sandy loam, 2 to 6 percent slopes III II III Delancod, occasionally flooded, ALL. III III Delancod, occasionally flooded, ALL. III III Delancod, occasionally flooded, ALL. Delancod, occasionally flooded, ALL. Dilladd, ALL Delancod, Delancod, Complex, 0 to 3 percent slopes, occasionally flooded III III Delancod-Urban land complex, 0 to 3 percent slopes, occasionally flooded III III Dilladd, ALL Dillaboro clay loam, 2 to 8 percent slopes, accasionally flooded III III Dillaboro clay loam, 8 to 15 percent slopes, stony III I III Dillaboro clay loam, 8 to 15 percent slopes, stony III I III Dillaboro clay loam, 8 to 15 percent slopes, stony III I III Dillaboro clay loam, 8 to 15 percent slopes, stony III I III Dillaboro-Urban land complex, 2 to 15 percent slopes II I I III Dillaboro-Urban land complex, 2 to 15 percent slopes III I III Dillaboro-Urban land complex, 2 to 15 percent slopes III I III Diltave-Unicoi complex, 50 to 95 percent slopes, very rocky IV IV Ditney-Unicoi complex, 50 to 95 percent slopes, stony IV IV Ditney-Unicoi complex, 50 to 95 percent slopes, stony IV I IV Ditney-Unicoi complex, 50 to 95 percent slopes, stony IV I IV Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes IV I III Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 50 to 80 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 50 to 80 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 50 to 80 percent slopes IV I III Edneytown-Pigeonroost complex, 50 to 80 perce	Map Unit Name Cultural Transpires complex 10 to 45 percent slopes			
Cullowhee, Frequently flooded, ALL Cullowhee, Frequently flooded, ALL Cullowhee-Nikwasi complex, 0 to 2 percent slopes, frequently flooded IV II IV Delanco (Dillard) loam, ALL Delanco fine sandy loam, 2 to 6 percent slopes II I I I I Delanco fine sandy loam, 2 to 6 percent slopes III I I I I Delanco fine sandy loam, 2 to 6 percent slopes III I I I I Delanco fine sandy loam, 2 to 6 percent slopes, frequently flooded IV III IV Delanco (Cassionally flooded, ALL III III III Dellwood, Ceasionally flooded, ALL III III III Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded III III III Dellwood-Iventa land complex, 0 to 3 percent slopes, occasionally flooded IV II IV Dillard, ALL Dillsboro clay loam, 2 to 8 percent slopes I I I I Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro loan, 2 to 8 percent slopes I I I I III Dillsboro loan, 2 to 8 percent slopes I I I I III Dillsboro loan, 2 to 8 percent slopes I I I I III Dillsboro loan, 2 to 8 percent slopes I I I I III Dillsboro loan, 2 to 9 percent slopes I I I I III Dillsboro loan, 3 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes I I I I III Dillsboro loan, 3 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes I I I I III Dillsboro loan, 5 to 10 5 percent slopes, very rocky I IV VI IV Ditney-Unicol complex, 50 to 80 percent slopes, stony I IV I IV Ditney-Unicol complex, 50 to 80 percent slopes, stony I IV I IV Ditney-Unicol-Rock outcrop complex, 30 to 50 percent slopes, stony I IV I III Edneytown-Pigeonroost complex, 50 to 80 percent slopes, stony I IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony I IV I IV Edneyville (Edneytown) fine sandy loan, 25 to 45 percent slopes I IV I III Edneyville (Cdneytown) fine sandy loan, 25 to 45 percent slopes				
Cullowhee-Nikwasi complex, 0 to 2 percent slopes, frequently flooded IV II IV Delanco (Dillard) loam, ALL Delanco (Dillard) loam, ALL Delanco (Dillard) loam, ALL I I I Delanco (Dillard) loam, ALL Delanco (Dillard) loam, ALL III I I Delwood gravelly fine sandy loam, 0 to 5 percent slopes III I I I Delwood, occasionally flooded, ALL Delwood, occasionally flooded, ALL Delwood-Verban land complex, 0 to 3 percent slopes, occasionally flooded III III IIII Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded IV II IV Delwood-Verban land complex, 0 to 3 percent slopes, occasionally flooded IV II IV Dillard, ALL Dillsboro clay loam, 2 to 8 percent slopes I I I I I Dillsboro clay loam, 8 to 15 percent slopes, arrely flooded III I III Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 15 to 30 percent slopes, stony III I III Dillsboro clay loam, 2 to 8 percent slopes I I I I III Dillsboro-Urban land complex, 2 to 15 percent slopes II I I I III Dillsboro-Urban land complex, 2 to 15 percent slopes II I I I III Dillsboro-Urban land complex, 2 to 15 percent slopes IV I IV Ditney-Unicol complex, 50 to 95 percent slopes, story or vivince of complex, 50 to 95 percent slopes IV I IV Ditney-Unicol-Roko cuterop complex, ALL IV VI IV Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneytown-Chestnut complex, 50 to 80 percent slopes, stony IV I III Edneytown-Pigeonroots complex, 8 to 15 percent slopes, stony IV I III Edneytown-Pigeonroots complex, 15 to 30 percent slopes, stony IV I III Edneytown-Pigeonroots complex, 15 to 30 percent slopes, stony IV I III Edneytown-Pigeonroots complex, 15 to 30 percent slopes, stony IV I III Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes IV I III Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville Chestnut Complex, 8 to 15 percent slopes, stony IV I III Ed				
Delanco (Dillard) loam, ALL Delanco (Dillard) loam, ALL Delanco fine sandy loam, 2 to 6 percent slopes Dellwood gravelly fine sandy loam, 0 to 5 percent slopes, frequently flooded Dellwood, occasionally flooded, ALL Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded Dillard, ALL Dillador olay loam, 2 to 8 percent slopes Dillsboro clay loam, 8 to 15 percent slopes, arrely flooded Dillador olay loam, 8 to 15 percent slopes, story Dillsboro clay loam, 8 to 15 percent slopes, story Dillsboro clay loam, 18 to 15 percent slopes Dillsboro loam, 8 to 15 percent slopes Dillsboro loam, 8 to 15 percent slopes Dillsboro loam, 8 to 15 percent slopes Dillsboro loam, 8 to 15 percent slopes Dillsboro loam, 8 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 2 to 15 percent slopes Dillsboro-Urban land complex, 3 to 15 percent slopes Dillsboro-Urban land complex, 4 LL Dillsboro-Urban land complex, 30 to 50 percent slopes Dillsboro-Urban land complex, 4 LL Dillsboro-Urban land complex, 30 to 50 percent slopes Dillsboro-Urban land complex, 4 LL Dillsboro-Urban land complex, 30 to 50 percent slopes Dillsboro-Urban land land land land land land land la				
Dellanco fine sandy loam, 2 to 6 percent slopes Dellwood gravelly fine sandy loam, 0 to 5 percent slopes, frequently flooded IV II IV Dellwood, cacasionally flooded, ALL Dellwood-cacasionally flooded, ALL Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded III II III Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded IV III IV Dellwood-Libran land complex, 0 to 3 percent slopes, occasionally flooded IV III IV Dillsboro clay loam, 2 to 8 percent slopes, occasionally flooded IV III IV Dillsboro clay loam, 8 to 15 percent slopes, story III I III Dillsboro clay loam, 8 to 15 percent slopes, story IIII I III Dillsboro clay loam, 8 to 15 percent slopes, story IIII I III Dillsboro clay loam, 15 to 30 percent slopes, story IV I III Dillsboro clay loam, 2 to 8 percent slopes I I I I I Dillsboro-Urban land complex, 2 to 15 percent slopes II I I III Dillsboro-Urban land complex, 2 to 15 percent slopes IV I IV Ditney-Unicoi complex, 50 to 95 percent slopes, story IV IV Ditney-Unicoi-Rock outcrop complex, ALL IV VI IV Ditney-Unicoi-Rock outcrop complex, ALL IV VI IV Ditney-Unicoi-Rock outcrop complex, ALL IV VI IV Ditney-Unicoi-Rock outcrop complex, 30 to 50 percent slopes, stony IV I III Edneytown-Chestnut complex, 50 to 50 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I IV Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes IV I III E				
Delimoto Thre sandy loam, 2 to 9 percent slopes, frequently flooded IV II IV Deliwood, occasionally flooded, ALL III III III III III III IIII IIII				
Dellwood, occasionally flooded, ALL III III III III Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded III III III III III Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded IV II IV Dillard, ALL I I I I I I I I I				
Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded III III III Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded IV II IV IV IV IV IV I				
Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded IV II IV Dillard, ALL I I I III Dillsboro clay loam, 2 to 8 percent slopes I I I I I I III Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 15 to 30 percent slopes, stony III I II III Dillsboro clay loam, 15 to 30 percent slopes II I I I III Dillsboro loam, 2 to 8 percent slopes II I I I III Dillsboro loam, 2 to 8 percent slopes II I I II III Dillsboro loam, 8 to 15 percent slopes II I I I III Dillsboro loam, 8 to 15 percent slopes III I III III Dillsboro loam, 8 to 15 percent slopes III I III III Dillsboro loam, 8 to 15 percent slopes III I I IV Diltsey-Unicoi complex, 2 to 15 percent slopes IIV I IV Diltsey-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Diltsey-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Diltsey-Unicoi-Rock outcrop complex, ALL IV VI IV Edneytown-Chestnut complex, 50 to 50 percent slopes, stony IV I IIII Edneytown-Pigeonroots complex, 8 to 15 percent slopes, stony IV I IIII Edneytown-Pigeonroots complex, 8 to 15 percent slopes, stony IV I IV Edneytown-Pigeonroots complex, 8 to 15 percent slopes, stony IV I III Edneytown-Pigeonroots complex, 8 to 15 percent slopes, stony IV I III Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III I III Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Deneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III III III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III III III III III III III III III I				
Dillard, ALL I I I I I I I I I				
Dilisboro clay loam, 2 to 8 percent slopes 1				
Dillsboro clay loam, 8 to 15 percent slopes, rarely flooded II I II Dillsboro clay loam, 8 to 15 percent slopes, stony III I III Dillsboro clay loam, 15 to 30 percent slopes, stony III I III Dillsboro loam, 2 to 8 percent slopes II I I II Dillsboro loam, 8 to 15 percent slopes II I I II Dillsboro loam, 8 to 15 percent slopes II I I III Dillsboro-Urban land complex, 2 to 15 percent slopes III I III Dillsboro-Urban land complex, 2 to 15 percent slopes III I III Dillsboro-Urban land complex, 2 to 15 percent slopes IIV I IV Ditney-Unicoi complex, very stony, ALL Ditney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Ditney-Unicoi-Rock outcrop complex, ALL Edneytown-Chestnut complex, 30 to 50 percent slopes Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony III IIII Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony III IIII Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony IV I III Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III III Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyvi				
Dilisboro clay loam, 8 to 15 percent slopes, stony Dilisboro clay loam, 8 to 15 percent slopes, stony Dilisboro clay loam, 15 to 30 percent slopes I I I I I I I I I I I I I I I I I I I				
Dilisboro clay loam, 15 to 30 percent slopes, stony Dilisboro clay loam, 15 to 30 percent slopes, stony Dilisboro clay loam, 2 to 8 percent slopes I I I I I I I I I I I I I I I I I I I				
Dilisboro loam, 2 to 8 percent slopes				
Dilisboro loam, 8 to 15 percent slopes II I II Dilisboro Lorban land complex, 2 to 15 percent slopes IV I IV Ditney-Unicoi complex, very stony, ALL Ditney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Ditney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Ditney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Ditney-Unicoi-Rock outcrop complex, ALL IV VI IV Ditney-Unicoi-Rock outcrop complex, ALL IV VI IV Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony IV I III Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville loam, 15 to 25 percent slopes Edneyville clam, 15 to 25 percent slopes IV I III Edneyville clam, 15 to 25 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony III I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut				
Dilisboro-Urban land complex, 2 to 15 percent slopes IV I IV Ditiney-Unicoi complex, very stony, ALL Ditiney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Ditiney-Unicoi complex, 50 to 95 percent slopes, very rocky IV VI IV Edneytown gravelly sandy loam, 8 to 25 percent slopes IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Chestnut complex, 50 to 80 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytille (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes Edneyville loam, 15 to 25 percent slopes Edneyville loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony III I III Edneyville-Chestnut complex, 8 to 15 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 20 to 8 percent slopes, stony IV I III Edneyville-Chestnut complex, 20 to 8 percent slopes, stony IV I III Edneyville-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneyville-Chestnut complex, 50 to 90 percent slopes, stony IV I III Edneyville-Chestnut complex, 50 to 60 pe				
Ditiney-Unicoi complex, very stony, ALL Ditiney-Unicoi complex, very stony, ALL Ditiney-Unicoi complex, 50 to 95 percent slopes, very rocky Ditiney-Unicoi complex, 50 to 95 percent slopes, very rocky Ditiney-Unicoi complex, 50 to 95 percent slopes IV IIV Edneytown gravelly sandy loam, 8 to 25 percent slopes Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I IIII Edneytown-Chestnut complex, 50 to 80 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville loam, 15 to 25 percent slopes Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes Edneyville-Chestnut complex, 8 to 15 percent slopes, stony III III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 16 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 17 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded IV I III Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, ALL Ellijay silty clay loam, ALL Evard fine sandy loam, 5 to 15 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent s				
Dimey-Unicoi complex, 50 to 95 percent slopes, very rocky Dimey-Unicoi-Rock outcrop complex, ALL Dimey-Unicoi-Rock outcrop complex, ALL Edneytown gravelly sandy loam, 8 to 25 percent slopes IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III III Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut complex, ALL OTHER IV I IV Ellijay silty clay loam, 2 to 8 percent slopes, eroded IV I III Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded IV I III Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV I III Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV I III Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III				
Ditney-Unicoi-Rock outcrop complex, ALL Edneytown gravelly sandy loam, 8 to 25 percent slopes IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Chestnut complex, 50 to 80 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony III I III Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytille (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville stony loam, 45 to 70 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I III Ellijay silty clay loam, 8 to 15 percent slopes, eroded III I I Ellijay silty clay loam, eroded, ALL OTHER IV I III Elsinboro loam, ALL Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine s				
Edneytown gravelly sandy loam, 8 to 25 percent slopes IV I III Edneytown-Chestnut complex, 30 to 50 percent slopes, stony IV I III Edneytown-Chestnut complex, 50 to 80 percent slopes, stony IV I IV Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony III I III Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony IV I III Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony IV I IV Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III I III Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Elsinboro loam, ALL I I III Elsinboro loam, ALL I I III Evard fine sandy loam, 15 to 25 percent slopes III I III Evard fine sandy loam, 7 to 15 percent slopes III I III Evard fine sandy loam, 5 to 50 percent slopes III I III Evard fine sandy loam, 6 to 15 percent slopes III I III Evard fine sandy loam, 15 to 25 percent slopes III I III Evard fine sandy loam, 6 to 15 percent slopes III I III Evard fine sandy loam, 15 to 25 percent slopes III I III Evard gravelly sandy loam, 15 to 25 percent slopes III I III Evard				
Edneytown-Chestnut complex, 30 to 50 percent slopes, stony Edneytown-Chestnut complex, 50 to 80 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes Edneyville loam, 15 to 25 percent slopes Edneyville loam, 25 to 45 percent slopes Edneyville stony loam, 45 to 70 percent slopes Edneyville stony loam, 45 to 70 percent slopes, stony Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard fine sandy loam, 6 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15				
Edneytown-Chestnut complex, 50 to 80 percent slopes, stony Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV Edneyville loam, 15 to 25 percent slopes IV Edneyville loam, 25 to 45 percent slopes IV Edneyville stony loam, 45 to 70 percent slopes IV Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony IV III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV III Edneyville-Chestnut complex, 5 to 30 percent slopes, stony IV III Edneyville-Chestnut complex, ALL OTHER IV Ellijay silty clay loam, 2 to 8 percent slopes, eroded III III Ellijay silty clay loam, 8 to 15 percent slopes, eroded III III Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV III Elsinboro loam, ALL III Elsinboro loam, ALL III Elsinboro loam, ALL OTHER IV III Elsinboro loam, ALL III Elsinboro loam, ALL OTHER IV III Elsinboro loam, ALL III Elsinboro loam, AL III Elsinbor				
Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III III Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville (IV I IIII Edneyville stony loam, 45 to 70 percent slopes IV I IIII Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 2 to 8 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I IIII Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Ellijay silty clay loam, 7 to 15 percent slopes, eroded IV I III Elsinboro loam, ALL Eltorchrepts, mined, 30 to 50 percent slopes, very stony Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard loam, ALL Evard loam, ALL Evard loam, ALL IV I IV	Edneytown-Chestnut complex, 30 to 50 percent slopes, stony			
Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Ellijay silty clay loam, eroded, ALL OTHER IV I III Ellijay silty clay loam, eroded, ALL OTHER IV I III Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV VI IV Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard loam, ALL Evard loam				
Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville loam, 15 to 25 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville stony loam, 45 to 70 percent slopes IV I IV Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Elsinboro loam, ALL Elsinboro loam, ALL Elsinboro loam, ALL Elsinboro loam, ALL Elsinboro loam, ALL Elsinboro loam, ALL Evard fine sandy loams, 25 to 60 percent slopes IV I IV Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes IV I III Evard line sandy loam, 6 to 15 percent slopes IV I III Evard line sandy loam, 15 to 25 percent slopes IV I III Evard line sandy loam, 15 to 25 percent slopes IV I III Evard line sandy loam, 15 to 25 percent slopes IV I III Evard line sandy loam, 6 to 15 percent slopes	Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony			
Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes III I III Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville stony loam, 25 to 45 percent slopes IV I IIII Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 2 to 8 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edneyville-Chestnut-Urban land complex, ALL IV I IV Edlijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I I III Ellijay silty clay loam, eroded, ALL OTHER IV I III Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV VI IV Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV I IV Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard loam, ALL Evard loam, AL	Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony			
Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I IV Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville loam, 25 to 45 percent slopes IV I III Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes, stony III I III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL IV I IV Edlijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV I IV Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV I IV Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL				
Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes Edneyville (Ioam, 15 to 25 percent slopes IV I III Edneyville loam, 15 to 25 percent slopes IV I III Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony III III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I IIII Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I IIII Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL IV I IV Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I III Elsinboro loam, ALL Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV I IV Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 15 to 25 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard fine sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes IV I III Evard loam, ALL	Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes			
Edneyville loam, 15 to 25 percent slopes Edneyville loam, 25 to 45 percent slopes IV I III Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony III III Edneyville-Chestnut complex, 8 to 15 percent slopes, stony IV I III Edneyville-Chestnut complex, 10 to 25 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, 15 to 30 percent slopes, stony IV I III Edneyville-Chestnut complex, ALL OTHER IV I IV Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL IV I IV Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I II Elsinboro loam, ALL Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony IV VI IV Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV I IV Evard fine sandy loam, 7 to 15 percent slopes IV I III Evard fine sandy loam, 5 to 25 percent slopes IV I III Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard loam, ALL Evard loam, ALL				
Edneyville loam, 25 to 45 percent slopes Edneyville loam, 25 to 45 percent slopes Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I Elsinboro loam, ALL Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV IV Evard fine sandy loam, 7 to 15 percent slopes IV III Evard fine sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard loam, ALL Evard loam, ALL Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard loam, ALL	Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes			
Edneyville stony loam, 45 to 70 percent slopes Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut-Urban land complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded III I I I I I I I I I I I I I I I I I	Edneyville loam, 15 to 25 percent slopes			
Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded III Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I Ellijay silty clay loam, eroded, ALL OTHER IV I Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes IV III Evard fine sandy loam, 15 to 25 percent slopes IV III Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes	Edneyville loam, 25 to 45 percent slopes			
Edneyville-Chestnut complex, 2 to 8 percent slopes, stony Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, eroded, ALL OTHER Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL Evard loam, ALL				
Edneyville-Chestnut complex, 8 to 15 percent slopes, stony Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I Ellijay silty clay loam, eroded, ALL OTHER IV I Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes IV I Evard fine sandy loam, 15 to 25 percent slopes IV I Evard fine sandy loam, 25 to 50 percent slopes IV I Evard gravelly sandy loam, 6 to 15 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes IV I Evard gravelly sandy loam, 15 to 25 percent slopes			I	
Edneyville-Chestnut complex, 10 to 25 percent slopes, stony Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV III Ellijay silty clay loam, eroded, ALL OTHER IV III Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV IV Evard fine sandy loam, 7 to 15 percent slopes IV III Evard fine sandy loam, 15 to 25 percent slopes IV III Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes				
Edneyville-Chestnut complex, 15 to 30 percent slopes, stony Edneyville-Chestnut complex, ALL OTHER Edneyville-Chestnut-Urban land complex, ALL Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, eroded, ALL OTHER IV III Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes IV Evard fine sandy loam, 15 to 25 percent slopes IV III Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes	Edneyville-Chestnut complex, 10 to 25 percent slopes, stony			
Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, eroded, ALL OTHER IV III Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes III Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes			I	
Edneyville-Chestnut-Urban land complex, ALL Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, eroded, ALL OTHER IV III Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes III Evard fine sandy loam, 15 to 25 percent slopes IV III Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV IIII Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes		IV		
Ellijay silty clay loam, 2 to 8 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, 8 to 15 percent slopes, eroded IV I Ellijay silty clay loam, eroded, ALL OTHER Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes IV Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes IV I Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes		IV	I	IV
Ellijay silty clay loam, 8 to 15 percent slopes, eroded Ellijay silty clay loam, eroded, ALL OTHER Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL IV IV IV IV IV IV IV IV IV		III	I	I
Ellijay silty clay loam, eroded, ALL OTHER Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL Evard loam, ALL		IV	I	
Elsinboro loam, ALL Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard fine sandy loam, 25 to 50 percent slopes IV III Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV III Evard gravelly sandy loam, 15 to 25 percent slopes IV IV IV IV IV IV IV IV IV I		IV	I	II
Eutrochrepts, mined, 30 to 50 percent slopes, very stony Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL Evard loam, ALL		I	I	I
Evard and Saluda fine sandy loams, 25 to 60 percent slopes Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL Evard loam, ALL		IV	VI	IV
Evard fine sandy loam, 7 to 15 percent slopes Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL Evard loam, ALL		IV	I	
Evard fine sandy loam, 15 to 25 percent slopes Evard fine sandy loam, 25 to 50 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL IV III Evard loam, ALL		III	I	
Evard fine sandy loam, 25 to 50 percent slopes IV I III Evard gravelly sandy loam, 6 to 15 percent slopes III I II Evard gravelly sandy loam, 15 to 25 percent slopes IV I III Evard loam, ALL IV I IV	Evard fine sandy loam, 15 to 25 percent slopes	IV	I	II
Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 6 to 15 percent slopes Evard gravelly sandy loam, 15 to 25 percent slopes III I II Evard loam, ALL IV I IV		IV	I	III
Evard gravelly sandy loam, 15 to 25 percent slopes Evard loam, ALL IV III IV IV IV IV IV IV IV	Evand gravelly sandy loam, 6 to 15 percent slopes		I	II
Evard loam, ALL IV I IV			I	III
Evaluation, ABE				
				

Map Unit Name	Agri	For	Hort
Evard soils, ALL OTHER	IV	I	IV
Evard stony loam, 25 to 60 percent slopes	IV	I	IV
Evard-Cowee complex, 2 to 8 percent slopes	III	I	II
Evard-Cowee complex, 8 to 15 percent slopes	III	I	II
Evard-Cowee complex, 8 to 15 percent slopes Evard-Cowee complex, 8 to 15 percent slopes, eroded	III	I	II
Evard-Cowee complex, 8 to 15 percent slopes, eroded Evard-Cowee complex, 8 to 25 percent slopes, stony	IV	I	III
	IV	Ī	IV
Evard-Cowee complex, ALL OTHER	IV	I	IV
Evard-Cowee-Urban land complex, ALL	III	I	I
Fannin fine sandy loam, 8 to 15 percent slopes	IV	I	II
Fannin fine sandy loam, 15 to 30 percent slopes	IV	I	II
Fannin fine sandy loam, 15 to 30 percent slopes, stony		I	II
Fannin fine sandy loam, 30 to 50 percent slopes	IV		III
Fannin fine sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Fannin fine sandy loam, 50 to 95 percent slopes	IV	I	
Fannin loam, 8 to 15 percent slopes	III	I	II
Fannin loam, 15 to 25 percent slopes	IV	I	III
Fannin loam, 25 to 45 percent slopes	IV	I	III
Fannin loam, 30 to 50 percent slopes, eroded	IV	I	III
Fannin loam, 45 to 70 percent slopes	IV	I	IV
Fannin sandy clay loam, 8 to 15 percent slopes, eroded	III	I	II
Fannin sandy clay loam, eroded, ALL OTHER	IV	I	III
Fannin silt loam, 6 to 10 percent slopes, eroded	III	I	II
Fannin silt loam, 7 to 15 percent slopes	III	I	II
Fannin silt loam, 10 to 25 percent slopes, eroded	IV	I	III
Fannin silt loam, 15 to 25 percent slopes	IV	I	III
Fannin silt loam, 25 to 45 percent slopes	IV	I	III
Fannin silty clay loam, 15 to 45 percent slopes, eroded	IV	I	IV
Fannin-Chestnut complex, 50 to 85 percent slopes, rocky	IV	I	IV
Fannin-Cowee complex, 15 to 30 percent slopes, stony	IV	I	III
Fannin-Cowee complex, stony, ALL OTHER	IV	I	IV
Fannin-Urban land complex, 2 to 15 percent slopes	IV	I	IV
Fletcher and Fannin soils, 6 to 15 percent slopes	III	I	II
Fletcher and Fannin soils, 15 to 25 percent slopes	IV	I	II
Fluvaquents-Udifluvents complex, occasionally flooded, ALL	III	II	IV
Fontaflora-Ostin complex	IV	II	IV
French fine sandy loam, 0 to 3 percent slopes, frequently flooded	IV	II	IV
Greenlee ALL	IV	I	IV
Greenlee-Ostin complex, 3 to 40 percent slopes, very stony	IV	Ī	IV
Greenlee-Tate complex, ALL	IV	Ī	IV
Greenlee-Tate-Ostin complex, 1 to 15 percent slopes, extremely stony	IV	I	IV
Gullied land	IV	VI	IV
Harmiller-Shinbone complex, 15 to 30 percent slopes, stony	ĪV	III	III
Harmiller-Shinbone complex, 30 to 50 percent slopes, stony	ĪV	III	III
Hatboro loam	IV	II	IV
Hayesville channery fine sandy loam, 8 to 15 percent slopes, very stony	IV	I	II
Hayesville channery fine sandy loam, 8 to 15 percent slopes, very stony Hayesville channery fine sandy loam, 15 to 25 percent slopes, very stony	IV	I	III
	IV	Ī	IV
Hayesville channery fine sandy loam, 25 to 60 percent slopes, very stony	III	I	II
Hayesville clay loam, 2 to 8 percent slopes, eroded	IV	I	II
Hayesville clay loam, 6 to 15 percent slopes, eroded	IV IV		II
Hayesville clay loam, 8 to 15 percent slopes, eroded		I	
Hayesville clay loam, 10 to 25 percent slopes, severely eroded	IV	Ĭ	III
Hayesville clay loam, 15 to 30 percent slopes, eroded	IV	I	III

Mon Linit Nomo	Agri	For	Hort
Map Unit Name	III	I	I
Hayesville fine sandy loam, 6 to 15 percent slopes Hayesville fine sandy loam, 8 to 15 percent slopes	III	I	i
	III	Ī	ĪĪ
Hayesville fine sandy loam, 15 to 25 percent slopes	III	I	II
Hayesville fine sandy loam, 15 to 30 percent slopes	IV	Ī	III
Hayesville fine sandy loam, 25 to 50 percent slopes	II	I	I
Hayesville loam, 2 to 7 percent slopes	II	I	I
Hayesville loam, 2 to 8 percent slopes	II	I	I
Hayesville loam, 6 to 10 percent slopes	III	Ī	I
Hayesville loam, 6 to 15 percent slopes	III	I	I
Hayesville loam, 7 to 15 percent slopes	III	I	I
Hayesville loam, 8 to 15 percent slopes	III	I	II
Hayesville loam, 10 to 25 percent slopes	III	I	II
Hayesville loam, 15 to 25 percent slopes	III	<u>I</u>	II
Hayesville loam, 15 to 30 percent slopes		<u>I</u>	III
Hayesville sandy clay loam, 15 to 30 percent slopes, eroded	IV	I	II
Hayesville sandy clay loam, eroded, ALL OTHER	III	<u>I</u>	II
Hayesville-Evard complex, 15 to 25 percent slopes	III		IV
Hayesville-Evard-Urban land complex, 15 to 25 percent slopes	IV	<u>I</u>	
Hayesville-Sauratown complex, 2 to 8 percent slopes	II	I	II
Hayesville-Sauratown complex, 8 to 15 percent slopes	III	I	II
Hayesville-Sauratown complex, 15 to 25 percent slopes	III	I	III
Hayesville-Sauratown complex, 25 to 60 percent slopes	IV	I	III
Hayesville-Urban land complex, ALL	IV	<u>I</u>	IV
Haywood stony loam, 15 to 25 percent slopes	IV	I	III
Haywood stony loam, 25 to 50 percent slopes	IV	I	IV
Hemphill, rarely flooded, ALL	IV	<u>II</u>	IV
Humaquepts, loamy, 2 to 8 percent slopes, stony	IV	<u>II</u>	IV
Huntdale clay loam, 8 to 15 percent slopes, stony	III .	I	II
Huntdale clay loam, 15 to 30 percent slopes, stony	IV	I	II
Huntdale clay loam, 30 to 50 percent slopes, stony	IV	I	III
Huntdale silty clay loam, 15 to 30 percent slopes, stony	IV	I	II
Huntdale silty clay loam, 30 to 50 percent slopes, very stony	IV	I	III
Huntdale silty clay loam, 50 to 95 percent slopes, very stony	IV	I	IV
Iotla sandy loam, 0 to 2 percent slopes, occasionally flooded	II	II	III
Junaluska-Brasstown complex, 6 to 25 percent slopes	IV	IV	II
Junaluska-Brasstown complex, 15 to 30 percent slopes	IV	IV	III
Junaluska-Brasstown complex, 25 to 60 percent slopes	IV	IV	III
Junaluska-Brasstown complex, 30 to 50 percent slopes	IV_	IV	IV
Junaluska-Tsali complex, ALL	IV	IV	IV
Keener-Lostcove complex, 15 to 30 percent slopes, very stony	IV	I	III
Keener-Lostcove complex, 30 to 50 percent slopes, very stony	IV	I	IV
Kinkora loam	IV	I	III
Lonon loam, 2 to 8 percent slopes	I	I	I
Lonon loam, 8 to 15 percent slopes	II	I	I
Lonon loam, 15 to 30 percent slopes	IV	I	II
Lonon-Northcove complex, 6 to 15 percent slopes	IV	I	III
Maymead fine sandy loam, ALL	IV	I	II
Maymead-Greenlee-Potomac complex, 3 to 25 percent slopes	IV	I	IV
Nikwasi, ALL	IV	II	IV
Northcove very cobbly loam, ALL	IV	I	IV
Northcove-Maymead complex, extremely stony, ALL	IV	I	IV
Oconaluftee channery loam, ALL	IV	VI	IV

Map Unit Name	Agri	For	Hort
Oconaluftee channery loam, windswept, ALL	IV	VI	IV
Ostin, occasionally flooded, ALL	IV	II	ĪV
Pigeonroost-Edneytown complex, stony, ALL	IV	I	III
Pineola gravelly loam, 2 to 8 percent slopes	IV	I	II
Pineola gravelly loam, 8 to 15 percent slopes, stony	IV	I	II
Pineola gravelly loam, 15 to 30 percent slopes, stony	IV	Ĭ	III
Pits, ALL	IV	VI	IV
	III	I	II
Plott fine sandy loam, 8 to 15 percent slopes, stony	IV	I	II
Plott fine sandy loam, 15 to 30 percent slopes, stony	IV	I	III
Plott fine sandy loam, 30 to 50 percent slopes, stony	IV	I	IV
Plott fine sandy loam, 50 to 95 percent slopes, stony	IV	I	II
Plott loam, 15 to 30 percent slopes, stony	IV	I	
Plott loam, 30 to 50 percent slopes, stony	IV	I	IV
Plott loam, 50 to 95 percent slopes, stony	<u> </u>		IV
Ponzer muck, cool variant	IV	VI	
Porters gravelly loam, 8 to 15 percent slopes, stony	III	I	II
Porters gravelly loam, 15 to 30 percent slopes, stony	IV	I	II
Porters gravelly loam, 30 to 50 percent slopes, stony	IV	I	III
Porters gravelly loam, 50 to 80 percent slopes, stony	IV	I	IV
Porters loam, 25 to 45 percent slopes	IV	I	III
Porters loam, 25 to 80 percent slopes, stony	IV	I	IV
Porters loam, 30 to 50 percent slopes, stony	IV	I	IV
Porters loam, ALL OTHER	IV	I	II
Porters stony loam, 10 to 25 percent slopes	IV	I	II
Porters stony loam, 15 to 25 percent slopes	IV	I	II
Porters stony loam, 15 to 45 percent slopes	IV	I	II
Porters stony loam, 25 to 45 percent slopes	IV	I	III
Porters stony loam, ALL OTHER	IV	I	IV
Porters-Unaka complex, 8 to 15 percent slopes, stony	IV	I	II
Porters-Unaka complex, 15 to 30 percent slopes, stony	IV	I	II
Porters-Unaka complex, 30 to 50 percent slopes, stony	IV	I	III
Porters-Unaka complex, 50 to 95 percent slopes, rocky	IV	I	IV
Potomac, frequently flooded, ALL	IV	II	IV
Potomac-Iotla complex, 0 to 3 percent slopes, mounded, frequently flooded	IV	II	IV
Rabun loam, 6 to 25 percent slopes	IV	I	II
Rabun loam, 25 to 50 percent slopes	IV	I	III
Reddies, occasionally flooded	II	II	II
Reddies, frequently flooded, ALL	IV	II	IV
Rock outcrop	IV	VI	IV
Rock outcrop-Ashe complex, ALL	IV	VI	IV
Rock outcrop-Ashe-Cleveland complex, ALL	IV	VI	IV
Rock outcrop-Cataska complex, ALL	IV	VI	IV
Rock outcrop-Cleveland complex, ALL	IV	VI	IV
Rock outcrop-Cleveland complex, windswept, ALL	IV	VI	IV
Rock outcrop-Craggey complex, windswept, ALL	IV	VI	IV
Rosman, frequently flooded, ALL	IV	II	ĪV
Rosman, ALL OTHER	I	II	I
Rosman-Reddies complex, 0 to 3 percent slopes, occasionally flooded	I	II	Ī
Saunook gravelly loam, 2 to 8 percent slopes	I	I	I
Saunook gravelly loam, 8 to 15 percent slopes	I	I	I
Saunook gravelly loam, 8 to 15 percent slopes Saunook gravelly loam, 8 to 15 percent slopes, stony	II	I	II
	IV	I	II
Saunook gravelly loam, 15 to 30 percent slopes	1 V	1	11

Map Unit Name	Agri	For	Hort
Saunook gravelly loam, 15 to 30 percent slopes, stony	IV	I	II
Saunook gravelly loam, 30 to 50 percent slopes, stony	IV	I	III
Saunook loam, 2 to 8 percent slopes	I	I	I
Saunook loam, 8 to 15 percent slopes	$\frac{1}{I}$	I	I
Saunook loam, 8 to 15 percent slopes Saunook loam, 8 to 15 percent slopes, stony	II	I	II
Saunook loam, 15 to 30 percent slopes, stony	ĪV	I	II
Saunook loam, 15 to 30 percent slopes, stony Saunook loam, 15 to 30 percent slopes, very stony	IV	Ī	III
Saunook loam, 10 to 50 percent stopes, very stony Saunook loam, 30 to 50 percent slopes, very stony	IV	Ī	IV
Saunook loam, 30 to 30 percent slopes, very story Saunook sandy loam, 2 to 8 percent slopes	I	Ī	I
Saunook sandy loam, 2 to 8 percent slopes Saunook sandy loam, 8 to 15 percent slopes, stony	<u>II</u>	I	ĪĪ
	I	Ī	I
Saunook silt loam, 2 to 8 percent slopes	<u>I</u>	I	II
Saunook silt loam, 8 to 15 percent slopes, stony	IV	I	III
Saunook-Nikwasi complex, 2 to 15 percent slopes	IV IV	I	III
Saunook-Thunder complex, ALL		I	IV
Saunook-Urban land complex, 2 to 15 percent slopes	IV	V	
Sauratown channery fine sandy loam, 8 to 15 percent slopes	IV		III
Sauratown channery fine sandy loam, 8 to 15 percent slopes, very stony	IV	V	III
Sauratown channery fine sandy loam, ALL OTHER	IV	V	IV
Soco-Cataska-Rock outcrop complex, 50 to 95 percent slopes	IV	VI	IV
Soco-Ditney complex, 6 to 25 percent slopes, stony	IV	III	III
Soco-Ditney complex, 8 to 15 percent slopes, very stony	IV	III	III
Soco-Ditney complex, 15 to 30 percent slopes, very stony	IV	III	III
Soco-Ditney complex, ALL OTHER	IV	III	IV
Soco-Stecoah complex, 8 to 15 percent slopes, stony	IV	III	II
Soco-Stecoah complex, 15 to 30 percent slopes	IV	III	III
Soco-Stecoah complex, 15 to 30 percent slopes, stony	IV	III	III
Soco-Stecoah complex, ALL OTHER	IV	III	IV
Soco-Stecoah complex, windswept, 30 to 50 percent slopes	IV	VI	IV
Spivey cobbly loam, extremely bouldery, ALL	IV	I	IV
Spivey stony loam, 10 to 40 percent slopes	IV	I	IV
Spivey-Santeetlah complex, 8 to 15 percent slopes, stony	IV	I	III
Spivey-Santeetlah complex, 15 to 30 percent slopes, stony	IV	I	III
Spivey-Santeetlah complex, stony, ALL OTHER	IV	I	ĪV
Spivey-Whiteoak complex, ALL	IV	I	IV
Statler, rarely flooded, ALL	I	I	I
Stecoah-Soco complex, 15 to 30 percent slopes, stony	IV	Ī	III
Stecoah-Soco complex, 30 to 50 percent slopes, stony	IV	Ī	III
Stecoah-Soco complex, 50 to 80 percent slopes, stony	IV	I	IV
Stony colluvial land	IV	II	IV
	IV	VI	ĪV
Stony land Stony steep land	IV	VI	IV
	IV	II	II
Suncook loamy sand, ALL	IV	IV	IV
Sylco-Cataska complex, ALL	IV	IV	IV
Sylco-Rock outcrop complex, 50 to 95 percent slopes	IV	IV	IV
Sylco-Soco complex, 10 to 30 percent slopes, stony	IV IV	I	II
Sylva-Whiteside complex, ALL	IV	IV	IV
Talladega, ALL		VI	IV
Tanasee-Balsam complex, ALL	IV		
Tate fine sandy loam, 2 to 6 percent slopes	I	I	I
Tate fine sandy loam, 2 to 7 percent slopes	<u>I</u>	I	I
Tate fine sandy loam, 2 to 8 percent slopes	I	I	I
Tate fine sandy loam, 2 to 8 percent slopes, very stony	IV	I	II

Man Unit Nama	Agri	For	Hort
Map Unit Name Tate fine sandy loam, 6 to 15 percent slopes	II	101	I
Tate fine sandy loam, 7 to 15 percent slopes	II	I	I
Tate fine sandy loam, 8 to 15 percent slopes	II	Ī	Ī
Tate fine sandy loam, 8 to 15 percent slopes Tate fine sandy loam, 8 to 25 percent slopes	IV	I	II
Tate fine sandy loam, 15 to 25 percent slopes	ĪV	Ī	II
Tate gravelly loam, 8 to 15 percent slopes	II	I	ī
Tate gravelly loam, 8 to 15 percent slopes Tate gravelly loam, 8 to 15 percent slopes, stony	II	Ī	II
Tate gravelly loam, 15 to 30 percent slopes, stony	IV	Ī	II
Tate loam, 2 to 6 percent slopes	I	Ī	Ī
Tate loam, 2 to 8 percent slopes	I	Ī	I
Tate loam, 6 to 10 percent slopes	II	Ī	Ī
Tate loam, 6 to 15 percent slopes	II	I	Î
	II	- <u>1</u>	I
Tate loam, 8 to 15 percent slopes	II	I	I
Tate loam, 10 to 15 percent slopes	IV	I	II
Tate loam, 15 to 25 percent slopes	IV	Ī	II
Tate loam, 15 to 30 percent slopes Tate-Cullowhee complex, 0 to 25 percent slopes	IV	I	II
	II	I	II
Tate-French complex, 2 to 10 percent slopes	IV	I	IV
Tate-Greenlee complex, ALL	IV	II	IV
Thunder-Saunook complex, ALL	IV	II	III
Toecane-Tusquitee complex, ALL	IV	<u>II</u>	IV
Toxaway, ALL	I	II	II
Transylvania silt loam	IV	I	IV
Trimont gravelly loam, ALL		II	III
Tuckasegee-Cullasaja complex, 8 to 15 percent slopes, stony	IV	II	IV
Tuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stony	IV	II II	IV
Tuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stony	IV	II II	
Tuckasegee-Whiteside complex, 2 to 8 percent slopes	I	II II	I
Tuckasegee-Whiteside complex, 8 to 15 percent slopes		I	IV
Tusquitee and Spivey stony soils, ALL	IV		
Tusquitee loam, 6 to 10 percent slopes	I	<u>I</u>	I
Tusquitee loam, 6 to 15 percent slopes	II		
Tusquitee loam, 7 to 15 percent slopes	II	I	I
Tusquitee loam, 8 to 15 percent slopes	II	I	I
Tusquitee loam, 10 to 15 percent slopes	II	<u>I</u>	I
Tusquitee loam, 15 to 25 percent slopes	IV	<u> </u>	II
Tusquitee stony loam, 25 to 45 percent slopes	IV	I	IV
Tusquitee stony loam, ALL OTHER	IV	<u>l</u>	III
Udifluvents, frequently flooded, ALL	IV	II	IV
Udorthents, loamy, ALL	IV	V	IV IV
Udorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally	IV	V	10
flooded	13.7	V	IV
Udorthents-Urban land complex, ALL	IV		IV
Unaka-Porters complex, very rocky, ALL	IV		
Unaka-Rock outcrop complex, 50 to 95 percent slopes, very bouldery	IV	VI	IV
Unicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely bouldery	IV	V	IV
Unison fine sandy loam, 2 to 8 percent slopes	I	I	I
Unison fine sandy loam, 8 to 15 percent slopes	II	I	
Unison fine sandy loam, 15 to 25 percent slopes	IV	I	II
Unison loam, 2 to 8 percent slopes	I	I	I
Unison loam, 8 to 15 percent slopes	II	I	I
Unison loam, 15 to 30 percent slopes	IV	I	II
Urban land	IV	VI	II

Map Unit Name	Agri	For	Hort
Watauga loam, 6 to 10 percent slopes	III	I	II
Watauga loam, 6 to 15 percent slopes	III	I	II
Watauga loam, 8 to 15 percent slopes	III	I	_II
Watauga loam, ALL OTHER	IV	I	III
Watauga sandy loam, 8 to 15 percent slopes, stony	III	I	II
Watauga sandy loam, 15 to 30 percent slopes, stony	IV	I	II
Watauga sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Watauga stony loam, 15 to 45 percent slopes	IV	I_	IV
Wayah loam, windswept, eroded, stony, ALL	IV	VI	IV
Wayah sandy loam, stony, ALL	IV	V	IV
Wayah sandy loam, windswept, stony, ALL	IV	VI	IV
Wayah-Burton complex, 15 to 30 percent slopes, bouldery	IV	V	IV
Wayah-Burton complex, 30 to 50 percent slopes, bouldery	IV	V	_IV
Wayah-Burton complex, 50 to 95 percent slopes, very rocky	IV	V	IV
Wayah-Burton complex, windswept, ALL	IV	V	IV
Whiteoak cobbly loam, 8 to 15 percent slopes, stony	II	I	II
Whiteoak cobbly loam, 15 to 30 percent slopes, stony	IV	I	III
Whiteoak fine sandy loam, 2 to 8 percent slopes	I	I	I
Whiteoak fine sandy loam, 8 to 15 percent slopes, stony	II	I	II
Whiteoak fine sandy loam, 15 to 30 percent slopes, very stony	IV	I	III
Whiteside-Tuckasegee complex, 2 to 8 percent slopes	I	I	I

Map Unit Name	Agri	For	Hort
Alluvial land, wet	III	III	III
Alpin, ALL	IV	II	IV
Altavista, ALL	I	I	I
Altavista, ALL Altavista-Urban land complex, 0 to 3 percent slopes, rarely flooded	IV	Ī	IV
	I	Ī	Ī
Augusta, ALL	III	ÎĪ	III
Autryville loamy sand, ALL	IV	II	IV
Autryville, ALL OTHER	IV	II	IV
Autryville-Urban land complex, 0 to 6 percent slopes	II	II	II
Aycock very fine sandy loam, 2 to 6 percent slopes, eroded	I	II	I
Aycock, ALL OTHER	I	I	I
Ballahack fine sandy loam	I	I	I
Barclay very fine sandy loam		I	II
Bethera loam, 0 to 1 percent slopes	II		IV
Bibb and Johnston soils, frequently flooded	IV	III	IV
Bibb, ALL	IV	III	
Blaney, ALL	IV	II	IV
Blanton, ALL	IV	V	IV
Bojac loamy fine sand, 0 to 3 percent slopes	III	II	III
Bonneau loamy fine sand, 0 to 4 percent slopes	II	II	II
Bonneau loamy sand, 0 to 4 percent slopes	II	II	<u>II</u>
Bonneau loamy sand, 0 to 6 percent slopes	II	II	II
Bonneau loamy sand, 6 to 12 percent slopes	III	II	III
Bonneau sand, 0 to 3 percent slopes	II	II	II
Butters fine sand, 0 to 2 percent slopes	II	II	П
Butters loamy sand, 0 to 2 percent slopes	II	II	II
Byars loam	II	I	II
Candor sand, 1 to 8 percent slopes	IV	V	IV
Candor sand, 8 to 15 percent slopes	IV	V	IV
Cape Fear loam	I	I	I
Caroline sandy loam, 0 to 2 percent slopes	II	II	II
Caroline sandy loam, 2 to 6 percent slopes	II	II	II
Centenary sand	IV	II	IV
Chastain and Bibb soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Chastain silt loam, frequently flooded	IV	III	ĪV
Chewacla and Chastain soils, frequently flooded	IV	III	IV
Chewacia and Congaree loams, frequently flooded	III	III	III
Chewacia and Congarec todais, requestry neoded Chewacia and Wehadkee soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Chewacia loam	II	III	II
Chewacia loam Chewacia loam, 0 to 1 percent slopes, occasionally flooded	II	III	II
Chewacia loam, frequently flooded	IV	— <u>III</u> —	IV
Chewacia ioani, riequentry nooded Chewacia silt loam	II	III	II
	IV	<u>II</u>	IV
Chipley loamy sand (Pactolus)	IV	II	IV
Chipley sand, 0 to 2 percent slopes	III	II	III
Conetoe loamy sand, ALL	I	III	I
Congaree silt loam	I	III	I
Congaree silt loam, frequently flooded			II
Cowarts loamy sand, 2 to 6 percent slopes	II	I	III
Cowarts loamy sand, 6 to 10 percent slopes	III	<u> </u>	IV
Cowarts sandy loam, 6 to 12 percent slopes, eroded	IV	I	
Coxville loam	II	<u> </u>	II
Coxville sandy loam	II	I	II
Craven fine sandy loam, 0 to 1 percent slopes	II	I I	II

Craven fine sandy loam, 1 to 4 percent slopes	Map Unit Name	Agri	For	Hort
Craven loam, 1 to 4 percent slopes			I	II
Craven loam, 1 to 4 percent slopes		III	I	III
Craven sandy clay Joan, 1 to 4 percent slopes, croded			I	II
Craven sandy loam, 2 to 6 percent slopes, eroded			I	II
Craven sandy loam, 2 to 6 percent slopes, eroded (Gritney) III			I	II
Craven sandy loam, 6 to 10 percent slopes, croded (Griney)	Craven candy loam, 2 to 6 percent slopes, eroded (Gritney)		I	II
Caven-Urban land complex, 0 to 4 percent slopes	Croven condy loam, 6 to 10 percent slopes, eroded (Gritney)			III
Total				
Debto Debt				
Degue, ALL				I
Dothan Loamy sand, 2 to 6 percent slopes				
Dothan, ALL OTHER				
Doman, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Duplin, ALL Dystrochrepts, steep IV III III III III III III III III III				
Dumbar, ALL				
Duplin, ALL				
Duplin-Urban land complex, 0 to 5 percent slopes IV				
Dystrochrepts, steep				
Emporia, ALL Emporia-Urban land complex, 0 to 6 percent slopes Emporia, ALL Emporia-Urban land complex, 2 to 6 percent slopes II Emporia-Wedowee complex, 2 to 6 percent slopes II Eustis, ALL Eustis, ALL II Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded IV II Faceville loamy sand, 6 to 10 percent slopes III III Faceville sandy loam, 0 to 2 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 6 to 10 percent slopes, eroded IV III IV Foreston loamy sand, ALL Fuquay, ALL III III III III III III III				
Emporia-Urban land complex, 0 to 6 percent slopes IV II IV Emporia-Urban land complex, 2 to 6 percent slopes II II II Eustis, ALL Exum, ALL Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded IV II II Faceville loamy sand, 6 to 10 percent slopes, eroded IV II II Faceville sandy loam, 0 to 2 percent slopes II II II Faceville sandy loam, 2 to 6 percent slopes II II II Faceville sandy loam, 2 to 6 percent slopes, eroded III II III Faceville sandy loam, 2 to 6 percent slopes, eroded III II III Faceville-Urban land complex, 0 to 6 percent slopes Foreston loamy sand, ALL II III Fuquay, ALL Gilead loamy sand, 0 to 2 percent slopes III II III Fuquay, ALL Gilead loamy sand, 0 to 15 percent slopes IV II IV Gilead loamy sand, 0 to 15 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes III III III Gilead sandy loam, 8 to 15 percent slopes IV II IV Grantham, ALL Grantham, ALL Grantham, Orban land complex, ALL IV II IV Griftney fine sandy loam, 2 to 6 percent slopes III III III Grittney fine sandy loam, 2 to 7 percent slopes III III III Grittney fine sandy loam, 4 to 8 percent slopes III III III Grittney fine sandy loam, 5 to 12 percent slopes III III III Grittney fine sandy loam, 6 to 10 percent slopes III III III III Grittney fine sandy loam, 6 to 10 percent slopes III III III III III III III II				
Emporia-Wedowee complex, 2 to 6 percent slopes II II II Eustis, ALL Exum, ALL Exum, ALL Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded IV II II Faceville loamy sand, 6 to 10 percent slopes, eroded IV II II Faceville sandy loam, 0 to 2 percent slopes II II II Faceville sandy loam, 0 to 2 percent slopes II II II Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes, eroded III III Faceville sandy loam, 2 to 6 percent slopes, eroded IV II IV Faceville-Urban land complex, 0 to 6 percent slopes IV II IV Foreston loamy sand, ALL Foreston loamy sand, ALL IV II IV Gilead loamy sand, 0 to 2 percent slopes III III Gilead loamy sand, 0 to 2 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes, eroded III II III Gilead loamy sand, 6 to 10 percent slopes, eroded III III III Gilead sandy loam, 2 to 8 percent slopes, eroded IV II IV Gilead sandy loam, 2 to 8 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Grantham, ALL Grantham, ALL Grantham, ALL Grantham, Urban land complex, ALL Grantham, Urban land complex Gritney fine sandy loam, 2 to 6 percent slopes III III Gritney fine sandy loam, 2 to 7 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes III III Gritney fine sandy loam, 6 to 10 percent slopes III III III Gritney fine sandy loam, 6 to 10 percent slopes III III III IIII Gritney fine sandy loam, 6 to 10 percent slopes III III IIII Gritney fine sandy loam, 6 to 10 percent slopes III III IIII IIII IIIIIIIIIIIIIII				
Eustis, ALL Eustis, ALL Eustis, ALL Eustin, ALL Exum, ALL Faceville fine sandy loam, ALL Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded Faceville loamy sand, ALL OTHER II II II Faceville sandy loam, 0 to 2 percent slopes II II II Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded IV II IV Faceville-Urban land complex, 0 to 6 percent slopes III III Fuquay, ALL III III Fuquay, ALL Figliead loamy sand, 0 to 2 percent slopes III III Gilead loamy sand, 0 to 2 percent slopes IV III IV Gilead loamy sand, 10 to 15 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes, eroded III III III Gilead loamy sand, 2 to 6 percent slopes, eroded III III IV Gilead loamy sand, 2 to 6 percent slopes, eroded III III IV Gilead loamy sand, 6 to 10 percent slopes, eroded III III IV Gilead loamy sand, 6 to 10 percent slopes, eroded IV II IV Gilead sandy loam, 2 to 8 percent slopes, eroded IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes IV II IV Gilead sandy loam, 8 to 15 percent slopes III III III Gilead sandy loam, 8 to 15 percent slopes IV II IV Grantham, ALL Grantham, ALL Grantham, ALL Grantham, ALL Grantham, ALL Grithey fine sandy loam, 2 to 6 percent slopes III III Grithey fine sandy loam, 5 to 12 percent slopes III III Grithey fine sandy loam, 6 to 10 percent slopes III III Grithey fine sandy loam, 6 to 10 percent slopes III III Grithey fine sandy loam, 6 to 10 percent slopes III III Grithey fine sandy loam, 6 to 10 percent slopes III III Grithey fine sandy loam, 6 to 10 percent slopes III III III Grithey fine sandy loam, 6 to 10 percent slopes III IIII IIII IIII IIII IIII IIII IIII				
Exum, ALL Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded IV II IV Faceville loamy sand, ALL OTHER III III III Faceville sandy loam, 0 to 2 percent slopes III III III Faceville sandy loam, 2 to 6 percent slopes III III III Faceville sandy loam, 2 to 6 percent slopes III III III Faceville sandy loam, 2 to 6 percent slopes, eroded III III III Faceville sandy loam, 6 to 10 percent slopes, eroded IV III IV Faceville-urban land complex, 0 to 6 percent slopes IV III IV Faceville-Urban land complex, 0 to 6 percent slopes III III III Fuquay, ALL III III III Fuquay, ALL IIV III IV Gilead loamy sand, 0 to 2 percent slopes III III III Gilead loamy sand, 0 to 15 percent slopes III III III Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead sandy loam, 2 to 8 percent slopes IV III IV Gilead sandy loam, 2 to 8 percent slopes III III III Gilead sandy loam, 8 to 15 percent slopes III III III Grantham-Urban land complex, ALL I I I I Grantham, ALL I I I I Grantham, ALL I I I I Grantham, ALL I I III Grantham-Urban land complex, occasionally flooded IV I IV Gritney fine sandy loam, 2 to 6 percent slopes III III III Gritney fine sandy loam, 2 to 6 percent slopes III III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III IV Gritney fine sandy loam, 6 to 10 percent slopes, eroded IV III IV Gritney fine sandy loam, 6 to 10 percent slopes, eroded IV III IV Gritney fine sandy loam, 6 to 10 percent slopes, eroded III III III III IIII IIII IIII IIII				
Faceville fine sandy loam, ALL Faceville fine sandy loam, ALL Faceville loamy sand, 6 to 10 percent slopes, eroded IV II IV Faceville sandy loam, 0 to 2 percent slopes II II II II Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes III III Faceville sandy loam, 2 to 6 percent slopes, eroded III III Faceville sandy loam, 6 to 10 percent slopes, eroded III III Faceville sandy loam, 6 to 10 percent slopes, eroded IV III Faceville-Urban land complex, 0 to 6 percent slopes IV III Fuquay, ALL IV Foreston loamy sand, ALL IV III Fuquay, ALL IV III Fuquay, ALL IV III Gilead loamy sand, 0 to 2 percent slopes IV III IV Gilead loamy sand, 10 to 15 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead sandy loam, 8 to 15 percent slopes IV III IV Gilead sandy loam, 8 to 15 percent slopes IV III IV Grantham, ALL Grantham-Urban land complex, ALL IV IV IV IV IV IV IV IV IV IV IV IV IV				
Faceville loamy sand, 6 to 10 percent slopes, eroded Faceville loamy sand, ALL OTHER Faceville sandy loam, 0 to 2 percent slopes Faceville sandy loam, 0 to 2 percent slopes Faceville sandy loam, 2 to 6 percent slopes Faceville sandy loam, 2 to 6 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville-Urban land complex, 0 to 6 percent slopes Foreston loamy sand, ALL Fuquay, ALL Five the sandy loam sand, 0 to 2 percent slopes Five the sandy loam sand, 10 to 15 percent slopes Five the sandy loam sand, 10 to 15 percent slopes Five the sandy loam sand, 10 to 15 percent slopes Five the sandy loam sand, 10 to 15 percent slopes Five the sandy loam sand, 10 to 15 percent slopes Five the sandy loam sand, 2 to 6 percent slopes Five the sandy loam sand, 2 to 6 percent slopes Five the sandy loam sand, 6 to 10 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 8 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 6 percent slopes Five the sandy loam, 2 to 7 percent slopes Five the sandy loam, 2 to 7 percent slopes Five the sandy loam, 6 to 10 percent slopes				
Faceville loamy sand, ALL OTHER Faceville sandy loam, 0 to 2 percent slopes II II II II Faceville sandy loam, 2 to 6 percent slopes III II II Faceville sandy loam, 2 to 6 percent slopes III II III Faceville sandy loam, 2 to 6 percent slopes, eroded III II III Faceville sandy loam, 6 to 10 percent slopes, eroded III II III Faceville-Urban land complex, 0 to 6 percent slopes IV II IV Faceville-Urban land complex, 0 to 6 percent slopes IV II IV Foreston loamy sand, ALL Fuquay, ALL Gilead loamy sand, 0 to 2 percent slopes III II III Find III Fi				
Faceville sandy loam, 0 to 2 percent slopes Faceville sandy loam, 2 to 6 percent slopes Faceville sandy loam, 2 to 6 percent slopes Faceville sandy loam, 2 to 6 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville-Urban land complex, 0 to 6 percent slopes Foreston loamy sand, ALL Foreston loamy sand, ALL Fiv II IV Gilead loamy sand, 0 to 2 percent slopes Fill III III Fingulay, ALL Gilead loamy sand, 10 to 15 percent slopes Fiv II IV Gilead loamy sand, 2 to 6 percent slopes Fiv II IV Gilead loamy sand, 2 to 6 percent slopes Fiv II IV Gilead loamy sand, 2 to 6 percent slopes Fiv II IV Gilead loamy sand, 6 to 10 percent slopes Fiv II IV Gilead loamy sand, 6 to 10 percent slopes Fiv II IV Gilead loamy sand, 6 to 10 percent slopes Fiv II IV Gilead sandy loam, 2 to 8 percent slopes Fiv II IV Gilead sandy loam, 8 to 15 percent slopes Fiv II IV Goldsboro, ALL Fir II IV Goldsboro-Urban land complex, ALL Fir II IV Grantham, ALL Grantham, ALL Grantham, ALL Grantham-Urban land complex Fiv II IV Grifton-Meggett complex, occasionally flooded Fiv II IV Grittey fine sandy loam, 2 to 6 percent slopes Fill III III Grittey fine sandy loam, 5 to 12 percent slopes Fill III III Grittey fine sandy loam, 5 to 12 percent slopes Fill III III Fill III				
Faceville sandy loam, 2 to 6 percent slopes II II II III Faceville sandy loam, 2 to 6 percent slopes, eroded IIII III III Faceville sandy loam, 6 to 10 percent slopes, eroded III III III Faceville-Urban land complex, 0 to 6 percent slopes IV III IV Faceville-Urban land complex, 0 to 6 percent slopes IV III IV Foreston loamy sand, ALL III III III Fuquay, ALL III III III Fuquay, ALL III III III Fiquay, ALL III III III Fideal loamy sand, 0 to 2 percent slopes IIII III III Fideal loamy sand, 10 to 15 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 2 to 6 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead sandy loam, 2 to 8 percent slopes III III III Gilead sandy loam, 8 to 15 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes III III Goldsboro, ALL II II Goldsboro-Urban land complex, ALL IV II IV Grantham, ALL II III Grantham-Urban land complex Gritney fine sandy loam, 2 to 6 percent slopes III III Gritney fine sandy loam, 2 to 7 percent slopes III III Gritney fine sandy loam, 4 to 8 percent slopes III III III Gritney fine sandy loam, 5 to 12 percent slopes III III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III IV Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III IV Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III IV Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV III III Gritney fine sandy loam, 6 to 10 percent slopes				
Faceville sandy loam, 2 to 6 percent slopes, eroded Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville-Urban land complex, 0 to 6 percent slopes Foreston loamy sand, ALL Fuquay, ALL Figury, ALL Gilead loamy sand, 0 to 2 percent slopes III III III III III III III III III I				
Faceville sandy loam, 6 to 10 percent slopes, eroded Faceville-Urban land complex, 0 to 6 percent slopes Foreston loamy sand, ALL Foreston loamy sand, ALL Figury, ALL Gilead loamy sand, 0 to 2 percent slopes III III III Fuquay, ALL Gilead loamy sand, 0 to 15 percent slopes III III III III III III III III III I				
Faceville-Urban land complex, 0 to 6 percent slopes Faceville-Urban land complex, 0 to 6 percent slopes III II II Fuquay, ALL Gilead loamy sand, 0 to 2 percent slopes III II III Gilead loamy sand, 10 to 15 percent slopes III III Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 2 to 6 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead loamy sand, 6 to 10 percent slopes IV II IV Gilead sandy loam, 2 to 8 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL I I I IV Goldsboro-Urban land complex, ALL Grantham, ALL Grantham, ALL Grantham-Urban land complex Gritney fine sandy loam, 2 to 6 percent slopes III III Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II IV Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II III Gritney fine sandy loam, 6 to 10 percent slopes, eroded IV II III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II III Gritney fine sandy loam, 6 to 10 percent slopes III III Gritney fine sandy loam, 6 to 10 percent slopes III III Gritney fine sandy loam, 6 to 10 percent slopes	Faceville sandy loam, 2 to 6 percent slopes, eroded			
Foreston loamy sand, ALL Fuquay, ALL Gilead loamy sand, 0 to 2 percent slopes Gilead loamy sand, 10 to 15 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex Gritney fine sandy loam, 2 to 6 percent slopes III Gritney fine sandy loam, 2 to 7 percent slopes III Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III Gritney fine sandy loam, 6 to 10 percent slopes III Gritney fine sandy loam, 6 to 10 percent slopes III Gritney fine sandy loam, 6 to 10 percent slopes III Gritney fine sandy loam, 6 to 10 percent slopes III Gritney fine sandy loam, 6 to 10 percent slopes				
Fuquay, ALL Gilead loamy sand, 0 to 2 percent slopes III Gilead loamy sand, 10 to 15 percent slopes IV III Gilead loamy sand, 10 to 15 percent slopes IV Gilead loamy sand, 2 to 6 percent slopes IV Gilead loamy sand, 2 to 6 percent slopes IV Gilead loamy sand, 2 to 6 percent slopes IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead loamy sand, 6 to 10 percent slopes IV III IV Gilead sandy loam, 2 to 8 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes IV III IV Goldsboro, ALL IV Goldsboro-Urban land complex, ALL IV Grantham, ALL II Grantham-Urban land complex IV II Grifton-Meggett complex, occasionally flooded IV II IV Grifton-Meggett complex, occasionally flooded IV II III III III III III III III III	Faceville-Urban land complex, 0 to 6 percent slopes			
Gilead loamy sand, 0 to 2 percent slopes Gilead loamy sand, 10 to 15 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Grifton-Meggett complex, occasionally flooded Griftney fine sandy loam, 2 to 6 percent slopes Griftney fine sandy loam, 2 to 7 percent slopes Griftney fine sandy loam, 4 to 8 percent slopes Griftney fine sandy loam, 5 to 12 percent slopes, eroded Griftney fine sandy loam, 6 to 10 percent slopes Griftney fine sandy loam, 6 to 10 percent slopes Griftney fine sandy loam, 6 to 10 percent slopes Griftney fine sandy loam, 6 to 10 percent slopes Griftney fine sandy loam, 6 to 10 percent slopes Griftney fine sandy loam, 6 to 10 percent slopes	Foreston loamy sand, ALL			
Gilead loamy sand, 10 to 15 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes IV Gilead sandy loam, 8 to 15 percent slopes IV Gilead sandy loam, 8 to 15 percent slopes IV Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded IV Grifton-Meggett complex, occasionally flooded IV Gritney fine sandy loam, 2 to 6 percent slopes III Gritney fine sandy loam, 2 to 7 percent slopes III Gritney fine sandy loam, 4 to 8 percent slopes III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III Gritney fine sandy loam, 6 to 10 percent slopes	Fuquay, ALL			
Gilead loamy sand, 2 to 6 percent slopes Gilead loamy sand, 2 to 6 percent slopes, eroded Gilead loamy sand, 2 to 6 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes, eroded Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes III Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL Goldsboro-Urban land complex, ALL IV Grantham, ALL Grantham-Urban land complex IV Grifton-Meggett complex, occasionally flooded IV Grifton-Meggett complex, occasionally flooded IV Gritney fine sandy loam, 2 to 6 percent slopes III Gritney fine sandy loam, 2 to 7 percent slopes III Gritney fine sandy loam, 4 to 8 percent slopes III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes	Gilead loamy sand, 0 to 2 percent slopes			
Gilead loamy sand, 2 to 6 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes Gilead loamy sand, 6 to 10 percent slopes, eroded IV II IV Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham, ALL I I I Grantham-Urban land complex IV I IV Grifton-Meggett complex, occasionally flooded IV I IV Griftney fine sandy loam, 2 to 6 percent slopes III III Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II IV Gritney fine sandy loam, 6 to 10 percent slopes	Gilead loamy sand, 10 to 15 percent slopes			
Gilead loamy sand, 6 to 10 percent slopes, eroded Gilead loamy sand, 6 to 10 percent slopes, eroded Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex IV I IV Grifton-Meggett complex, occasionally flooded IV I IV Gritney fine sandy loam, 2 to 6 percent slopes III II Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III II	Gilead loamy sand, 2 to 6 percent slopes			
Gilead loamy sand, 6 to 10 percent slopes, eroded Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes Gritney fine sandy loam, 2 to 7 percent slopes Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III	Gilead loamy sand, 2 to 6 percent slopes, eroded			111
Gilead sandy loam, 2 to 8 percent slopes Gilead sandy loam, 8 to 15 percent slopes III III Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex IV I IV Grifton-Meggett complex, occasionally flooded IV I IV Gritton-Meggett complex, occasionally flooded IV I IV Gritton-Meggett complex, occasionally flooded III III Gritney fine sandy loam, 2 to 6 percent slopes III III Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes				
Gilead sandy loam, 8 to 15 percent slopes Gilead sandy loam, 8 to 15 percent slopes IV II IV Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex IV I IV Grifton-Meggett complex, occasionally flooded IV I IV Gritney fine sandy loam, 2 to 6 percent slopes II II II Gritney fine sandy loam, 2 to 7 percent slopes III II II Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes	Gilead loamy sand, 6 to 10 percent slopes, eroded			
Goldsboro, ALL Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes II II Gritney fine sandy loam, 2 to 7 percent slopes III II Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III II III III III III III III III III	Gilead sandy loam, 2 to 8 percent slopes			
Goldsboro-Urban land complex, ALL Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes Gritney fine sandy loam, 2 to 7 percent slopes Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III	Gilead sandy loam, 8 to 15 percent slopes	IV		
Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes II II Gritney fine sandy loam, 2 to 7 percent slopes III II Gritney fine sandy loam, 4 to 8 percent slopes III II Gritney fine sandy loam, 5 to 12 percent slopes Gritney fine sandy loam, 6 to 10 percent slopes III II III III III III III III III III	Goldsboro, ALL			
Grantham, ALL Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes Gritney fine sandy loam, 2 to 7 percent slopes Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III	Goldsboro-Urban land complex, ALL	IV		
Grantham-Urban land complex Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes Gritney fine sandy loam, 2 to 7 percent slopes Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III				
Grifton-Meggett complex, occasionally flooded Gritney fine sandy loam, 2 to 6 percent slopes II II II Gritney fine sandy loam, 2 to 7 percent slopes II II II Gritney fine sandy loam, 4 to 8 percent slopes III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III II				
Gritney fine sandy loam, 2 to 6 percent slopes II II II Gritney fine sandy loam, 2 to 7 percent slopes II II II III Gritney fine sandy loam, 4 to 8 percent slopes III III III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II IV Gritney fine sandy loam, 6 to 10 percent slopes III III III III III III III II			L	
Gritney fine sandy loam, 2 to 7 percent slopes Gritney fine sandy loam, 4 to 8 percent slopes Gritney fine sandy loam, 5 to 12 percent slopes, eroded Gritney fine sandy loam, 6 to 10 percent slopes III II II III IV Gritney fine sandy loam, 6 to 10 percent slopes				
Gritney fine sandy loam, 4 to 8 percent slopes III II III Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II IV Gritney fine sandy loam, 6 to 10 percent slopes III III III				
Gritney fine sandy loam, 5 to 12 percent slopes, eroded IV II IV Gritney fine sandy loam, 6 to 10 percent slopes III II III				
Gritney fine sandy loam, 6 to 10 percent slopes III II III		IV	II	
Gritney fine sandy loam, 7 to 15 percent slopes	Gritney fine sandy loam, 6 to 10 percent slopes	III		
Gridley fine sandy reality is to be personnel.	Gritney fine sandy loam, 7 to 15 percent slopes	IV	II	<u> </u>

Map Unit Name	Agri	For	Hort
Gritney fine sandy loam, 10 to 15 percent slopes	IV	II	IV
Gritney loamy fine sand, 2 to 7 percent slopes	II	II	II
Gritney sandy clay loam, ALL	III	II	III
Gritney sandy loam, 2 to 5 percent slopes, eroded	III	II	III
Gritney sandy loam, 2 to 6 percent slopes	II	II	II
Gritney sandy loam, 5 to 12 percent slopes, eroded	ĪV	II	IV
Gritney sandy loam, 6 to 10 percent slopes	III	II	III
Gritney-Urban land complex, 2 to 12 percent slopes	IV	II	IV
Hoffman loamy sand, 6 to 10 percent slopes, eroded (Gilead)	IV	II	IV
Hoffman loamy sand, 10 to 20 percent slopes (Gilead)	III	II	III
Johns, ALL	II	I	II
Johnston, ALL	IV	III	IV
	II	II	II
Kalmia loamy sand, 0 to 2 percent slopes	II	II	II
Kalmia loamy sand, 0 to 3 percent slopes	II	II	II
Kalmia loamy sand, 2 to 6 percent slopes	III	II	III
Kalmia loamy sand, 10 to 15 percent slopes	IV	II	IV
Kalmia loamy sand, 15 to 25 percent slopes			
Kenansville, ALL	III	II	III
Kinston, ALL	IV	III	IV
Kureb sand, 1 to 8 percent slopes	IV	V	IV
Lakeland, ALL	IV	V	IV
Leaf loam	III	I	III
Lenoir loam	III	I	III
Leon sand, ALL	IV	V	IV
Liddell very fine sandy loam	I	I	I
Lillington-Turbeville complex, 8 to 15 percent slopes	III	II	III
Lucy loamy sand	II	II	II
Lumbee, ALL	II	I	II
Lynchburg, ALL	I	I	I
Lynchburg-Urban land complex	IV	I	IV
Lynn Haven and Torhunta soils	II	II	II
Mantachie soils, local alluvium	II	Ш	II
Marlboro, ALL	II	II	II
Marlboro-Cecil complex, 2 to 8 percent slopes	II	II	II
Marvyn and Gritney soils. 6 to 15 percent slopes	IV	I	IV
Marvyn loamy sand, 6 to 12 percent slopes	IV	I	IV
Maxton loamy sand, 0 to 2 percent slopes	II	II	II
McColl loam	III	II	III
McQueen loam, 1 to 6 percent slopes	II	II	II
Meggett, ALL	IV	I	IV
Muckalee, ALL	IV	III	IV
Myatt very fine sandy loam	II	I	II
Nahunta, ALL	I	I	I
Nankin ,ALL	II	II	II
Nixonton very fine sandy loam	I	I	I
Norfolk and Faceville soils, 6 to 10 percent slopes	II	II	П
Norfolk loamy fine sand, ALL	I	II -	Ī
Norfolk loamy sand, 0 to 2 percent slopes	I	II	i
Norfolk loamy sand, 2 to 6 percent slopes	<u>i</u>	II	i
Norfolk loamy sand, 2 to 6 percent slopes Norfolk loamy sand, 2 to 6 percent slopes, eroded	<u>I</u>	II	II
Norfolk loamy sand, 6 to 10 percent slopes	II	II	II
Norfolk loamy sand, 6 to 10 percent slopes Norfolk loamy sand, 6 to 10 percent slopes, eroded	III	II	III
Notion to any sain, o to to percent stopes, eroded	111		111

Map Unit Name	Agri	For	Hort
Norfolk sandy loam, 0 to 2 percent slopes	I	II	I
Norfolk sandy loam, 2 to 6 percent slopes	I	II	I
Norfolk sandy loam, 2 to 6 percent slopes Norfolk sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Norfolk sandy loam, 2 to 6 percent slopes, eroded Norfolk sandy loam, 6 to 10 percent slopes	II	II	II
Norfolk, Georgeville, and Faceville soils, 2 to 8 percent slopes	II	II	II
Norfolk-Urban land complex, 0 to 3 percent slopes	IV	II	IV
	II	111	II
Norfolk-Wedowee complex, 2 to 6 percent slopes	III	II	III
Ocilla, ALL	II	III	II
Okenee loam (Paxville)	II	II	II
Orangeburg loamy sand, eroded, ALL	I	II	I
Orangeburg loamy sand, ALL OTHER	IV	II	IV
Pactolus, ALL	III	V	III
Pamlico muck	Ĭ	$\frac{v}{I}$	I
Pantego, ALL	II	III	<u>i</u>
Paxville fine sandy loam	II	III	
Paxville loam	II	II	II
Peawick, ALL	IV	VI	IV
Pits-Tarboro complex		I	IV
Plummer and Osier soils	IV	V	IV
Plummer, ALL	IV _		
Pocalla loamy sand, 0 to 3 percent slopes	III	II	III
Polawana loamy sand, frequently flooded	IV	III	IV
Ponzer muck, siliceous subsoil variant	I	V	I
Portsmouth, ALL	I	I	I
Rains, ALL	I	I	I
Rains-Toisnot complex, 0 to 2 percent slopes	IV	I	IV
Rains-Urban land complex, ALL	IV	I	IV
Rimini sand	IV	V	IV
Riverview loam, 0 to 1 percent slopes, occasionally flooded	I	III	I
Roanoke and Wahee loams	II	III	Ш
Roanoke, ALL	II	III	II
Roanoke-Urban land complex	IV	III	IV
Ruston loamy sand, ALL	III	II	III
Ruston sandy loam, 2 to 6 percent slopes, eroded	IV	II	IV
Rutlege loamy sand	IV	V	IV
Seabrook loamy sand, rarely flooded	IV	II	IV
Smoothed sandy land	IV	VI	IV
St. Lucie sand (Kureb)	IV	V	IV
Stallings, ALL	II	II	II
State, ALL	I	I	I
Swamp	IV	III	IV
Tarboro, ALL	IV	II	IV
Toisnot, ALL	IV	II	IV
Tomahawk sand	III	II	III
Tomotley, ALL	I	I	I
Torhunta and Lynn Haven soils	II	I	II
Torhunta, ALL	I	I	I
Trebloc loam	I	I	I
Troup sand	IV	II	IV
Turbeville fine sandy loam, 2 to 6 percent slopes	I	II	I
Turbeville gravelly sandy loam, 2 to 8 percent slopes	II	II	II
Turbeville loamy sand, 0 to 2 percent slopes	I	II	I
Taroutine round band, o to 2 percent stopes			

Map Unit Name	Agri	For	Hort
Turbeville loamy sand, 2 to 6 percent slopes	i i	II	I
Turbeville sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Turbeville sandy loam, 0 to 2 percent slopes	Ī	II	Ī
Turbeville sandy loam, 2 to 6 percent slopes	† î –	II	Ī
Turbeville sandy loam, 2 to 8 percent slopes	† <u>î</u>	II	Î
Turbeville sandy loam, 6 to 12 percent slopes	+ <u>î</u>	II	II
Turbeville-Urban land complex, 0 to 8 percent slopes	IV	II	IV
Uchee, ALL	III	V	III
Udorthents, loamy	IV	VI	IV
Urban land	IV	VI	IV
Varina, ALL	II	II	II
Vauluse loamy sand, 10 to 15 percent slopes	IV	II	ĪV
Vaucluse loamy sand, 10 to 15 percent slopes Vaucluse loamy sand, 10 to 15 percent slopes, eroded	IV	II	ĪV
Vaucluse loamy sand, 10 to 15 percent slopes Vaucluse loamy sand, 2 to 6 percent slopes	III	II	III
Vaucluse loamy sand, 2 to 6 percent slopes Vaucluse loamy sand, 2 to 6 percent slopes, eroded	III	II	III
Vaucluse loamy sand, 6 to 10 percent slopes	III	II	III
Vaucluse loamy sand, 6 to 10 percent slopes Vaucluse loamy sand, 6 to 10 percent slopes, eroded	III	II	III
Wagram fine sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 0 to 2 percent slopes Wagram loamy sand, 0 to 2 percent slopes	II	II	II
Wagram loamy sand, 0 to 2 percent slopes Wagram loamy sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 0 to 6 percent slopes Wagram loamy sand, 2 to 6 percent slopes	II	II	II
	III	II	III
Wagram loamy sand, 6 to 10 percent slopes	III	II	III
Wagram loamy sand, 10 to 15 percent slopes Wagram sand, thick surface, 0 to 6 percent slopes	II	II	II
	III	II	III
Wagram sand, thick surface, 6 to 10 percent slopes	III	II	III
Wagram sand, thick surface, 10 to 15 percent slopes	IV	II	IV
Wagram-Troup sands, 0 to 4 percent slopes	IV	II	IV
Wagram-Urban land complex, ALL	I	I	I
Wahee, ALL	IV	V	IV
Wakulla, ALL	IV	III	IV
Wehadkee and Chewacla loams	IV	III	IV
Wehadkee, ALL			IV
Wehadkee-Chastain association, frequently flooded	IV	III	
Weston loamy sand	III	I	III
Wickham fine sandy loam, 6 to 15 percent slopes, rarely flooded	II	I	II
Wickham fine sandy loam, ALL OTHER	I	I	I
Wickham loamy sandy, ALL	I	I	I
Wickham sandy loam, 0 to 4 percent slopes	I	I	I
Wickham sandy loam, 2 to 6 percent slopes, eroded	II	I	II
Wickham-Urban land complex, 1 to 6 percent slopes	IV	I	IV
Wilbanks loam, frequently flooded	IV	III	IV
Wilbanks silt loam	IV	III	IV
Winton fine sandy loam, ALL	IV	I	IV
Woodington loamy sand	II	II	II

MLRA136-Piedmont

Map Unit Name	Agri	For	Hort
Ailey-Appling complex, 2 to 8 percent slopes	II	II	II
Ailey-Appling complex, 2 to 8 percent slopes Ailey-Appling complex, 8 to 15 percent slopes, bouldery	IV	II	III
Alamance silt loam, gently sloping phase	II	II	II
Alamance shr loam, gentry stoping phase Alamance variant gravelly loam, ALL	IV	II	II
Altavista fine sandy loam, 2 to 6 percent slopes, eroded	TI II	I	Ī
Altavista fine sandy loam, 7 to 10 percent slopes	TI II	Ī	Ī
Altavista fine sandy loam, 7 to 10 percent slopes Altavista fine sandy loam, 0 to 2 percent slopes occasionally flooded	I	<u></u>	II
	T I	Ī	I
Altavista fine sandy loam, ALL OTHER	I	Ī	Ī
Altavista fine sandy loam, clayey variant	$\frac{1}{I}$	Ī	I
Altavista loam, 0 to 3 percent slopes, rarely flooded	$\frac{1}{I}$	I	Ī
Altavista sandy loam, ALL	$\frac{1}{I}$	I	Ī
Altavista silt loam, ALL	II	II	II
Appling coarse sandy loam, eroded gently sloping phase		II II	II
Appling coarse sandy loam, eroded sloping phase	II	II	I
Appling coarse sandy loam, ALL OTHER		II	I
Appling fine sandy loam, 2 to 6 percent slopes	II	II	II
Appling fine sandy loam, 2 to 6 percent slopes, eroded			
Appling fine sandy loam, 2 to 7 percent slopes	II	II	I
Appling fine sandy loam, 2 to 7 percent slopes, eroded	II	II	II
Appling fine sandy loam, 6 to 10 percent slopes	II	II	I
Appling fine sandy loam, 6 to 10 percent slopes, eroded	II	II	II .
Appling fine sandy loam, 7 to 10 percent slopes(Wedowee)	II	II	I
Appling fine sandy loam, 7 to 10 percent slopes, eroded (Wedowee)	II	II	II
Appling fine sandy loam, 10 to 14 percent slopes (Wedowee)	III	II	II
Appling fine sandy loam, 10 to 14 percent slopes, eroded (Wedowee)	III	II	II
Appling fine sandy loam, (Wedowee), ALL OTHER	IV	II	II
Appling gravelly sandy loam, 2 to 6 percent slopes	II	II	I
Appling gravelly sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Appling gravelly sandy loam, 6 to 10 percent slopes	II	II	I
Appling gravelly sandy loam, 6 to 10 percent slopes, eroded	II	II	II
Appling loamy sand, 2 to 6 percent slopes	II	II	I
Appling sandy clay loam, 6 to 10 percent slopes, severely eroded	III	II	II
Appling sandy clay loam, 10 to 15 percent slopes, severely eroded	IV	II	II
Appling sandy clay loam, severely eroded sloping phase	III	II	III
Appling sandy loam, 1 to 6 percent slopes	II	II	I
Appling sandy loam, 2 to 6 percent slopes	II	II	I
Appling sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Appling sandy loam, 2 to 8 percent slopes	II	II	I
Appling sandy loam, 6 to 10 percent slopes	II	II	I
Appling sandy loam, 6 to 10 percent slopes, eroded	II	II	II
Appling sandy loam, 6 to 12 percent slopes	II	II	II
Appling sandy loam, 8 to 15 percent slopes	II	II	II
Appling sandy loam, 10 to 15 percent slopes	III	II	II
Appling sandy loam, 10 to 15 percent slopes, eroded	III	II	II
Appling sandy loam, 10 to 15 percent slopes, croded Appling sandy loam, 10 to 25 percent slopes, eroded (Wedowee)	IV	II	II
Appling sandy loam, 15 to 25 percent slopes (Wedowee)	IV	II	II
Appling sandy loam, 15 to 25 percent slopes (wedowee) Appling sandy loam, 15 to 25 percent slopes, eroded (Wedowee)	IV	II	II
Appling sandy loam, 13 to 23 percent slopes, croded (wedowec) Appling sandy loam, eroded gently sloping phase	II	II	II
Appling sandy loam, eroded gentry stoping phase Appling sandy loam, eroded sloping phase	II	II	II
Appling sandy loam, eroded strongly sloping phase Appling sandy loam, eroded strongly sloping phase		II	II
	II	II	I
Appling sandy loam, gently sloping phase	III	II	II
Appling sandy loam, moderately steep phase (Wedowee)	1111	L	1 11

Map Unit Name	Agri	For	Hort
Appling sandy loam, sloping phase	II	II	II
Appling sandy loam, strongly sloping phase	II	II	II
Appling-Marlboro complex, 1 to 6 percent slopes	II	II	II
Appling-Urban land complex, ALL	IV	II	IV
Armenia, ALL	IV	III	III
	IV	V	IV
Ashlar-Rock outcrop complex, ALL Augusta, ALL	III	I	II
	IV	V	II
Ayersville gravelly loam, ALL	III	II	II
Badin channery loam, 8 to 15 percent slopes	III	II	II
Badin channery silt loam, 2 to 8 percent slopes		II	II
Badin channery silt loam, 8 to 15 percent slopes	III		II
Badin channery silt loam, ALL OTHER	IV	II	
Badin channery silty clay loam, eroded, ALL	III	II	II
Badin silty clay loam, 2 to 8 percent slopes, moderately eroded	III	II	II
Badin silty clay loam, 8 to 15 percent slopes, moderately eroded	IV	II	II
Badin-Goldston complex, 2 to 8 percent slopes	III	II	II
Badin-Goldston complex, 8 to 15 percent slopes	IV	II	III
Badin-Goldston complex, 15 to 25 percent slopes	IV	II	IV
Badin-Nanford complex, 15 to 30 percent slopes	IV	II	IV
Badin-Tarrus complex, 2 to 8 percent slopes	II	II	I
Badin-Tarrus complex, 2 to 8 percent slopes, moderately eroded	III	II	I
Badin-Tarrus complex, 8 to 15 percent slopes	Ш	II	II
Badin-Tarrus complex, 8 to 15 percent slopes, moderately eroded	IV	II	<u>II</u>
Badin-Tarrus complex, 15 to 25 percent slopes	IV	II	II
Badin-Tarrus complex, 25 to 45 percent slopes	IV	II	IV
Badin-Urban land complex, ALL	IV	II	IV
Banister loam, 1 to 6 percent slopes, rarely flooded	II	I	I
Bethlehem gravelly sandy loam, 2 to 8 percent slopes	III	II	II
Bethlehem gravelly sandy loam, 8 to 15 percent slopes	IV	II	II
Bethlehem-Hibriten complex, 6 to 15 percent slopes	IV	II	III
Bethlehem-Urban land complex, 2 to 15 percent slopes	IV	II	IV
Buncombe, ALL	IV	III	IV
Callison-Lignum complex, 2 to 6 percent slopes	III	II	II
Callison-Misenheimer complex, 6 to 10 percent slopes	III	II	II
Carbonton-Brickhaven complex, ALL	IV	II	IV
Cartecay and Chewacla soils	II	III	III
Cecil clay loam, 2 to 6 percent slopes, eroded	III	II	II
Cecil clay loam, 2 to 6 percent slopes, severely eroded	III	II	II
Cecil clay loam, 2 to 7 percent slopes, severely eroded	III	II	II
Cecil clay loam, 2 to 8 percent slopes, eroded	III	II	II
Cecil clay loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil clay loam, 6 to 10 percent slopes, severely eroded	IV	II	II
Cecil clay loam, ALL OTHER	IV	II	II
Cecil fine sandy loam, 2 to 6 percent slopes	II	II	I
Cecil fine sandy loam, 2 to 6 percent slopes Cecil fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Cecil fine sandy loam, 2 to 7 percent slopes, croded Cecil fine sandy loam, 2 to 7 percent slopes	II	II	I
	II	II	II
Cecil fine sandy loam, 2 to 7 percent slopes, eroded	II	II	I
Cecil fine sandy loam, 2 to 8 percent slopes	III	II	II
Cecil fine sandy loam, 6 to 10 percent slopes	III	II	II
Cecil fine sandy loam, 6 to 10 percent slopes, eroded		II	II
Cecil fine sandy loam, 7 to 10 percent slopes (Pacolet)	III		
Cecil fine sandy loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	_II

MLRA136-Piedmont

N 11 1/11	Agri	For	Hort
Map Unit Name	III	II	II
Cecil fine sandy loam, 8 to 15 percent slopes	III	II	II
Cecil fine sandy loam, 10 to 14 percent slopes (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 14 percent slopes, eroded (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	IV	II	II
Cecil fine sandy loam, 14 to 25 percent slopes (Pacolet)	IV	II –	II
Cecil fine sandy loam, 14 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Cecil fine sandy loam, 25 to 40 percent slopes (Pacolet)	IV	II	III
Cecil fine sandy loam, 25 to 40 percent slopes, eroded (Pacolet)		II	II
Cecil fine sandy loam, eroded gently sloping phase	II		II
Cecil fine sandy loam, eroded sloping phase	II	II	II
Cecil fine sandy loam, eroded strongly sloping phase	III	II	
Cecil fine sandy loam, gently sloping phase	<u>II</u>	II	I
Cecil fine sandy loam, moderately steep phase	III	II	II
Cecil fine sandy loam, sloping phase	III	II	II
Cecil fine sandy loam, strongly sloping phase	III	II	II
Cecil gravelly fine sandy loam, 2 to 6 percent slopes	II	II	I
Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Cecil gravelly fine sandy loam, 2 to 7 percent slopes	II	II	I
Cecil gravelly fine sandy loam, 2 to 7 percent slopes, eroded	III	П	II
Cecil gravelly fine sandy loam, 6 to 10 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil gravelly fine sandy loam, 7 to 10 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 14 percent slopes (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 14 percent slopes, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 15 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 10 to 15 percent, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, ALL OTHER	IV	II	II
Cecil gravelly sandy clay loam, 2 to 8 percent slopes, eroded	III	II	II
Cecil gravelly sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Cecil gravelly sandy loam, 2 to 6 percent slopes	II	II	I
Cecil gravelly sandy loam, 2 to 6 percent slopes, eroded	II	II	I
Cecil gravelly sandy loam, 6 to 10 percent slopes	III	II	II
Cecil gravelly sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil gravelly sandy loam, 10 to 15 percent slopes	IV	II	IV
Cecil loam, 2 to 6 percent slopes	<u>II</u>	II	I
Cecil loam, ALL OTHER	III	II	II
Cecil sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Cecil sandy clay loam, 8 to 15 percent slopes, eroded Cecil sandy clay loam, 8 to 15 percent slopes, moderately eroded	IV	II	II
Cecil sandy clay loam, 8 to 15 percent stopes, moderately croaded Cecil sandy clay loam, ALL OTHER	III	II	II
Cecil sandy loam, ALL OTHER Cecil sandy loam, 2 to 6 percent slopes	II	II	I
Cecil sandy loam, 2 to 6 percent slopes Cecil sandy loam, 2 to 6 percent slopes, eroded	III	II	II
	II	II	I
Cecil sandy loam, 2 to 8 percent slopes	III	II	II
Cecil sandy loam, 2 to 8 percent slopes, eroded	III	II	I
Cecil sandy loam, 6 to 10 percent slopes	III	II	II
Cecil sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil sandy loam, 8 to 15 percent slopes	IV	II	II
Cecil sandy loam, 8 to 15 percent slopes, eroded		II	II
Cecil sandy loam, 10 to 15 percent slopes	III	II	II
Cecil sandy loam, 10 to 15 percent slopes, eroded	III	11	<u> </u>

Map Unit Name	Agri	For	Hort
Cecil sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	II
Cecil sandy loam, 15 to 45 percent slopes (Pacolet)	IV	II	II
Cecil sandy loam, 15 to 45 percent slopes (1 acotet) Cecil sandy loam, eroded gently sloping phase	III	II	II
Cecil sandy loam, eroded sloping phase	III	II	II
Cecil sandy loam, gently sloping phase	II	II	Î
	III	II	Ī
Cecil sandy loam, sloping phase	IV	II	II
Cecil soils, (Pacolet), ALL	IV	II	II
Cecil stony fine sandy loam, (Uwharrie), ALL	IV	II	IV
Cecil-Urban land complex, ALL		III	III
Chastain silty clay loam	IV		III
Chenneby silt loam, 0 to 2 percent slopes, frequently flooded	III	III	III
Chewacla and Chastain soils, 0 to 2 percent slopes, frequently flooded	IV	III	
Chewacla and Wehadkee, ALL	IV	III	III
Chewacla silt loam, frequently flooded	III	III	III
Chewacla, ALL OTHER	II	III	III
Cid, ALL	III	II	II
Cid-Lignum complex, 1 to 6 percent slopes	II	II	II
Cid-Misenheimer complex, 0 to 4 percent slopes	III	II	II
Cid-Urban land complex, 1 to 5 percent slopes	IV	II	IV
Meadowfield-Fairview complex, 15 to 25 percent slopes	IV	IV	IV
Meadowfield-Rhodhiss complex, 25 to 60 percent slopes, very stony	IV	IV	IV
Meadowfield-Woolwine complex, 8 to 15 percent slopes	IV	IV	IV
Claycreek fine sandy loam, 0 to 2 percent slopes	III	I	II
Colfax sandy loam, ALL	III	II	II
Colvard sandy loam, 0 to 3 percent slopes, occasionally flooded	I	III	Ш
Colfax silt loam	III	II	II
Congaree, frequently flooded	II	III	III
Congaree, ALL OTHER	I	III	III
Coronaca clay loam, ALL	II	II	I
Coronaca-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Creedmoor coarse sandy loam, ALL	III	Ī	II
Creedmoor fine sandy loam, 8 to 15 percent slopes	IV	I	II
Creedmoor fine sandy loam, ALL OTHER	III	I	II
Creedmoor loam, 2 to 8 percent slopes	III	I	II
Creedmoor sandy loam, 10 to 15 percent slopes	IV	I	II
Creedmoor sandy loam, 10 to 20 percent slopes	IV	I	II
Creedmoor sandy loam, ALL OTHER	III	I	II
Creedmoor silt loam, ALL	III	I	II
Cullen clay loam, ALL	II	II	II
Cullen-Wynott complex, 15 to 35 percent slopes	IV	II	III
Cut and fill land	IV	VI	IV
Davidson clay, severely eroded strongly sloping phase	III	I	II
Davidson sandy clay loam, 15 to 25 percent slopes	III	I	I
Davidson, ALL OTHER	II	Ī	Ī
Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded	I	III	Ī
Dogue, ALL	i	I	<u>i</u>
Dogue-Roanoke complex, 0 to 6 percent slopes, rarely flooded	II	Ī	III
Durham coarse sandy loam, gently sloping phase		Ī	T T
Durham coarse sandy loam, gently stoping phase Durham coarse sandy loam, sloping phase	III	I	I
Durham loamy sand, 6 to 10 percent slopes, eroded	III	I	I
	II	I	I
Durham loamy sand, ALL OTHER	II	I	I
Durham sandy loam, eroded sloping phase	1.1	1	

MLRA136-Piedmont

M. H. Y. Y.	Agri	For	Hort
Map Unit Name	III	I	I
Durham sandy loam, ALL OTHER	II	II	II
Efland silt loam, eroded gently sloping phase (Badin)	+ <u>III</u>	II	II
Efland silt loam, eroded sloping phase (Badin)	II	II	II
Efland silt loam, gently sloping phase (Badin)	II	II	II
Efland silt loam, sloping phase (Badin)	III	II	II
Efland silt loam, strongly sloping phase (Badin)	III	II	II
Efland silty clay loam severely eroded strongly sloping phase (Badin)	III	II	II
Efland silty clay loam, severely eroded sloping phase (Badin)	III	II	II
Enon clay loam, 2 to 6 percent slopes, eroded	III	II	II
Enon clay loam, 6 to 10 percent slopes, eroded	IV	II	II
Enon clay loam, 10 to 15 percent slopes, eroded		II	II
Enon clay loam, severely eroded sloping phase	III	II	II
Enon clay loam, severely eroded strongly sloping phase	IV	II	II
Enon cobbly loam, 2 to 8 percent slopes	II	II	II
Enon cobbly loam, 8 to 15 percent slopes	III	II	IV
Enon complex, gullied	IV		
Enon fine sandy loam, 2 to 15 percent slopes, very stony	IV	II	II
Enon fine sandy loam, 2 to 6 percent slopes	II	II	II
Enon fine sandy loam, 2 to 6 percent slopes, eroded	III	II	II
Enon fine sandy loam, 2 to 8 percent slopes	II	II	II
Enon fine sandy loam, 6 to 10 percent slopes	III	II	II
Enon fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Enon fine sandy loam, 8 to 15 percent slopes	III	II	II
Enon fine sandy loam, 10 to 15 percent slopes	III	II	II
Enon fine sandy loam, 10 to 15 percent slopes, eroded	III	II	II
Enon fine sandy loam, eroded gently sloping phase	II	II	II
Enon fine sandy loam, eroded sloping phase	III	II	II
Enon fine sandy loam, gently sloping phase	II	II	II
Enon fine sandy loam, sloping phase	III	II	II
Enon gravelly loam, 2 to 8 percent slopes	II	II	II
Enon gravelly loam, 8 to 15 percent slopes	III	II	II
Enon loam, 2 to 6 percent slopes	II	II	II
Enon loam, 6 to 10 percent slopes	II	II	II
Enon loam, 6 to 12 percent slopes	III	II	II
Enon loam, eroded gently sloping phase	II	II	II
Enon loam, eroded sloping phase	III	II	II
Enon loam, eroded strongly sloping phase	III	II	II
Enon loam, gently sloping phase	II	II	II
Enon loam, sloping phase	III	II	II
Enon loam, strongly sloping phase	III	II	II
Enon sandy loam, 2 to 8 percent slopes	II	II	II
Enon sandy loam, 8 to 15 percent slopes	III	II	II
Enon very cobbly loam, very stony, ALL	IV	II	IV
Enon very stony loam, ALL	IV	II	IV
Enon-Mayodan complex, 15 to 35 percent slopes, very stony	IV	II	III
Enon-Urban land complex, ALL	IV	II	IV
Enon-Wynott complex, ALE Enon-Wynott complex, 2 to 8 percent slopes	II	II	II
Enon-Wynott complex, 4 to 15 percent slopes, very bouldery	IV	II	IV
Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded	II	II	II
Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded	IV	II	II
	IV	II	IV
Fairview-Urban land complex, ALL		·	

Map Unit Name	Agri	For	Hort
Fluvaquents-Udifluvents complex, 0 to 3 percent slopes, mounded,	IV	VI	IV
occasionally flooded			
Gaston clay loam, 2 to 8 percent slopes, eroded	II	II	II
Gaston clay loam, 8 to 15 percent slopes, eroded	III	II	II
Gaston loam, 15 to 25 percent slopes	III	II	II
Gaston sandy clay loam, 2 to 8 percent slopes, eroded	II	II	II
Gaston sandy clay loam, 8 to 15 percent slopes, eroded	III	II	II
Georgeville clay loam, 2 to 6 percent slopes, eroded	II	I	II
Georgeville clay loam, 2 to 8 percent slopes, croded	II	I	II
Georgeville clay loam, 8 to 15 percent slopes, eroded	III	I	II
Georgeville gravelly loam, 2 to 6 percent slopes	II	I	I
Georgeville gravelly loam, 2 to 8 percent slopes, stony	III	I	II
Georgeville gravelly loam, 6 to 10 percent slopes	II	I	I
Georgeville gravelly loam, 10 to 25 percent slopes	IV	I	II
Georgeville gravelly silt loam, 2 to 8 percent slopes	II	I	I
Georgeville gravelly silt loam, 8 to 15 percent slopes	III	I	II
Georgeville loam, 2 to 6 percent slopes	II	I	I
Georgeville loam, 2 to 8 percent slopes	II	I	Ī
Georgeville loam, 6 to 10 percent slopes	II	I	I
Georgeville loam, 8 to 15 percent slopes	III	I	Ī
Georgeville loam, ALL OTHER	IV	I	II
	II	I	I
Georgeville silt loam, 2 to 6 percent slopes	III	<u>I</u>	II
Georgeville silt loam, 2 to 6 percent slopes, eroded	II	I	I
Georgeville silt loam, 2 to 8 percent slopes	III	I	II
Georgeville silt loam, 2 to 10 percent slopes, eroded	IV	I	IV
Georgeville silt loam, 4 to 15 percent slopes, extremely stony	II	I	I
Georgeville silt loam, 6 to 10 percent slopes		I	II
Georgeville silt loam, 6 to 10 percent slopes, eroded	III	I	I
Georgeville silt loam, 8 to 15 percent slopes	III		Ī
Georgeville silt loam, 10 to 15 percent slopes	III	I	
Georgeville silt loam, 10 to 15 percent slopes, eroded	III	I	II
Georgeville silt loam, 10 to 25 percent slopes	IV	I	II
Georgeville silt loam, 15 to 45 percent slopes, extremely bouldery	IV	<u>I</u>	IV
Georgeville silt loam, eroded gently sloping phase	II	I	II
Georgeville silt loam, eroded sloping phase	III	I	II
Georgeville silt loam, eroded strongly sloping phase	<u>III</u>	I	II
Georgeville silt loam, gently sloping phase	II	I	I
Georgeville silt loam, moderately steep phase	<u>III</u>	<u> </u>	II
Georgeville silt loam, sloping phase	<u>II</u>	I	I
Georgeville silt loam, strongly sloping phase	III	I	I
Georgeville silty clay loam, 2 to 6 percent slopes, moderately eroded	<u>II</u>	I	II
Georgeville silty clay loam, 2 to 8 percent slopes	<u>II</u>	I	II
Georgeville silty clay loam, 2 to 8 percent slopes, eroded	<u>II</u>	I	II
Georgeville silty clay loam, 2 to 8 percent slopes, moderately eroded	II	I	II
Georgeville silty clay loam, 6 to 10 percent slopes, moderately eroded	III	I	II
Georgeville silty clay loam, 8 to 15 percent slopes, eroded	IV	I	II
Georgeville silty clay loam, 8 to 15 percent slopes, moderately eroded	IV	I	II
Georgeville silty clay loam, severely eroded gently sloping phase	III	I	II
Georgeville silty clay loam, severely eroded moderately steep phase	IV	<u> </u>	III
Georgeville silty clay loam, severely eroded sloping phase	III	I	III
Georgeville silty clay loam, severely eroded strongly sloping phase	IV	I	III
Georgeville-Badin complex, ALL	IV	I	II
Georgeville-Montonia complex, very stony ALL	IV	<u> </u>	III

Man Unit Nama	Agri	For	Hort
Map Unit Name Georgeville-Urban land complex, ALL	IV	Ī	IV
Goldston, ALL	IV	II	III
Goldston-Badin complex, ALL	IV	II	III
Granville gravelly sandy loam, 2 to 8 percent slopes	II	II	I
Granville sandy loam, 2 to 6 percent slopes	TII TI	II	Ī
Granville sandy loam, 2 to 6 percent slopes Granville sandy loam, 2 to 6 percent slopes, eroded	TII	II	Ī
	II	II	Ī
Granville sandy loam, 2 to 8 percent slopes	III	II	Ī
Granville sandy loam, 6 to 10 percent slopes	III	II	Ī
Granville sandy loam, 6 to 10 percent slopes, eroded	IV	II	I
Granville sandy loam, 10 to 15 percent slopes	IV	II	III
Grover, ALL	IV	VI	IV
Gullied land, ALL	IV	III	II
Halewood stony sandy loam, (Edneyville), ALL	IV	III	IV
Hatboro sandy loam, 0 to 2 percent slopes, frequently flooded	II	II	II
Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded	111	11	11
(Cecil and Cecil)	III	II	II
Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded	1111	11	11
(Cecil and Cecil)	+ TX7	II	II
Hayesville and Cecil clay loams, 14 to 25 percent slopes, severely eroded	IV	111	11
(Pacolet and Pacolet)	IV	II	II
Hayesville and Cecil fine sandy loam, eroded, ALL		II	II
Helena clay loam, severely eroded sloping phase	IV	II	II
Helena coarse sandy loam, sloping phase	IV	II	II
Helena coarse sandy loam, ALL OTHER	III		
Helena fine sandy loam, 2 to 8 percent slopes	III	II	II
Helena sandy loam, 10 to 15 percent slopes	IV	II II	II
Helena sandy loam, ALL OTHER	III	II	II
Helena-Sedgefield sandy loams, ALL	III	II	II
Helena-Urban land complex, ALL	IV	II -	IV
Helena-Worsham complex, 1 to 6 percent slopes	IV	II	III
Herndon loam, 2 to 6 percent slopes	II	II	I
Herndon loam, 6 to 10 percent slopes	Ш	II	I
Herndon silt loam, 2 to 6 percent slopes	II	II	I
Herndon silt loam, 2 to 6 percent slopes, eroded	II	II	II
Herndon silt loam, 2 to 8 percent slopes	II	II	I
Herndon silt loam, 6 to 10 percent slopes	III	II	I
Herndon silt loam, 6 to 10 percent slopes, eroded	III	II	II
Herndon silt loam, 8 to 15 percent slopes	III	II	I
Herndon silt loam, 10 to 15 percent slopes, eroded	III	II	II
Herndon silt loam, 15 to 25 percent slopes	III	II	I
Herndon silt loam, eroded gently sloping phase	II	II	II
Herndon silt loam, eroded sloping phase	III	II	II
Herndon silt loam, eroded strongly sloping phase	III	II	II
Herndon silt loam, gently sloping phase	II	II	I
Herndon silt loam, moderately steep phase	III	II	I
Herndon silt loam, sloping phase	II	II	I
Herndon silt loam, strongly sloping phase	III	II	I
Herndon silty clay loam, ALL	IV	II	II
Herndon stony silt loam, 2 to 10 percent slopes	III	II	II
Hibriten very cobbly sandy loam, ALL	IV	V	III
Hiwassee clay loam, 8 to 15 percent slopes, eroded	III	II	II
Hiwassee clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Hiwassee clay loam, 10 to 15 percent slopes, eroded	III	II	II
AATTIMOOTE TIME TO AN ELECTRICATION OF THE PROPERTY OF THE PRO			

Map Unit Name	Agri	For	Hort
Hiwassee clay loam, 15 to 30 percent slopes, moderately eroded	IV	II	II
Hiwassee clay loam, ALL OTHER	II	II	II
Hiwassee gravelly loam, 2 to 8 percent slopes	II	II	I
Hiwassee gravelly loam, 8 to 15 percent slopes	II	II	II
Hiwassee loam, 2 to 6 percent slopes	II	II	I
Hiwassee loam, 2 to 6 percent slopes, eroded	II	II	II
Hiwassee loam, 2 to 7 percent slopes, croded	II	II	II
Hiwassee loam, 2 to 8 percent slopes	<u> </u>	II	I
Hiwassee loam, 6 to 10 percent slopes	II	II	Ī
Hiwassee loam, 6 to 10 percent slopes, eroded	II	II	II
Hiwassee loam, 8 to 15 percent slopes	II	II	I
Hiwassee loam, 10 to 15 percent slopes	II	II	Î
	III	II	II
Hiwassee loam, 10 to 15 percent slopes, eroded	IV	II	II
Hiwassee loam, 15 to 25 percent slopes	I	I	I
Hornsboro, ALL	IV	II	II
Hulett, ALL		II	III
Hulett-Saw complex, 4 to 15 percent slopes, very rocky	IV		IV
Hulett-Urban Land complex, 2 to 8 percent slopes	IV	II	
Iotla sandy loam, 0 to 2 percent slopes, occasionally flooded	II	III	III
Iredell clay loam, 2 to 6 percent slopes	III	II	III
Iredell fine sandy loam, 10 to 14 percent slopes (Wilkes)	IV	II	III
Iredell fine sandy loam, 10 to 14 percent slopes, eroded (Wilkes)	IV	II	III
Iredell fine sandy loam, ALL OTHER	III	II	III
Iredell gravelly loam, 1 to 4 percent slopes	III	II	III
Iredell loam, ALL	III	II	III
Iredell sandy loam, ALL	III	II	III
Iredell very stony loam, gently sloping phase (Enon)	IV	II	IV
Iredell-Urban land complex, ALL	IV	II	IV
Iredell-Urban land-Picture complex, 0 to 10 percent slopes	IV	II	IV
Kirksey silt loam, ALL	II	II	II
Kirksey-Cid complex, 2 to 6 percent slopes	III	II	II
Leaksville silt loam, 0 to 4 percent slopes	III	III	III
Leaksville-Urban land complex, 0 to 4 percent slopes	IV	III	IV
Leveled clayey land	IV	VI	IV
Lignum gravelly silt loam, 2 to 8 percent slopes	II	III	II
Lignum loam, 2 to 6 percent slopes	II	III	II
Lignum silt loam, 7 to 12 percent slopes	III	Ш	II
Lignum silt loam, ALL OTHER	II	III	II
Lloyd clay loam, 2 to 6 percent slopes, severely eroded (Gaston)	II	II	II
Lloyd clay loam, 2 to 10 percent slopes, severely eroded (Pacolet)	II	II	II
Lloyd clay loam, 6 to 10 percent slopes, severely eroded (Gaston)	II	II	II
Lloyd clay loam, 10 to 14 percent slopes, severely eroded (Pacolet)	III	II	III
Lloyd clay loam, 10 to 15 percent slopes, severely eroded (Gaston)	III	II	III
Lloyd clay loam, 14 to 25 percent slopes, severely eroded (Pacolet)	IV	II	IV
Lloyd clay loam, 15 to 25 percent slopes, severely eroded (Gaston)	IV	II	IV
Lloyd clay loam, 15 to 25 percent stopes, severely croded (Gaston) Lloyd clay loam, severely eroded gently sloping phase (Gaston)	II	II	II
Lloyd clay loam, severely eroded germy stoping phase (Gaston) Lloyd clay loam, severely eroded sloping phase (Gaston)	II	II	ii ii
Lloyd clay loam, severely eroded strongly sloping phase (Gaston) Lloyd clay loam, severely eroded strongly sloping phase (Gaston)	III	II	III
Lloyd clay loam, severely eroded strongry stoping phase (Caston) Lloyd clay loam, severely eroded, moderately steep phase (Cecil)	IV	II	III
Lloyd clay loam, severely eroded, moderately steep phase (Cech) Lloyd fine sandy loam, 2 to 6 percent slopes (Cecil)	II	II	II
	II	II	II
Lloyd fine sandy loam, 2 to 6 percent slopes, eroded (Cecil)	III	II	II
Lloyd fine sandy loam, 6 to 10 percent slopes (Cecil)	111		11

M. II. AN.	Agri	For	Hort
Map Unit Name	III	II	II
Lloyd fine sandy loam, 6 to 10 percent slopes, eroded (Cecil)	II	II	II
Lloyd fine sandy loam, 10 to 15 percent slopes (Pacolet)	III	<u>II</u>	II
Lloyd fine sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	IV	II	II
Lloyd fine sandy loam, 15 to 25 percent slopes (Pacolet)	IV	II	III
Lloyd fine sandy loam, 15 to 25 percent slopes, eroded (Pacolet)	II	II	I
Lloyd loam, 2 to 6 percent slopes (Gaston)	II	II	- <u>i</u>
Lloyd loam, 2 to 6 percent slopes, eroded (Davidson)	II	II	I
Lloyd loam, 2 to 6 percent slopes, eroded (Gaston)	II	II	I
Lloyd loam, 2 to 7 percent slopes (Pacolet)	II	II	II
Lloyd loam, 2 to 7 percent slopes, eroded (Pacolet)	III	II	II
Lloyd loam, 6 to 10 percent slopes (Cecil)	III	II	II
Lloyd loam, 6 to 10 percent slopes, eroded (Cecil)	II	II	II
Lloyd loam, 6 to 10 percent slopes, eroded (Davidson)	III	II	II
Lloyd loam, 7 to 10 percent slopes (Pacolet)		II	II
Lloyd loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	II
Lloyd loam, 10 to 14 percent slopes (Pacolet)	IV	II	III
Lloyd loam, 10 to 14 percent slopes, eroded (Pacolet)	IV		
Lloyd loam, 10 to 15 percent slopes (Cecil)	IV	II	II
Lloyd loam, 10 to 15 percent slopes, eroded (Davidson)	II	II	III
Lloyd loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	III
Lloyd loam, 14 to 25 percent slopes (Pacolet)	IV	II	II
Lloyd loam, 14 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 15 to 25 percent slopes (Pacolet)	IV	II	II
Lloyd loam, 15 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 25 to 40 percent slopes (Pacolet)	IV	II	IV
Lloyd loam, eroded gently sloping phase (Gaston)	III	II	II
Lloyd loam, eroded sloping phase (Cecil)	III	II	II
Lloyd loam, eroded strongly sloping phase (Cecil)	IV	II	II
Lloyd loam, gently sloping phase (Gaston)	II	II	I
Lloyd loam, level phase (Gaston)	II	II	I
Lloyd loam, moderately steep phase (Cecil)	II	II	II
Lloyd loam, sloping phase (Cecil)	II	II	II
Lloyd loam, strongly sloping phase (Cecil)	IV	II	II
Local alluvial land, ALL	IV	III	III
Louisa fine sandy loam, 25 to 45 percent slopes	IV	II	III
Louisa sandy loam, 25 to 45 percent slopes	IV	II	III
Louisburg and Louisa soils, 25 to 55 percent slopes	IV	II	II
Louisburg and Louisa soils, ALL OTHER	IV	II	III
Louisburg coarse sandy loam, ALL	IV	II	II
Louisburg loamy coarse sand, ALL	IV	II	IV
Louisburg loamy sand, 2 to 6 percent slopes	III	II	II
Louisburg loamy sand, 6 to 10 percent slopes	III	II	II
Louisburg loamy sand, 6 to 15 percent slopes	IV	II	II
Louisburg loamy sand, 10 to 15 percent slopes	IV	II	II
Louisburg loamy sand, 15 to 45 percent slopes	IV	II	III
Louisburg sandy loam, ALL	IV	II	II
Louisburg-Wedowee complex, 15 to 25 percent slopes	IV	II	II
Louisburg-Wedowee complex, ALL OTHER	III	II	II
Made land	IV	VI	IV
Madison clay loam, 2 to 6 percent slopes, eroded	III	II	II
Madison clay loam, 6 to 10 percent slopes, eroded	III	II	II
Madison clay loam, o to 10 percent stopes, croded Madison clay loam, eroded, ALL OTHER	IV	II	II
Wiadison day loam, croudd, ALL OTTER		<u> </u>	

Map Unit Name	Agri	For	Hort
Madison complex, gullied	IV	II	IV
Madison fine sandy loam, 2 to 6 percent slopes	II	II	II
Madison fine sandy loam, 2 to 7 percent slopes	II	II	II
Madison fine sandy loam, 2 to 7 percent slopes, eroded	II	II	II
Madison fine sandy loam, 6 to 10 percent slopes	III	II	II
Madison fine sandy loam, 7 to 10 percent slopes	III	II	II
Madison fine sandy loam, 7 to 10 percent slopes, eroded	III	II	II
Madison fine sandy loam, 10 to 14 percent slopes	III	II	II
Madison fine sandy loam, 10 to 14 percent slopes Madison fine sandy loam, 10 to 14 percent slopes, eroded	IV	II	II
Madison fine sandy loam, 10 to 15 percent slopes	III	II	II
Madison fine sandy loam, 14 to 25 percent slopes	IV	II	II
Madison fine sandy loam, 14 to 25 percent slopes	IV	II	II
Madison gravelly fine sandy loam, 2 to 6 percent slopes	II	II	II
Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Madison gravelly fine sandy loam, 6 to 10 percent slopes	III	II	II
Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Madison gravelly fine sandy loam, 7 to 10 percent slopes, croded	III	II	II
Madison gravelly fine sandy loam, 7 to 10 percent slopes	III	II	II
Madison gravelly fine sandy loam, 10 to 15 percent slopes	III	II	II
Madison gravelly fine sandy loam, ALL OTHER	IV	II	II
Madison gravelly sandy clay loam, 2 to 8 percent slopes, moderately eroded	III	II	II
Madison gravelly sandy clay loam, 8 to 15 percent slopes, moderately eroded	IV	II	II
Madison gravelly sandy loam, 10 to 25 percent slopes, eroded	IV	II	II
Madison gravelly sandy loam, ALL OTHER	III	II	II
Madison sandy clay loam, 2 to 8 percent slopes, eroded	III	II	II
Madison sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Madison sandy clay loam, 15 to 25 percent slopes, eroded	IV	II	II
Madison sandy loam, 2 to 6 percent slopes	II	II	II
Madison sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Madison sandy loam, 6 to 10 percent slopes	II	II	II
Madison sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Madison sandy loam, 8 to 15 percent slopes	III	II	II
Madison sandy loam, 10 to 15 percent slopes	III	II	II
Madison sandy loam, ALL OTHER	IV	II	II
Madison-Bethlehem complex, 2 to 8 percent slopes, stony, moderately eroded	III	II	II
Madison-Bethlehem complex, 8 to 15 percent slopes, very stony, moderately	IV	II	III
eroded			
Madison-Bethlehem-Urban Land complex, 2 to 8 percent slopes	IV	II	IV
Madison-Udorthents complex, 2 to 15 percent slopes, gullied	IV	II	IV
Madison-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Mantachie soils	III	III	II
Masada fine sandy loam, ALL	I	II	I
Masada gravelly sandy clay loam, eroded, ALL	II	II	I
Masada loam, 2 to 8 percent slopes	I	II	I
Masada loam, 8 to 15 percent slopes	II	II	I
Masada sandy clay loam, eroded ALL	II	II	I
Masada sandy loam, 2 to 8 percent slopes	I	II	I
Masada sandy loam, 8 to 15 percent slopes	II	II	I
Masada sandy loam, 15 to 25 percent slopes	IV	II	II
Masada-Urban land complex, 2 to 15 percent slopes	IV	II	IV
Mayodan fine sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan fine sandy loam, 2 to 6 percent slopes, eroded	II	I	I
Mayodan fine sandy loam, 2 to 7 percent slopes	II	Ĭ	I
Land and and and and and and and and and	· · · · · · · · · · · · · · · · · · ·		

Map Unit Name	Agri	For	Hort
Mayodan fine sandy loam, 2 to 8 percent slopes	II	I	I
Mayodan fine sandy loam, 6 to 10 percent slopes	III	I	I
Mayodan fine sandy loam, 7 to 10 percent slopes	III	I	I
Mayodan fine sandy loam, 7 to 10 percent slopes, eroded	III	I	I
Mayodan fine sandy loam, 8 to 15 percent slopes	III	ī	I
Mayodan fine sandy loam, 10 to 14 percent slopes	III	I	I
Mayodan fine sandy loam, 10 to 14 percent slopes, eroded	III	I	II
Mayodan fine sandy loam, ALL OTHER	IV	I	II
Mayodan gravelly sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan gravelly sandy loam, 2 to 6 percent slopes, eroded	II	I	I
Mayodan gravelly sandy loam, 2 to 8 percent slopes	II	I	I
Mayodan gravelly sandy loam, 6 to 10 percent slopes	III	Ī	I
Mayodan gravelly sandy loam, 6 to 10 percent slopes Mayodan gravelly sandy loam, 6 to 10 percent slopes, eroded	IV	Ī	I
Mayodan gravelly sandy loam, 8 to 15 percent slopes, croded	III	I	II
	III	Î	II
Mayodan gravelly sandy loam, 10 to 15 percent slopes Mayodan gravelly sandy loam, 15 to 25 percent slopes	IV	Ī	II
Mayodan gravelly sandy loam, 13 to 23 percent slopes	II	Ī	II
Mayodan sandy clay loam, 2 to 8 percent slopes, eroded	III	Ī	II
Mayodan sandy clay loam, 8 to 15 percent slopes, eroded	IV	I	II
Mayodan sandy clay loam, 15 to 25 percent slopes, eroded	II	Ī	I
Mayodan sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan sandy loam, 2 to 6 percent slopes, eroded	II	I	I
Mayodan sandy loam, 2 to 8 percent slopes	III	I	I
Mayodan sandy loam, 6 to 10 percent slopes		I	I
Mayodan sandy loam, 6 to 10 percent slopes, eroded	III	I	II
Mayodan sandy loam, 8 to 15 percent slopes		I	II
Mayodan sandy loam, 10 to 15 percent slopes	III	I	II
Mayodan sandy loam, 10 to 15 percent slopes, eroded	IV	I	II
Mayodan sandy loam, 15 to 25 percent slopes	IV	I	IV
Mayodan sandy loam, 15 to 25 percent slopes, stony	IV	I	I
Mayodan silt loam, 2 to 8 percent slopes	II		II
Mayodan silt loam, 8 to 15 percent slopes	III	I -	II
Mayodan silt loam, 15 to 25 percent slopes	IV	I	
Mayodan silt loam, 25 to 45 percent slopes	IV	I	III
Mayodan silt loam, thin, ALL	III	I	II
Mayodan silty clay loam, 2 to 8 percent slopes, eroded	III	<u>I</u>	II
Mayodan silty clay loam, 8 to 15 percent slopes, eroded	IV	I	II
Mayodan-Brickhaven complex, 15 to 30 percent slopes	IV	I	III
Mayodan-Exway complex, eroded, ALL	III	1	II
Mayodan-Pinkston complex, 25 to 45 percent slopes	IV	I	III
Mayodan-Urban land complex, ALL	IV	I	IV
McQueen loam, 1 to 6 percent slopes	II	II	II
Mecklenburg clay loam, 2 to 8 percent slopes, eroded	II	II	II
Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded	II	II	II
Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	IV	II	II
Mecklenburg clay loam, 8 to 15 percent slopes, eroded	III	II	II
Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Mecklenburg clay loam, severely eroded sloping phase	IV	II	II
Mecklenburg fine sandy loam, 2 to 6 percent slopes	II	II	I
Mecklenburg fine sandy loam, 2 to 8 percent slopes	II	II	II
Mecklenburg fine sandy loam, 8 to 15 percent slopes	III	II	II
Michigan Standy round, o to 15 percent steps		 	
Mecklenburg loam, 2 to 6 percent slopes	II	II II	I

MLRA136-Piedmont

Mecklenburg Joam, 2 to 8 percent slopes	Map Unit Name	Agri	For	Hort
Mecklenburg loam, 2 to 8 percent slopes			<u> </u>	II
Mecklenburg loam, 6 to 10 percent slopes		II	II	I
Mecklenburg loam, 7 to 14 percent slopes, eroded III II II Mecklenburg loam, 7 to 15 percent slopes III II II II II II Mecklenburg loam, 8 to 15 percent slopes III II II II II Mecklenburg loam, 8 to 15 percent slopes III II II II Mecklenburg loam, AL IO THER IV II II II Mecklenburg loam, AL IO THER IV II II II Mecklenburg loam, AL IO THER IV II II II Mecklenburg loam, AL IO THER IV II II II Mecklenburg loam, Alar Surface variant, 6 to 10 percent slopes III II II Mecklenburg loam, dark surface variant, 6 to 10 percent slopes III II II Mecklenburg loam, are surface variant, 10 to 15 percent slopes III II II Mecklenburg loam, eroded gently sloping phase II II II II Mecklenburg loam, eroded strongly sloping phase II II II II Mecklenburg loam, eroded strongly sloping phase III II II II Mecklenburg loam, eroded strongly sloping phase III II II II II Mecklenburg sandy clay loam, eroded, ALL III II II II II Mecklenburg sandy clay loam, eroded, ALL III II II II II II Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI II Miscellaneous water IV VI II Miscellaneous water IV VI II Miscellaneous water IV VI II Miscellaneous water IV VI IV Miscellaneous water IV VI II Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV Miscellaneous water IV VI IV VI VI VI VI V			II	II
Mecklenburg loam, 8 to 15 percent slopes III II II III Mecklenburg loam, 8 to 15 percent slopes III II II II Mecklenburg loam, ALL OTHER IV II II II Mecklenburg loam, ALL OTHER IV II II Mecklenburg loam, ALL OTHER IV II II Mecklenburg loam, dark surface variant, 2 to 6 percent slopes II II II Mecklenburg loam, dark surface variant, 6 to 10 percent slopes II II II Mecklenburg loam, dark surface variant, 10 to 15 percent slopes III II II Mecklenburg loam, expected gently sloping phase II II II II Mecklenburg loam, eroded gently sloping phase II II II II Mecklenburg loam, eroded storingly sloping phase III II II II Mecklenburg loam, eroded storingly sloping phase III II II II Mecklenburg sandy clay loam, eroded, ALL III II II Mecklenburg sandy clay loam, eroded, ALL III II II Mecklenburg sandy clay loam, or deed, ALL III II II Mecklenburg sandy clay loam, or deed, ALL III II IV Miscellaneous water IV V II V V V III Mecklenburg-Urban land complex, ALL IV II V V V III Mecklenburg-Urban land complex, 0 to 4 percent slopes IV V III Miscenheimer-Callison complex, 0 to 5 percent slopes IV V III Miscenheimer-Callison complex, 0 to 5 percent slopes IV V III Miscenheimer-Callison complex, 0 to 5 percent slopes IV V III Mocksville sandy loam, 2 to 8 percent slopes IV V III Mocksville sandy loam, 2 to 8 percent slopes III II II Mocksville sandy loam, 8 to 15 percent slopes IV V III Mocksville sandy loam, 8 to 15 percent slopes IV II III III Monacan loam II III Monacan loam II III Monacan and Arents soils II III II Monacan loam II II II Monacan loam II II II Monacan loam II II II Monacan loam, 2 to 8 percent slopes III II II II Monaford silt loam, 2 to 6 percent slopes III II II II II II Manford-Badin complex, 6 to 10 perce			II	II
Mecklenburg loam, 8 to 15 percent slopes		<u> </u>	II	II
Mecklenburg loam, 10 to 15 percent slopes, eroded				
Mecklenburg loam, ALL OTHER				
Mecklenburg loam, dark surface variant, 2 to 6 percent slopes				
Mecklenburg loam, dark surface variant, 6 to 10 percent slopes		 		
Mecklenburg loam, dark surface variant, 10 to 15 percent slopes				
Mecklenburg loam, eroded gently sloping phase				
Mecklenburg loam, croded sloping phase				
Mecklenburg loam, eroded strongly sloping phase				
Mecklenburg sandy clay loam, eroded, ALL				
Mecklenburg-Urban land complex, ALL Miscellaneous water IV VI IV Miscenheimer channery silt loam, 0 to 4 percent slopes IV V III Miscenheimer-Callison complex, 0 to 3 percent slopes IV V III Miscenheimer-Cid complex, 0 to 3 percent slopes IV V III Miscenheimer-Cid complex, 0 to 5 percent slopes IV V III Miscenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Miscenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Miscenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Mocksville sandy loam, 2 to 8 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes IV III Monacan and Arents soils I III Monacan and Arents soils I III Monacan loam Montonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes IV III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 15 to 25 percent slopes IV III Moshaunee-Hallison complex, 15 to 25 percent slopes IV III Monacan loam Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 15 to 25 percent slopes IV III Monacan loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 8 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Emporia complex, 2 to 8 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason of to 10 percent slopes III III Nason of to 10 percent slopes III III Nason of				
Miscellaneous water Miscnheimer channery silt loam, 0 to 4 percent slopes IV V III Miscnheimer-Callison complex, 0 to 3 percent slopes IV V III Miscnheimer-Cid complex, 0 to 3 percent slopes IV V III Miscnheimer-Kirksey complex, 0 to 5 percent slopes IV V III Miscnheimer-Kirksey complex, 0 to 5 percent slopes IV V III Mixed alluvial land, ALL Mixed alluvial land, ALL IV III Mocksville sandy loam, 2 to 8 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes III III Mocksville sandy loam, 15 to 45 percent slopes IV III Monacan loam, 15 to 45 percent slopes IV III Monacan and Arents soils I III Monacan loam Montonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes III III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 15 to 25 percent slopes IV III Moshaunee-Hallison complex, 15 to 25 percent slopes IV III Moshaunee-Hallison complex, 15 to 15 percent slopes IV III Monaford gravelly fine sandy loam, 8 to 15 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Emporia complex, 2 to 8 percent slopes III III Nason gravelly loam, 0 to 10 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason loam, 6 to 10 percent slopes III III N				
Misenheimer channery silt loam, 0 to 4 percent slopes IV V III Misenheimer-Callison complex, 0 to 3 percent slopes IV V III Misenheimer-Cid complex, 0 to 3 percent slopes IV V III Misenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Misenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Mixed alluvial land, ALL IV III Mixed sandy loam, 2 to 8 percent slopes III III Mocksville sandy loam, 2 to 8 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes IV III Mocksville sandy loam, 8 to 15 percent slopes IV III Moderately gullied land, ALL IV VI IV Monacan and Arents soils I IIII Monacan loam I IIII Montonia very channery silt loam, 25 to 60 percent slopes, very stony Mooshaunee-Hallison complex, 2 to 8 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Moshaunee-Hallison complex, 8 to 15 percent slopes IV III Manford gravelly fine sandy loam, 8 to 15 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Emporia complex, 6 to 10 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 8 percent slopes III III Nason gravelly silt loam, 2 to 8 percent slopes III III Nason of a to 8 percent slopes III III Nason of a to 9 percent slopes III IIII Na				
Misenheimer-Callison complex, 0 to 3 percent slopes IV V III Misenheimer-Cid complex, 0 to 3 percent slopes IV V III Misenheimer-Cid complex, 0 to 5 percent slopes IV V III Misenheimer-Cid complex, 0 to 5 percent slopes IV V III Mixed alluvial land, ALL IV III III Mocksville sandy loam, 2 to 8 percent slopes III II III Mocksville sandy loam, 8 to 15 percent slopes III III III Mocksville sandy loam, 15 to 45 percent slopes III III III Mocksville sandy loam, 15 to 45 percent slopes III III III Mocksville sandy loam, 15 to 45 percent slopes III III III Monacan loam IIII III III Monacan loam II IIII III III III Monacan loam II IIII III III Monacan loam II IIII III III Monacan loam II IIII III III Monoshaunee-Hallison complex, 2 to 8 percent slopes III III III III Mooshaunee-Hallison complex, 8 to 15 percent slopes III III III III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III III Moshaunee-Hallison complex, 8 to 15 percent slopes IIV III III Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III III III III III Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III III III III III III III III I				
Misenheimer-Cid complex, 0 to 3 percent slopes IV V III Misenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Mixed alluvial land, ALL Mocksville sandy loam, 2 to 8 percent slopes III III Mocksville sandy loam, 8 to 15 percent slopes III III Mocksville sandy loam, 15 to 45 percent slopes III III Mocksville sandy loam, 15 to 45 percent slopes IV III Moderately gullied land, ALL Monacan and Arents soils I III Monacan loam I III Monacan loam I III Monotonia very channery silt loam, 25 to 60 percent slopes, very stony Mooshaunee-Hallison complex, 2 to 8 percent slopes III III Monoshaunee-Hallison complex, 8 to 15 percent slopes IV III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III Moshaunee-Hallison complex, ALL O'THER Mooshaunee-Hallison complex, ALL O'THER IV III Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 8 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Emporia complex, 2 to 8 percent slopes III III Nanford-Emporia complex, 2 to 8 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly loam, 5 to 10 percent slopes III III Nason gravelly loam, 5 to 10 percent slopes III III Nason gravelly loam, 6 to 10 percent slopes III III Nason gravelly silt loam, 8 to 15 percent slopes III III Nason gravelly silt loam, 8 to 15 percent slopes III III Nason loam, 6 to 10 percent slopes III III Nason loam, 6 to 10 percent slopes III III Nason silt loam, 2 to 8				
Misenheimer-Kirksey complex, 0 to 5 percent slopes IV V III Mixed alluvial land, ALL Mocksville sandy loam, 2 to 8 percent slopes II II III Mocksville sandy loam, 8 to 15 percent slopes III III Mocksville sandy loam, 15 to 45 percent slopes IV III Moderately gullied land, ALL Moderately gullied land, ALL IV VI IV Monacan and Arents soils I III IV Monacan loam Monatonia very channery silt loam, 25 to 60 percent slopes, very stony Mosshaunee-Hallison complex, 2 to 8 percent slopes III III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III IV Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford silt loam, 2 to 6 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 10 to 15 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to 8 percent slopes III III Nanford-Badin complex, 2 to				
Mixed alluvial land, ALL Mocksville sandy loam, 2 to 8 percent slopes III Mocksville sandy loam, 8 to 15 percent slopes III Mocksville sandy loam, 15 to 45 percent slopes III Mocksville sandy loam, 15 to 45 percent slopes III Moderately gullied land, ALL IV VI IV Monacan and Arents soils III Monacan loam IIII Monacan loam IIII III Monotania very channery silt loam, 25 to 60 percent slopes, very stony IV VI Monoshaunee-Hallison complex, 2 to 8 percent slopes IIII III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III III III III Mooshaunee-Hallison complex, ALL OTHER IV III III Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III Nanford silt loam, 8 to 15 percent slopes III III Nanford silt loam, 8 to 15 percent slopes III III Nanford-Badin complex, 6 to 10 percent slopes III Nanford-Badin complex, 10 to 15 percent slopes III Nanford-Badin complex, 2 to 8 percent slopes III Nanford-Badin complex, 10 to 15 percent slopes III Nanford-Badin complex, 2 to 8 percent slopes III Nanford-Badin complex, 2 to 8 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason lili Nason loam, 6 to 10 percent slopes III Nason loam, 6 to 10 percent slopes III Nason loam, 6 to 10 percent slopes III Naso				
Mocksville sandy loam, 2 to 8 percent slopes II II II Mocksville sandy loam, 8 to 15 percent slopes III II II II Mocksville sandy loam, 15 to 45 percent slopes IV II III III Moderately gullied land, ALL IV VI IV Monacan and Arents soils I III III IV Monacan loam I III III III Montonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes III III III III Moshaunee-Hallison complex, 8 to 15 percent slopes IV II III IV Mooshaunee-Hallison complex, 15 to 25 percent slopes IV II III IV Mooshaunee-Hallison complex, ALL OTHER IV II IV Mooshaunee-Hallison complex, ALL OTHER IV II IV Monaford gravelly fine sandy loam, 8 to 15 percent slopes III II II II II II II				
Mocksville sandy loam, 8 to 15 percent slopes III II III Mocksville sandy loam, 15 to 45 percent slopes IV II IIII Moderately gullied land, ALL IV VI IV Monacan and Arents soils I IIII IV Monacan loam I IIII IV Monacan loam I IIII IV Monacan loam I IIII IV Monocan loam I IIII IV Monocan loam I IIII IIII Monotonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes III III III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II IIII Mooshaunee-Hallison complex, 15 to 25 percent slopes IV II IV Monochaunee-Hallison complex, 4LL OTHER IV III IV Nanford gravelly fine sandy loam, 8 to 15 percent slopes III II III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford-Badin complex, 6 to 10 percent slopes III III III Nanford-Badin complex, 10 to 15 percent slopes III III III Nanford-Badin complex, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 5 to 50 percent slopes III III III Nason gravelly loam, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 8 percent slopes III III III Nason gravelly loam, 5 to 50 percent slopes III III III Nason gravelly loam, 5 to 50 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III III Nason loam, 6 to 10 percent slopes III III III IIIIIIIIIIIIIIIIIIIIIIII				
Mocksville sandy loam, 15 to 45 percent slopes IV II III Moderately gullied land, ALL IV VI IV Monacan and Arents soils I IIII Monacan loam I IIII Monacan loam I IIII Monacan loam I IIII Monacan loam I IIII Monoshaunee-Hallison complex, 2 to 8 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II IIII Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II IV Mooshaunee-Hallison complex, 15 to 25 percent slopes IV II IV Monacan loam, 8 to 15 percent slopes III III III Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford-Badin complex, 6 to 10 percent slopes III III III Nanford-Badin complex, 10 to 15 percent slopes III III III Nanford-Badin complex, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 5 to 10 percent slopes III III III Nason gravelly loam, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 5 to 50 percent slopes III III III Nason gravelly silt loam, 2 to 8 percent slopes III III III Nason loam, 2 to 6 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III IIII Nason loam, 6 to 10 percent slopes III III III IIIIIIIIIIIIIIIIIIIIIIII				
Moderately gullied land, ALL Monacan and Arents soils I III IV Monacan and Arents soils I III IV Monacan loam I IIII III Montonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes III III Monshaunee-Hallison complex, 8 to 15 percent slopes IV III IV Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III IV Mooshaunee-Hallison complex, ALL OTHER Mooshaunee-Hallison complex, ALL OTHER IV III IV Monshaunee-Hallison complex, ALL OTHER IV III IV Nanford gravelly fine sandy loam, 8 to 15 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 2 to 6 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford silt loam, 8 to 15 percent slopes III III III Nanford-Badin complex, 6 to 10 percent slopes III III III Nanford-Badin complex, 10 to 15 percent slopes III III III Nanford-Emporia complex, 2 to 8 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes III III III Nason gravelly loam, 6 to 10 percent slopes III III III Nason gravelly loam, 2 to 6 percent slopes IV III III Nason gravelly loam, 5 to 50 percent slopes IV III III Nason gravelly loam, 2 to 8 percent slopes IV III III Nason gravelly silt loam, 2 to 8 percent slopes IV III III Nason gravelly silt loam, 2 to 8 percent slopes IV III III Nason gravelly silt loam, 2 to 8 percent slopes IV III III Nason gravelly silt loam, 5 to 50 percent slopes IV III III Nason gravelly silt loam, 2 to 8 percent slopes III III III Nason gravelly silt loam, 2 to 8 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III Nason loam, 6 to 10 percent slopes III III III Nason silt loam, 2 to 8 percent slopes III III III Nason silt loam, 2 to 8 percent slopes III III III III Nason silt loam, 2 to 8 percent slopes				
Monacan and Arents soils I				
Monacan loam I IIII IIII Montonia very channery silt loam, 25 to 60 percent slopes, very stony IV V IV Mooshaunee-Hallison complex, 2 to 8 percent slopes III III III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV III III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV III IV Mooshaunee-Hallison complex, ALL OTHER IV III IV Mooshaunee-Hallison complex, ALL OTHER IV III IV Monford gravelly fine sandy loam, 8 to 15 percent slopes III III III III III III III III III I				
Montonia very channery silt loam, 25 to 60 percent slopes, very stony Mooshaunee-Hallison complex, 2 to 8 percent slopes III II II III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV II IV Mooshaunee-Hallison complex, ALL OTHER Nanford gravelly fine sandy loam, 8 to 15 percent slopes III II II Nanford silt loam, 2 to 6 percent slopes III II II Nanford silt loam, 2 to 8 percent slopes III II II Nanford silt loam, 2 to 6 percent slopes III II II Nanford silt loam, 8 to 15 percent slopes III II II Nanford silt loam, 2 to 6 percent slopes III III III Nanford-Badin complex, 6 to 10 percent slopes III II II Nanford-Badin complex, 10 to 15 percent slopes III II II Nanford-Emporia complex, 2 to 8 percent slopes III II II Nason gravelly loam, 2 to 6 percent slopes III II II Nason gravelly loam, 2 to 6 percent slopes III II II Nason gravelly loam, 5 to 10 percent slopes III II II Nason gravelly loam, 2 to 50 percent slopes III II II Nason gravelly loam, 2 to 50 percent slopes III III Nason gravelly loam, 2 to 50 percent slopes III III Nason gravelly loam, 2 to 50 percent slopes III III Nason gravelly loam, 2 to 50 percent slopes III III Nason gravelly loam, 2 to 50 percent slopes III III Nason gravelly loam, 2 to 6 percent slopes III III Nason gravelly silt loam, 2 to 8 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes III III Nason loam, 2 to 6 percent slopes				
Mooshaunee-Hallison complex, 2 to 8 percent slopes III II II III Mooshaunee-Hallison complex, 8 to 15 percent slopes IV II III Mooshaunee-Hallison complex, 15 to 25 percent slopes IV II III Mooshaunee-Hallison complex, ALL OTHER IV III IV Mooshaunee-Hallison complex, ALL OTHER IV III IV Nanford gravelly fine sandy loam, 8 to 15 percent slopes III II II III Nanford silt loam, 2 to 6 percent slopes III II II II III Nanford silt loam, 2 to 8 percent slopes III II II II III III III III III III				
Mooshaunee-Hallison complex, 8 to 15 percent slopesIVIIIIIMooshaunee-Hallison complex, 15 to 25 percent slopesIVIIIVMooshaunee-Hallison complex, ALL OTHERIVIIIVNanford gravelly fine sandy loam, 8 to 15 percent slopesIIIIIIINanford silt loam, 2 to 6 percent slopesIIIIIIINanford silt loam, 2 to 8 percent slopesIIIIIIINanford silt loam, 8 to 15 percent slopesIIIIIIINanford silty clay loam, 2 to 6 percent slopes, moderately erodedIIIIIIINanford-Badin complex, 6 to 10 percent slopesIIIIIIINanford-Badin complex, 10 to 15 percent slopesIIIIIIINason gravelly loam, 2 to 8 percent slopesIIIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 0 to 25 percent slopesIIIIIIINason gravelly loam, 25 to 50 percent slopesIVIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 8 percent slopesIIIIIII				
Mooshaunee-Hallison complex, 15 to 25 percent slopesIVIIIVMooshaunee-Hallison complex, ALL OTHERIVIIIVNanford gravelly fine sandy loam, 8 to 15 percent slopesIIIIIIINanford silt loam, 2 to 6 percent slopesIIIIIIINanford silt loam, 2 to 8 percent slopesIIIIIIINanford silt loam, 8 to 15 percent slopesIIIIIIINanford silty clay loam, 2 to 6 percent slopes, moderately erodedIIIIIIINanford-Badin complex, 6 to 10 percent slopesIIIIIIINanford-Badin complex, 10 to 15 percent slopesIVIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 6 to 10 percent slopesIIIIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIII				
Mooshaunee-Hallison complex, ALL OTHER IV III IV Nanford gravelly fine sandy loam, 8 to 15 percent slopes III Nanford silt loam, 2 to 6 percent slopes III Nanford silt loam, 2 to 8 percent slopes III Nanford silt loam, 8 to 15 percent slopes III Nanford silt loam, 8 to 15 percent slopes III Nanford silt loam, 2 to 6 percent slopes, moderately eroded III Nanford-Badin complex, 6 to 10 percent slopes III Nanford-Badin complex, 10 to 15 percent slopes III Nanford-Emporia complex, 2 to 8 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 6 to 10 percent slopes III Nason gravelly loam, 10 to 25 percent slopes III Nason gravelly loam, 25 to 50 percent slopes III Nason gravelly silt loam, 2 to 8 percent slopes III Nason gravelly silt loam, 8 to 15 percent slopes III Nason gravelly silt loam, 8 to 15 percent slopes III Nason loam, 2 to 6 percent slopes III Nason loam, 2 to 6 percent slopes III Nason silt loam, 2 to 6 percent slopes III Nason silt loam, 2 to 6 percent slopes III Nason silt loam, 2 to 6 percent slopes III Nason silt loam, 2 to 8 percent slopes III Nason silt loam, 2 to 8 percent slopes III Nason silt loam, 2 to 8 percent slopes III Nason silt loam, 2 to 8 percent slopes				
Nanford gravelly fine sandy loam, 8 to 15 percent slopes III Nanford silt loam, 2 to 6 percent slopes III III III III III III III				
Nanford silt loam, 2 to 6 percent slopes Nanford silt loam, 2 to 8 percent slopes Nanford silt loam, 8 to 15 percent slopes Nanford silt loam, 8 to 15 percent slopes Nanford silt loam, 8 to 15 percent slopes Nanford silt loam, 2 to 6 percent slopes Nanford silt loam, 2 to 6 percent slopes, moderately eroded Nanford-Badin complex, 6 to 10 percent slopes Nanford-Badin complex, 10 to 15 percent slopes Nanford-Badin complex, 10 to 15 percent slopes Nanford-Emporia complex, 2 to 8 percent slopes II II II Nason gravelly loam, 2 to 6 percent slopes Nason gravelly loam, 6 to 10 percent slopes III II II Nason gravelly loam, 10 to 25 percent slopes IV II III Nason gravelly loam, 25 to 50 percent slopes IV II III Nason gravelly silt loam, 2 to 8 percent slopes III II II Nason gravelly silt loam, 8 to 15 percent slopes III II II Nason loam, 2 to 6 percent slopes III II II Nason loam, 2 to 6 percent slopes III II II Nason loam, 2 to 6 percent slopes III II II Nason silt loam, 2 to 8 percent slopes III II II Nason silt loam, 2 to 8 percent slopes III III II Nason silt loam, 2 to 8 percent slopes III III II Nason silt loam, 2 to 8 percent slopes				
Nanford silt loam, 2 to 8 percent slopes II II II II II II II II II II III III				
Nanford silt loam, 8 to 15 percent slopesIIIIIIINanford silty clay loam, 2 to 6 percent slopes, moderately erodedIIIIIIINanford-Badin complex, 6 to 10 percent slopesIIIIIIINanford-Badin complex, 10 to 15 percent slopesIVIIIINanford-Emporia complex, 2 to 8 percent slopesIIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 6 to 10 percent slopesIVIIIINason gravelly loam, 10 to 25 percent slopesIVIIIIINason gravelly silt loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason loam, 6 to 10 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 8 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nanford silty clay loam, 2 to 6 percent slopes, moderately eroded Nanford-Badin complex, 6 to 10 percent slopes Nanford-Badin complex, 10 to 15 percent slopes IV II Nanford-Emporia complex, 2 to 8 percent slopes III Nason gravelly loam, 2 to 6 percent slopes III Nason gravelly loam, 6 to 10 percent slopes III Nason gravelly loam, 10 to 25 percent slopes IV III Nason gravelly loam, 25 to 50 percent slopes IV III Nason gravelly silt loam, 2 to 8 percent slopes IV III Nason gravelly silt loam, 2 to 8 percent slopes III Nason gravelly silt loam, 8 to 15 percent slopes III Nason loam, 2 to 6 percent slopes III Nason loam, 2 to 6 percent slopes III Nason loam, 2 to 6 percent slopes III Nason silt loam, 2 to 6 percent slopes III Nason silt loam, 2 to 8 percent slopes III Nason silt loam, 2 to 8 percent slopes III Nason silt loam, 2 to 8 percent slopes III III III III III III III				
Nanford-Badin complex, 6 to 10 percent slopesIIIIIIINanford-Badin complex, 10 to 15 percent slopesIVIIIINanford-Emporia complex, 2 to 8 percent slopesIIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 6 to 10 percent slopesIIIIIIINason gravelly loam, 10 to 25 percent slopesIVIIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason loam, 6 to 10 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nanford-Badin complex, 10 to 15 percent slopesIVIIIINanford-Emporia complex, 2 to 8 percent slopesIIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 6 to 10 percent slopesIIIIIIINason gravelly loam, 10 to 25 percent slopesIVIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 8 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nanford-Emporia complex, 2 to 8 percent slopesIIIIINason gravelly loam, 2 to 6 percent slopesIIIIIIINason gravelly loam, 6 to 10 percent slopesIIIIIIINason gravelly loam, 10 to 25 percent slopesIVIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nason gravelly loam, 2 to 6 percent slopesIIIIIINason gravelly loam, 6 to 10 percent slopesIIIIIIINason gravelly loam, 10 to 25 percent slopesIVIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nason gravelly loam, 6 to 10 percent slopes Nason gravelly loam, 10 to 25 percent slopes IV II Nason gravelly loam, 25 to 50 percent slopes IV II III Nason gravelly silt loam, 2 to 8 percent slopes III III III III III III III				
Nason gravelly loam, 10 to 25 percent slopesIVIIIINason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIINason loam, 6 to 10 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				
Nason gravelly loam, 25 to 50 percent slopesIVIIIIINason gravelly silt loam, 2 to 8 percent slopesIIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIINason loam, 6 to 10 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII	Nason gravelly loam, 6 to 10 percent slopes			
Nason gravelly silt loam, 2 to 8 percent slopesIIIIINason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIINason loam, 6 to 10 percent slopesIIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII	Nason gravelly loam, 10 to 25 percent slopes	IV		
Nason gravelly silt loam, 8 to 15 percent slopesIIIIIIINason loam, 2 to 6 percent slopesIIIIIINason loam, 6 to 10 percent slopesIIIIIINason silt loam, 2 to 6 percent slopesIIIIIINason silt loam, 2 to 8 percent slopesIIIIII				III
Nason loam, 2 to 6 percent slopesIIIIINason loam, 6 to 10 percent slopesIIIIIINason silt loam, 2 to 6 percent slopesIIIIINason silt loam, 2 to 8 percent slopesIIIIII	Nason gravelly silt loam, 2 to 8 percent slopes	II	II	I
Nason loam, 6 to 10 percent slopesIIIIIINason silt loam, 2 to 6 percent slopesIIIIINason silt loam, 2 to 8 percent slopesIIIIII		III		II
Nason silt loam, 2 to 6 percent slopes II II II II Nason silt loam, 2 to 8 percent slopes II II II II	Nason loam, 2 to 6 percent slopes	II	II	I
Nason silt loam, 2 to 6 percent slopes II II II II II II II II II II II II II		III	II	I
Nason silt loam, 2 to 8 percent slopes II II I				I
				I
Nason silt loam, 6 to 12 percent slopes III II I	Nason silt loam, 6 to 12 percent slopes	III	II	I

Map Unit Name	Agri	For	Hort
Nason silt loam, 8 to 15 percent slopes	III	II	I
Nason silt loam, 10 to 15 percent slopes	III	II	I
Nason silt loam, 15 to 25 percent slopes	IV	II	II
Nason stony silt loam, 10 to 15 percent slopes (Uwharrie)	IV	II	IV
Oakboro silt loam, ALL	III	III	III
Orange gravelly loam, 2 to 7 percent slopes	II	II	II
Orange loam, 0 to 2 percent slopes	II	II	II
Orange silt loam, 0 to 3 percent slopes	II	II	II
Orange silt loam, eroded gently sloping moderately well drained variant	III	II	II
Orange silt loam, eroded gently sloping phase	III	II	II
Orange silt loam, croded sloping moderately well drained variant	III	II	II
Orange silt loam, gently sloping moderately well drained variant	III	II	II
Orange silt loam, gently sloping inductately went dramed variant	II	II	II
Orange sitt loam, gentry stoping phase Orange silt loam, nearly level phase	$\frac{1}{II}$	II	II
Orange silt loam, sloping moderately well drained variant	III	II	II
	II	II	II
Pacolet clay loam, 2 to 6 percent slopes, eroded	II	II	II
Pacolet clay loam, 2 to 8 percent slopes, moderately eroded	III	II	II
Pacolet clay loam, 6 to 10 percent slopes, eroded	III	II	II
Pacolet clay loam, 6 to 10 percent slopes, severely eroded	III	II	II
Pacolet clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Pacolet clay loam, 10 to 15 percent slopes, eroded	IV	II	II
Pacolet clay loam, 15 to 45 percent slopes, eroded	IV	II	III
Pacolet complex, 10 to 25 percent slopes, severely eroded	II	II I	I
Pacolet fine sandy loam, 2 to 6 percent slopes	III	II	I
Pacolet fine sandy loam, 6 to 10 percent slopes		II	II
Pacolet fine sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet fine sandy loam, 10 to 15 percent slopes	III	II I	II
Pacolet fine sandy loam, ALL OTHER	IV		I
Pacolet gravelly fine sandy loam, 2 to 6 percent slopes	II	II	II
Pacolet gravelly fine sandy loam, 6 to 10 percent slopes	III		
Pacolet gravelly fine sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet gravelly fine sandy loam, 15 to 25 percent slopes	IV	II	Ш
Pacolet gravelly sandy clay loam, 15 to 30 percent slopes, eroded	IV	II .	II
Pacolet gravelly sandy loam, 2 to 8 percent slopes	II	II	I
Pacolet gravelly sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet gravelly sandy loam, ALL OTHER	IV	II	II
Pacolet loam, 10 to 15 percent slopes	III	II	II
Pacolet loam, 15 to 25 percent slopes	IV	II	II
Pacolet sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded	II	II	II
Pacolet sandy clay loam, 2 to 8 percent slopes, eroded	II	II	II
Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	III	II	II
Pacolet sandy clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, ALL OTHER	IV	II	II
Pacolet sandy loam, 2 to 6 percent slopes	II	II	I
Pacolet sandy loam, 2 to 8 percent slopes	II	II	I
Pacolet sandy loam, 6 to 10 percent slopes	III	II	II
Pacolet sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet sandy loam, 10 to 15 percent slopes	III	II	II
Pacolet sandy loam, ALL OTHER	IV	II	II

Map Unit Name	Agri	For	Hort
Pacolet soils, 10 to 25 percent slopes	IV	II	III
Pacolet-Bethlehem complex, 2 to 8 percent slopes, eroded	III	II	II
Pacolet-Bethlehem complex, 2 to 8 percent slopes, moderately eroded	III	II	II
Pacolet-Bethlehem complex, ALL OTHER	IV	II	II
Pacolet-Bethlehem complex, 15 to 25 percent slopes, stony	IV	II	III
Pacolet-Bethlehem-Urban Land complex, ALL	IV	II	IV
Pacolet-Madison-Urban land complex, ALL	IV	II	IV
Pacolet-Saw complex, 2 to 8 percent slopes, eroded	III	II	II
Pacolet-Saw complex, 2 to 8 percent slopes, croded	III	II	II
Pacolet-Saw complex, ALL OTHER	IV	II	II
Pacolet-Udorthents complex, gullied, ALL	IV	II	IV
Pacolet-Urban land complex, ALL	IV	II	IV
Pacolet-Wilkes complex, 8 to 15 percent slopes	III	II	II
Pacolet-Wilkes complex, 15 to 25 percent slopes	IV	II -	II
	IV	II	III
Picture loam, 0 to 3 percent slopes	IV	II	III
Pinkston, ALL	IV	II	III
Pinoka, ALL	IV	II	
Pinoka-Carbonton complex, 2 to 8 percent slopes			III
Pits, ALL	IV	VI	IV
Poindexter and Zion sandy loams, 2 to 8 percent slopes	III	II	II
Poindexter and Zion sandy loams, 8 to 15 percent slopes	IV	II	II
Poindexter and Zion sandy loams, ALL OTHER	IV	II	III
Poindexter fine sandy loam, 25 to 60 percent slopes	IV	II	III
Poindexter loam, 2 to 8 percent slopes	III	II	II
Poindexter loam, 8 to 15 percent slopes	IV	II	II
Poindexter loam, 15 to 45 percent slopes	IV	II	III
Poindexter-Mocksville complex, 2 to 8 percent slopes	IV	II	II
Poindexter-Mocksville complex, 8 to 15 percent slopes	IV	H	II
Poindexter-Mocksville complex, ALL OTHER	IV	II	III
Poindexter-Zion-Urban land complex, 2 to 15 percent slopes	IV	II	IV
Polkton-White Store complex, 2 to 8 percent slopes, severely eroded	III	II	III
Polkton-White Store complex, ALL OTHER	IV	II	III
Quarry, ALL	IV	VI	IV
Rhodhiss, ALL	IV	II	II
Rhodhiss-Bannertown complex, 25 to 50 percent slopes	IV	II	III
Rion fine sandy loam, 2 to 8 percent slopes	III	II	II
Rion fine sandy loam, 8 to 15 percent slopes	IV	II	II
Rion fine sandy loam, 15 to 25 percent slopes	IV	II	II
Rion fine sandy loam, 25 to 60 percent slopes	ĪV	II	III
Rion loamy sand, 8 to 15 percent slopes	IV	II	II
Rion loamy sand, 15 to 25 percent slopes	IV	II	III
Rion sandy loam, 2 to 8 percent slopes	III	II	II
Rion sandy loam, 8 to 15 percent slopes	III	II	II
Rion sandy loam, 15 to 25 percent slopes	IV	II	II
Rion sandy loam, 15 to 30 percent slopes	IV	II	II
Rion sandy loam, ALL OTHER	IV	II	III
Rion, Pacolet, and Wateree soils, 25 to 60 percent slopes	IV	II	IV
Rion-Ashlar complex, 15 to 35 percent slopes, stony	IV	II	III
Rion-Ashlar complex, 25 to 60 percent slopes, rocky	IV	II	IV
Rion-Ashlar-Rock outcrop complex, 45 to 70 percent slopes	IV	II	IV
Rion-Cliffside complex, 25 to 60 percent slopes, very stony	IV	II	IV
Rion-Hibriten complex, 25 to 45 percent slopes, very stony	IV	II	IV
Addition complets, as to 15 percent slopes, very stony	L	^^	

	A orri	For	Hort
Map Unit Name	Agri IV	II	IV
Rion-Urban land complex, 2 to 10 percent slopes	IV	II	III
Rion-Wateree-Wedowee complex, 8 to 15 percent slopes	III	II	II
Rion-Wedowee complex, ALL	IV IV	II	III
Rion-Wedowee-Ashlar complex, ALL		III	III
Riverview and Buncombe soils, 0 to 3 percent slopes, frequently flooded	II		III
Riverview and Toccoa soils, 0 to 4 percent slopes, occasionally flooded	II	III	III
Riverview, frequently flooded, ALL	II	III	
Riverview, occasionally flooded, ALL	<u>I</u>	III	III
Roanoke, ALL	II	III	III
Roanoke-Wahee complex, 0 to 3 percent slopes, occasionally flooded	II	III	III
Rock outcrop	IV	VI	IV
Rock outcrop-Ashlar complex, 2 to 15 percent slopes	IV	VI	IV
Rock outcrop-Wake complex, ALL	IV	VI	IV
Sauratown channery fine sandy loam, 25 to 60 percent slopes, very stony	IV	IV	IV
Saw-Pacolet complex, ALL	IV	II	П
Saw-Wake Complex, very rocky, ALL	IV	II	IV
Secrest-Cid complex, 0 to 3 percent slopes	III	II	II
Sedgefield fine sandy loam, 1 to 4 percent slopes	II	II	II
Sedgefield fine sandy loam, 1 to 6 percent slopes	III	II	II
Sedgefield sandy loam, 1 to 6 percent slopes	III	II	II
Sedgefield sandy loam, 2 to 8 percent slopes	III	II	II
Severely gullied land, ALL	ĪV	VI	IV
Shellbluff loam, 0 to 2 percent slopes, occasionally flooded	II	III	III
Shellbluff silt loam, 0 to 2 percent slopes, frequently flooded	IV	III	Ш
Skyuka clay loam, 2 to 8 percent slopes, eroded	II	I	II
Skyuka loam, 2 to 8 percent slopes	I	I	II
Spray loam, 0 to 5 percent slopes	IV	II	III
Spray-Urban land complex, 0 to 5 percent slopes	IV	II	IV
Starr loam, ALL	II	I	Ш
State, ALL	I	I	I
Stoneville loam, 2 to 8 percent slopes	II	II	I
Stoneville loam, 8 to 15 percent slopes	III	II	I
Stoneville loam, 15 to 25 percent slopes	IV	II	II
Stoneville-Urban land complex, 2 to 10 percent slopes	IV	II	IV
	IV	VI	IV
Stony land	IV	III	IV
Swamp	IV	II	III
Tallapoosa fine sandy loam, ALL	II	II	I
Tarrus gravelly silt loam, 2 to 8 percent slopes	II	II	Ī
Tarrus-Georgeville complex, 8 to 15 percent slopes	IV	II	II
Tatum and Nason channery silt loams, 15 to 25 percent slopes	III -	II	I
Tatum channery silt loam, ALL	III	II	II
Tatum channery silty clay loam, ALL	II	II	I
Tatum gravelly loam, 2 to 8 percent slopes		II	I
Tatum gravelly loam, 8 to 15 percent slopes	III	II	II
Tatum gravelly loam, ALL OTHER		II	I
Tatum gravelly silt loam, 2 to 8 percent slopes	<u>II</u>	II	I
Tatum gravelly silt loam, 8 to 15 percent slopes	III		
Tatum gravelly silt loam, ALL OTHER	IV	II	II
Tatum gravelly silty clay loam, eroded, ALL	III	II	II
Tatum loam, 2 to 6 percent slopes	II	II	I
Tatum loam, 10 to 15 percent slopes	III	II	II
	IV		

Map Unit Name	Agri	For	Hort
Tatum silt loam, 2 to 8 percent slopes	II	II	I
Tatum silt loam, 8 to 15 percent slopes	III	II	I
Tatum silt loam, ALL OTHER	IV	II	II
Tatum silty clay loam, eroded, ALL	III	II	II
Tatum-Badin complex, 2 to 8 percent slopes	III	ĪĪ	I
Tatum-Badin complex, 2 to 8 percent slopes, eroded	III	II	II
Tatum-Badin complex, 8 to 15 percent slopes	III	II	II
Tatum-Montonia complex, 15 to 30 percent slopes	IV	II	II
Tatum-Montonia complex, ALL OTHER	III	II	II
Tatum-Urban land complex, 2 to 8 percent slopes	IV	II	IV
Tetotum fine sandy loam, 1 to 4 percent slopes	I	I	I
Tetotum silt loam, 0 to 3 percent slopes	I	Ī	ī
Tirzah silt loam, eroded gently sloping phase (Tatum)	III	II	I
Tirzah silt loam, eroded sloping phase (Tatum)	II	II	Ī
Tirzah silt loam, eroded strongly sloping phase (Tatum)	III	II	II
Tirzah silt loam, gently sloping phase (Stoneville)	II	II	II
	III	II	II
Tirzah silt loam, sloping phase (Stoneville) Tirzah silt loam, strongly sloping phase (Stoneville)	III	II	II
	III	II	II
Tirzah silty clay loam, severely eroded gently sloping phase (Tatum)	III	II	II
Tirzah silty clay loam, severely eroded sloping phase (Tatum)	IV	II -	II
Tirzah silty clay loam, severely eroded strongly sloping phase (Tatum)	II	I	I
Toast sandy loam, 2 to 8 percent slopes		I	II
Toast sandy loam, 8 to 15 percent slopes	III		
Toccoa, ALL	I	III	III
Turbeville fine sandy loam, 0 to 3 percent slopes	I	II	I
Udorthents, ALL	IV	VI	IV
Udorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally flooded	IV	VI	IV
Udorthents-Urban land complex, ALL	IV	VI	IV
Urban land, ALL	IV	VI	IV
Urban land-Arents complex, occasionally flooded	IV	III	IV
Urban land-Iredell-Creedmoor complex, 2 to 10 percent slopes	IV	II	IV
Urban land-Masada complex, 2 to 15 percent slopes	IV	II	IV
Uwharrie clay loam, 2 to 8 percent slopes, eroded	III	II	III
Uwharrie clay loam, 8 to 15 percent slopes, eroded	IV	II	III
Uwharrie loam, 15 to 25 percent slopes	IV	II	III
Uwharrie loam, very stony, ALL	IV	II	III
Uwharrie silt loam, 2 to 8 percent slopes	II	II	I
Uwharrie silty clay loam, 2 to 8 percent slopes, eroded	III	II	II
Uwharrie silty clay loam, 2 to 8 percent slopes, moderately eroded	III	II	II
Uwharrie silty clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Uwharrie stony loam, ALL	IV	II	III
Uwharrie stony loam, very bouldery, ALL	IV	II	IV
Uwharrie-Badin complex, ALL	IV	II	III
Uwharrie-Tatum complex, 8 to 15 percent slopes	III	II	III
Uwharrie-Tatum complex, 8 to 15 percent slopes, moderately eroded	IV	II	III
Uwharrie-Urban Land, 2 to 8 percent slopes	IV	II	IV
Vance clay loam, severely eroded sloping phase	IV	II	II
Vance coarse sandy loam, 2 to 8 percent slopes	II	II	II
Vance coarse sandy loam, eroded gently sloping phase	III	II	II
Vance coarse sandy loam, croded gently sloping phase	III	II	II
Vance coarse sandy loam, gently sloping phase	II	II	II
vanice coarse sailey roam, genery stoping phase	^_	**	

De II Val	Agri	For	Hort
Map Unit Name	III	II	II
Vance sandy clay loam, ALL	II	II	II
Vance sandy loam, 2 to 6 percent slopes	III	II	II
Vance sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Vance sandy loam, 2 to 8 percent slopes	III	II	II
Vance sandy loam, 6 to 10 percent slopes	III	II	II
Vance sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Vance sandy loam, 8 to 15 percent slopes	III	II	II
Vance sandy loam, 10 to 15 percent slopes	III	II	II
Vance sandy loam, eroded gently sloping phase	III	II	II
Vance sandy loam, eroded moderately sloping phase	IV	II	II
Vance sandy loam, eroded strongly sloping phase	II	II	II
Vance sandy loam, gently sloping phase	IV	II	IV
Vance-Urban land complex, 2 to 10 percent slopes		I	II
Wadesboro clay loam, 2 to 8 percent slopes, moderately eroded	III	I	II
Wadesboro clay loam, 8 to 15 percent slopes, moderately eroded		I	II
Wadesboro fine sandy loam, 2 to 7 percent slopes (Mayodan)	II	I	II
Wadesboro fine sandy loam, 2 to 7 percent slopes, eroded (Mayodan)	II		II
Wadesboro fine sandy loam, 7 to 10 percent slopes (Mayodan)	III	I	
Wadesboro fine sandy loam, 7 to 10 percent slopes, eroded (Mayodan)	III	I	II
Wadesboro fine sandy loam, 10 to 14 percent slopes (Mayodan)	III	I	II
Wadesboro fine sandy loam, 10 to 14 percent slopes, eroded (Mayodan)	IV	I	II
Wadesboro fine sandy loam, 14 to 30 percent slopes (Mayodan)	IV	I	II
Wahee, ALL	II	III	I
Wake soils, ALL	IV	II	III
Wake-Saw-Wedowee complex, 2 to 8 percent slopes, rocky	IV	II	III
Wake-Wateree complex, 15 to 30 percent slopes, very rocky	IV	II	III
Wake-Wateree-Wedowee complex, 8 to 15 percent slopes, rocky	IV	II	III
Warne and Roanoke fine sandy loams (Dogue)	IV	III	II
Wateree fine sandy loam, ALL	IV	II	II
Wateree-Rion complex, 40 to 95 percent slopes	IV	II	III
Wateree-Rion-Wedowee complex, 15 to 30 percent slopes	IV	II	III
Wedowee coarse sandy loam, 2 to 6 percent slopes	II	I	I
Wedowee coarse sandy loam, 6 to 10 percent slopes	Ш	I	II
Wedowee loam, 2 to 8 percent slopes	II	I	I
Wedowee loam, 8 to 15 percent slopes	III	I	II
Wedowee loam, 15 to 25 percent slopes	IV	I	II
Wedowee sandy clay loam, 8 to 15 percent slopes, eroded	IV _	I	II
Wedowee sandy loam, 2 to 10 percent slopes, extremely bouldery	IV	I	IV
Wedowee sandy loam, 2 to 15 percent slopes, bouldery	IV	I	III
Wedowee sandy loam, 2 to 6 percent slopes	II	I	I
Wedowee sandy loam, 2 to 6 percent slopes, eroded	II	I	II
Wedowee sandy loam, 2 to 8 percent slopes	II	I	I
Wedowee sandy loam, 6 to 10 percent slopes	III	I	II
Wedowee sandy loam, 6 to 10 percent slopes, eroded	III	I	II
Wedowee sandy loam, 6 to 15 percent slopes	III	I	II
Wedowee sandy loam, 8 to 15 percent slopes	III	I	II
Wedowee sandy loam, 10 to 15 percent slopes	III	Ī	II
Wedowee sandy loam, 10 to 15 percent slopes, eroded	III	I	II
Wedowee sandy loam, 10 to 25 percent slopes Wedowee sandy loam, 10 to 25 percent slopes	III	I	II
Wedowee sandy loam, 15 to 25 percent slopes Wedowee sandy loam, 15 to 25 percent slopes	IV	I	II
Wedowee sandy loam, 15 to 25 percent slopes Wedowee sandy loam, 15 to 35 percent slopes, bouldery	ĪV	I	III
Wedowee sandy loam, 15 to 40 percent slopes, boundary Wedowee sandy loam, 15 to 40 percent slopes	IV	I	II
wedowee sainty toam, 15 to 40 percent slopes	<u> </u>		

Map Unit Name	Agri	For	Hort
Wedowee-Louisburg complex, 2 to 6 percent slopes	II	I	П
Wedowee-Louisburg complex, ALL OTHER	III	Î	III
Wedowee-Urban land-Udorthents complex, 2 to 10 percent slopes	IV	Ī	IV
Wehadkee and Bibb soils	IV	III	III
Wehadkee, ALL	IV	III	III
White Store clay loam, ALL	IV	II	III
White Store fine sandy loam, moderately eroded, ALL	IV	II	III
White Store loam, 8 to 15 percent slopes	IV	II	III
White Store loam, ALL OTHER	III	II	III
White Store sandy loam, 2 to 6 percent slopes	III	II	III
White Store sandy loam, ALL OTHER	IV	II -	III
White Store salty loam, 8 to 15 percent slopes	IV	II	III
White Store silt loam, ALL OTHER	III	II	III
White Store-Polkton complex, ALL	IV	II	III
	IV	II	IV
White Store-Urban land complex, ALL	I	I	I
Wickham fine sandy loam, 0 to 3 percent slopes, rarely flooded	I	I	I
Wickham fine sandy loam, 2 to 6 percent slopes	II		I
Wickham fine sandy loam, 2 to 6 percent slopes, eroded		I	
Wickham fine sandy loam, 2 to 7 percent slopes, eroded	II	I	I
Wickham fine sandy loam, 2 to 8 percent slopes	II	I	I
Wickham fine sandy loam, 6 to 10 percent slopes	II	I	I
Wickham fine sandy loam, 6 to 10 percent slopes, eroded	III	I	II
Wickham fine sandy loam, 7 to 14 percent slopes, eroded	III	I	II
Wickham fine sandy loam, 10 to 15 percent slopes	III	I	II
Wickham sandy loam, ALL	I	I	I
Wilkes, ALL	IV	II	III
Wilkes-Poindexter-Wynott complex, ALL	IV	II	III
Wilkes-Urban land complex, 8 to 15 percent slopes	IV	II	IV
Winnsboro fine sandy loam, 2 to 8 percent slopes	II	II	I
Winnsboro loam, 2 to 8 percent slopes	III	II	I
Winnsboro loam, 8 to 15 percent slopes	IV	II	II
Winnsboro-Wilkes complex, 2 to 8 percent slopes	III	II	II
Winnsboro-Wilkes complex, ALL OTHER	IV	II	III
Woolwine-Fairview complex, 2 to 8 percent slopes, moderately eroded	III	II	II
Woolwine-Fairview complex, moderately eroded, ALL OTHER	IV	II	II
Woolwine-Fairview-Urban land complex, ALL	IV	II	IV
Worsham, ALL	IV	III	III
Wynott cobbly loam, 2 to 10 percent slopes, extremely stony	IV	II	IV
Wynott loam, 2 to 8 percent slopes	III	II	II
Wynott-Enon complex, 2 to 8 percent slopes	II	II	II
Wynott-Enon complex, 2 to 8 percent slopes, moderately eroded	II	II	II
Wynott-Enon complex, 8 to 15 percent slopes	II	II	II
Wynott-Enon complex, 8 to 15 percent slopes, moderately eroded	III	II	II
Wynott-Enon complex, 15 to 25 percent slopes	IV	II	II
Wynott-Enon complex, extremely bouldery, ALL	IV	II	IV
Wynott-Wilkes-Poindexter complex, 2 to 8 percent slopes	IV	II	II
Wynott-Winnsboro complex, 2 to 8 percent slopes	II	II	II
Wynott-Winnsboro complex, 8 to 15 percent slopes	II	II	II
Wynott-Winnsboro complex, 15 to 25 percent slopes	IV	II	II
Zion gravelly loam, 2 to 8 percent slopes	III	II	II
Zion gravelly loam, 8 to 15 percent slopes	IV	II	II
Zion-Enon complex, 2 to 8 percent slopes	III	II	III

Map Unit Name	Agri	For	Hort
Zion-Enon complex, 8 to 15 percent slopes	IV	II	II
Zion-Mocksville complex, 25 to 45 percent slopes	IV	II	III
Zion-Wilkes complex, 8 to 15 percent slopes	IV	II	II
Zion-Winnsboro-Mocksville complex, ALL	IV	II	II

MLRA137 - Sandhills

Map Unit Name	Agri	For	Hort
Ailey gravelly loamy sand, 8 to 15 percent slopes	III	V	III
Ailey gravelly loamy sand, 15 to 25 percent slopes	IV	V	IV
Ailey loamy sand, ALL	III	V	III
Ailey sand, moderately wet, 0 to 6 percent slopes	II	V	II
Ailey-Urban land complex, ALL	IV	V	IV
Bibb loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV
Blaney loamy sand, 2 to 8 percent slopes	II	II	II
Blaney loamy sand, 8 to 15 percent slopes	III	II	III
Blaney-Urban land complex, ALL	IV	II	IV
Bragg sandy loam, 1 to 4 percent slopes	IV	V	IV
Candor and Wakulla soils, 8 to 15 percent slopes	IV	v	IV
Candor sand, ALL	IV	V	ĪV
Candor-Urban land complex, 2 to 12 percent slopes	IV	v	ĪV
Dothan gravelly loamy sand, 0 to 6 percent slopes	I	II	Ī
Dothan loamy sand, ALL	I	II	I
	II	II	II
Emporia loamy sand, ALL	II	II	II
Faceville sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Fuquay, ALL	IV	II	IV
Fuquay-Urban land complex, 0 to 6 percent slopes	II	II	II
Gilead loamy sand, ALL	I	I	I
Johns fine sandy loam, 0 to 2 percent slopes	IV	III	IV
Johnston, ALL		II	I
Kalmia sandy loam, wet substratum, 0 to 2 percent slopes	I	I	II
Kenansville loamy sand, 0 to 4 percent slopes	II IV	V	IV
Lakeland, ALL	IV		IV
Lakeland-Urban land complex, 1 to 8 percent slopes		II	III
Lillington gravelly sandy loam, 2 to 8 percent slopes	III	II	IV
Lillington gravelly sandy loam, 8 to 15 percent slopes	IV	II	IV
Lillington gravelly sandy loam, 15 to 25 percent slopes	IV	II	IV
Pactolus sand, 0 to 3 percent slopes	IV	III	I
Paxville fine sandy loam, 0 to 2 percent slopes	I II	II	II
Pelion loamy sand, 0 to 2 percent slopes			IV
Pelion loamy sand, 1 to 4 percent slopes	IV	<u>II</u>	III
Pelion loamy sand, 2 to 8 percent slopes	III	II II	IV
Pelion loamy sand, 8 to 15 percent slopes	IV		IV
Pelion-Urban land complex, ALL	IV	II II	IV
Pelion-Urban land complex, 8 to 15 percent slopes	IV	II	II
Pocalla loamy sand, 0 to 6 percent slopes	II	I	III
Rains fine sandy loam, 0 to 2 percent slopes	III	I	I
Tetotum silt loam, 0 to 3 percent slopes, rarely flooded	I IV	VI	IV
Udorthents, ALL	IV	VI	IV
Urban land, ALL		II	III
Vaucluse gravelly loamy sand, 2 to 8 percent slopes	III IV	II	IV
Vaucluse gravelly loamy sand, 8 to 15 percent slopes	IV	II	IV
Vaucluse gravelly loamy sand, 15 to 25 percent slopes	III	II	III
Vaucluse gravelly sandy loam, ALL	III	II	III
Vaucluse gravelly sandy loam, 8 to 15 percent slopes			III
Vaucluse gravelly sandy loam, 15 to 25 percent slopes	III	II	II
Vaucluse loamy sand, 2 to 8 percent slopes	II	II	
Vaucluse loamy sand, 8 to 15 percent slopes	III	II	III
Vaucluse loamy sand, 15 to 25 percent slopes	IV	II	IV
Vaucluse very gravelly loamy sand, ALL	IV	II	IV

MLRA137-S and hills

Map Unit Name	Agri	For	Hort
Vaucluse-Gilead loamy sands, 15 to 25 percent slopes	IV	II	IV
Vaucluse-Urban land complex, ALL	IV	II	IV
Wakulla and Candor soils, 0 to 8 percent slopes	IV	V	IV
Wakulla sand, ALL	IV	V	IV
Wakulla-Candor-Urban land complex, 0 to 10 percent slopes	IV	V	IV
Wehadkee fine sandy loam	IV	III	IV
Wehadkee loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV

MLRA153A - Lower Coastal Plain

Map Unit Name	Agri	For	Hort
Alaga, ALL	IV	II	IV
Alpin, ALL	IV	II	IV
Altavista, ALL	I	Ī	I
Altavista, ALL Altavista-Urban land complex, 0 to 2 percent slopes	IV	I	ĪV
Arapahoe fine sandy loam	II	Ī	II
Augusta, ALL	II	I	II
Autryville fine sand, 1 to 4 percent slopes	IV	II	IV
	III	II	III
Autryville, ALL OTHER	II	I	II
Aycock, ALL ERODED	I	I	I
Aycock, ALL OTHER	I	I	I
Ballahack loam, 0 to 2 percent slopes, occasionally flooded	- I	I	I
Bayboro, ALL	IV	V	IV
Baymeade and Marvyn soils, 6 to 12 percent slopes		V	IV
Baymeade fine sand, ALL	IV		
Baymeade-Urban land complex, 0 to 6 percent slopes	IV	V	IV
Bethera, ALL	II	I	II
Bibb and Johnston loams, frequently flooded	IV	III	IV
Bibb, ALL	IV	III	IV
Bladen, ALL	III	I	III
Blanton, ALL	IV	V	IV
Bohicket, ALL	IV	VI	IV
Bonneau loamy fine sand, 0 to 6 percent slopes	II	II	II
Bonneau loamy sand, 0 to 4 percent slopes	II	II	II
Bonneau loamy sand, 0 to 6 percent slopes	II	II	II
Bonneau loamy sand, 6 to 10 percent slopes	III	II	III
Bonneau loamy sand, 6 to 12 percent slopes	III	II	III
Borrow pits	IV	VI	IV
Bragg, ALL	IV	VI	IV
Brookman loam, frequently flooded	IV	III	IV
Butters loamy fine sand, 0 to 3 percent slopes	III	II	III
Byars loam	II	III	II
Cainhoy, ALL	IV	V	IV
Cape Fear loam, ALL	Ī	I	I
Caroline fine sandy loam, ALL	II	II	II
Carteret, ALL	IV	VI	IV
Centenary fine sand	ΙV	II	IV
Chastain and Chenneby soils, frequently flooded	IV	III	IV
Chastain silt loam, frequently flooded	IV	III	IV
Chewacla and Chastain soils, frequently flooded	IV	III	IV
Chewacla loam, frequently flooded	IV	III	IV
Chipley sand	IV	II	IV
Chowan silt loam	IV	III	IV
Conetoe, ALL	III	II	III
Congaree silt loam, 0 to 4 percent slopes, occasionally flooded	Ī	III	I
Corolla fine sand	IV	VI	IV
Coxville, ALL	II	Î	II
Craven clay loam, 4 to 12 percent slopes, eroded	IV	I	IV
Craven fine sandy loam, 0 to 1 percent slopes	II	I	II
Craven fine sandy loam, 1 to 4 percent slopes	II	I	II
Craven fine sandy loam, 1 to 4 percent slopes Craven fine sandy loam, 1 to 6 percent slopes, eroded	III	I	III
Craven fine sandy loam, 4 to 8 percent slopes	III	I	III
Craven fine sandy loam, 4 to 8 percent slopes Craven fine sandy loam, 4 to 8 percent slopes, eroded	IV	Ī	IV
Craven the sandy loans, 7 to 6 percent slopes, crouce			

MLRA153A - Lower Coastal Plain

No. I Inda Nome	Agri	For	Hort
Map Unit Name	IV	I	IV
Craven fine sandy loam, 6 to 10 percent slopes	IV	Ī	IV
Craven fine sandy loam, 8 to 12 percent slopes, eroded	II	I	II
Craven loam, 1 to 4 percent slopes	III	I	III
Craven loam, 1 to 4 percent slopes, eroded	II	I	II
Craven silt loam, 1 to 4 percent slopes	II	I	II
Craven very fine sandy loam, 1 to 4 percent slopes		I	IV
Craven very fine sandy loam, 4 to 8 percent slopes	IV		IV
Craven-Urban land complex, 0 to 2 percent slopes	IV	I V	
Croatan muck, frequently flooded	III		III
Croatan muck, ALL OTHER	II	V	<u>II</u>
Dogue sandy loam, 0 to 2 percent slopes	II	I	II
Dogue sandy loam, 2 to 6 percent slopes	III	I	III
Dogue sandy loam, 6 to 12 percent slopes	IV	I	IV
Dorovan, ALL	IV	V	IV
Duckston fine sand	IV	VI	IV
Echaw, ALL	IV	V	IV
Exum fine sandy loam, 0 to 1 percent slopes	I	II	I
Exum fine sandy loam, 1 to 6 percent slopes	II	II	II
Exum loam, 0 to 2 percent slopes	I	II	I
Exum silt loam, 0 to 2 percent slopes	I	II	I
Exum very fine sandy loam, 0 to 2 percent slopes	I	II	I
Exum very fine sandy loam, 2 to 5 percent slopes	II	II	II
Exum-Urban land complex, 0 to 2 percent slopes	IV	II	IV
Foreston loamy fine sand, ALL	II	II	II
	I	I	I
Goldsboro sandy loam, 1 to 6 percent slopes	I	I	Ī
Goldsboro, ALL OTHER	IV	I	ĪV
Goldsboro-Urban land complex, ALL	I	I	I
Grantham, ALL	II	I	II
Grifton, ALL	IV	VI	IV
Hobonny muck	II	I	II
Icaria fine sandy loam, ALL	I	II	I
Invershiel-Pender complex, 0 to 2 percent slopes			
Johns, ALL	II	I	II
Johnston and Pamlico soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Johnston soils	IV	III	IV
Kalmia, ALL	II	II	<u>II</u>
Kenansville, ALL	III	II	III
Kinston loam, frequently flooded	IV	III	IV
Kureb, ALL	IV	V	IV
Lafitte muck	IV	VI	IV
Lakeland sand, 0 to 6 percent slopes	IV	V	IV
Leaf, ALL	Ш	I	III
Lenoir, ALL	III	I	III
Leon, ALL	IV	V	III
Leon-Urban land complex	IV	V	IV
Liddell silt loam	II	I	II
Lucy loamy sand, 0 to 6 percent slopes	II	II	II
Lumbee, ALL	II	Ī	II
Lynchburg, ALL	II	Ĭ	II
Lynchburg-Urban land complex	IV	I	IV
	IV	II	IV
Lynn Haven sand	IV	V	IV
Mandarin, ALL	<u>_</u>	· · ·	

MLRA153A - Lower Coastal Plain

Mandarin-Urban land complex	Map Unit Name	Agri	For	Hort
Marvyn and Craven soils, 6 to 12 percent slopes				
Marvyn, ALL			I	
Masantown, ALL IV III IV Masontown mucky fine sandy loam and Muckalee sandy loam, frequently flooded IV III IV Masontown mucky fine sandy loam and Muckalee sandy loam, frequently flooded IV III IV Meggett fine sandy loam, frequently flooded IV III IV Meggett fine sandy loam, frequently flooded IV III IV Meggett fine sandy loam, frequently flooded IV III IV Meggett fine sandy loam, frequently flooded IV III IV IV IV Murville, ALL IV IV IV IV Murville, ALL IV IV IV IV Murville, ALL IV IV IV IV IV IV Murville, ALL IV IV IV IV IV IV IV				
Masontown, ALL IV III IV Masontown mucky fine sandy loam and Muckalee sandy loam, frequently IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV III IV			II	
Masontown mucky fine sandy loam and Muckalee sandy loam, frequently flooded IV III IV Meggett fine sandy loam, frequently flooded IV III IV Meggett, ALL OTHER III I III		IV	III	IV
Meggett fine sandy loam, frequently flooded		IV	III	IV
Meggett, ALL OTHER				
Mine pits	Meggett fine sandy loam, frequently flooded	IV	III	IV
Mine pits	Meggett, ALL OTHER	III	I	III
Murville, ALL		IV	VI	IV
Murville, ALL	Muckalee loam, ALL	IV	III	IV
Nakina fine sandy loam		IV	V	IV
Nawney loam, 0 to 2 percent slopes, frequently flooded	Nahunta, ALL	I	I	I
Newhan, ALL IV VI IV Newhan-Corolla complex, 0 to 30 percent slopes IV VI IV Newhan-Corolla-Urban land complex, 0 to 30 percent slopes IV VI IV Newhan-Corolla-Urban land complex, 0 to 30 percent slopes IV VI IV Noboco fine sandy loam, 0 to 2 percent slopes I I I I IV Noboco fine sandy loam, 0 to 2 percent slopes II I II II II II IV Norfolk, ALL III II II II IV II IV IV II IV	Nakina fine sandy loam	I	I	I
Newhan, ALL IV VI IV Newhan-Corolla complex, 0 to 30 percent slopes IV VI IV Newhan-Corolla-Urban land complex, 0 to 30 percent slopes IV VI IV Noboco fine sandy loam, 0 to 2 percent slopes II I II II II II II I		IV	III	IV
Newhan-Corolla-Urban land complex, 0 to 30 percent slopes		IV	VI	IV
Newhan-Corolla-Urban land complex, 0 to 30 percent slopes	Newhan-Corolla complex, 0 to 30 percent slopes	IV	VI	IV
Noboco fine sandy loam, 0 to 2 percent slopes		IV	VI	IV
Noboco fine sandy loam, 2 to 6 percent slopes		I	I	I
Norfolk, ALL		II	I	II
Norfolk-Urban land complex, 0 to 6 percent slopes		II	II	II
Ocilla loamy fine sand, 0 to 4 percent slopes		IV	II	IV
Olustee loamy sand, sandy subsoil variant (Murville)		IV	II	IV
Onslow, ALL		IV		IV
Osier loamy sand, loamy substratum		II	II	II
Pactolus, ALL IV II IV Pamlico muck, frequently flooded IV V IV IV Pamlico muck, ALL OTHER III V III Pantego, ALL I I I I IIII III III III III IIII III III III III III III III IIII IIII III		IV	Ī	IV
Pamilico muck, frequently flooded		IV	II	IV
Pamlico muck, ALL OTHER III V III Pantego, ALL I I I I Paxville sandy loam II III III III Pender fine sandy loam II I II III III IV PO IV IV IV IV IV IV IV IV IV IV IV IV IV IV IV IV III III III III III IV V IV III III III III III III III III III III III III IV V IV IV IV IV IV IV III IV III IV III IV <t< td=""><td></td><td>IV</td><td>V</td><td>IV</td></t<>		IV	V	IV
Pantego, ALL		III	V	III
Paxville sandy loam		Ï	I	I
Pender fine sandy loam		II	III	II
Pender-Urban land complex	Pender fine sandy loam	II	I	II
Pits, ALL IV VI IV Pocalla loamy sand, 0 to 6 percent slopes III II III Rains, ALL I I I I Rains-Urban land complex IV IV IV Rimini sand 1 to 6 percent slopes IV V IV Roanoke, frequently flooded IV III III III Roanoke, ALL OTHER II III IV V IV IV IV IV IV IV IV IV III IV III IV III IV III IV III IV III II > <td>IV</td> <td>I</td> <td>IV</td>		IV	I	IV
Pocalla loamy sand, 0 to 6 percent slopes III II III Rains, ALL I I I I Rains-Urban land complex IV IV IV Rimini sand I to 6 percent slopes IV V IV Roanoke, frequently flooded IV III IV Roanoke, ALL OTHER II III II Rumford, ALL III II III Rutlege mucky loamy fine sand IV V IV Seabrook, ALL IV II IV Seabrook-Urban land complex IV II IV Stallings, ALL II II II State fine sandy loam, 0 to 2 percent slopes I I I State fine sandy loam, 2 to 6 percent slopes I I I Stockade fine sandy loam I I I Stockade fine sandy loam I I I Swamp IV III IV II IV III IV	Pits, ALL	IV	VI	IV
Rains-Urban land complexIVIIVRimini sand I to 6 percent slopesIVVIVRoanoke, frequently floodedIVIIIIVRoanoke, ALL OTHERIIIIIIIIIIIRumford, ALLIIIIIIIIIIIIRutlege mucky loamy fine sandIVVIVSeabrook, ALLIVIIIVSeabrook-Urban land complexIVIIIVStallings, ALLIIIIIIState fine sandy loam, 0 to 2 percent slopesIIIState fine sandy loam, 2 to 6 percent slopesIIIIState loamy sand, 0 to 2 percent slopesIIIStockade fine sandy loamIIISuffolk loamy sand, 10 to 30 percent slopesIIIISwampIVIIIIVTarboro, ALLIVIIIV		III	II	III
Rimini sand 1 to 6 percent slopes IV V IV Roanoke, frequently flooded IV III IV Roanoke, ALL OTHER II III III Rumford, ALL III III III Rutlege mucky loamy fine sand IV V IV Seabrook, ALL IV II IV Seabrook-Urban land complex IV II IV Stallings, ALL III III III State fine sandy loam, 0 to 2 percent slopes II II II State fine sandy loam, 2 to 6 percent slopes II II II State loamy sand, 0 to 2 percent slopes II I I Stockade fine sandy loam II II Stockade fine sandy loam II II Suffolk loamy sand, 10 to 30 percent slopes II II II Swamp IV III IV Tarboro, ALL IV III IV	Rains, ALL	I	I	I
Roanoke, frequently flooded IV III IV Roanoke, ALL OTHER II III III Rumford, ALL III III III Rutlege mucky loamy fine sand IV V IV Seabrook, ALL IV II IV Seabrook-Urban land complex IV II IV Stallings, ALL III II III State fine sandy loam, 0 to 2 percent slopes II II II State fine sandy loam, 2 to 6 percent slopes II I II State loamy sand, 0 to 2 percent slopes II I I State loamy sand, 0 to 2 percent slopes II I I State loamy sand, 0 to 2 percent slopes II I I State loamy sand, 0 to 2 percent slopes II II State loamy sand, 0 to 2 percent slopes II II State loamy sand, 0 to 10 percent slopes II II State loamy sand, 0 to 10 to 10 percent slopes II II State loamy sand, 10 to 30 percent slopes II II Suffolk loamy sand, 10 to 30 percent slopes II II II Swamp IV III IV	Rains-Urban land complex	IV	I	IV
Roanoke, ALL OTHER II III II III II III IV IV IV IV IV IV III IV III IV State Incomplex IV II IV III	Rimini sand 1 to 6 percent slopes	IV	V	IV
Roanoke, ALL OTHER II III IV IV IV IV IV IV IV IV III IV III IV III		IV	III	IV
Rutlege mucky loamy fine sandIVVIVSeabrook, ALLIVIIIVSeabrook-Urban land complexIVIIIVStallings, ALLIIIIIIIIState fine sandy loam, 0 to 2 percent slopesIIIIIState fine sandy loam, 2 to 6 percent slopesIIIIIIIState loamy sand, 0 to 2 percent slopesIIIIStockade fine sandy loamIIIISuffolk loamy sand, 10 to 30 percent slopesIIIIISwampIVIIIIVTarboro, ALLIVIIIV		II	III	II
Rutlege mucky loamy fine sandIVVIVSeabrook, ALLIVIIIVSeabrook-Urban land complexIVIIIVStallings, ALLIIIIIIIIState fine sandy loam, 0 to 2 percent slopesIIIIIState fine sandy loam, 2 to 6 percent slopesIIIIIIIState loamy sand, 0 to 2 percent slopesIIIIStockade fine sandy loamIIIISuffolk loamy sand, 10 to 30 percent slopesIIIIISwampIVIIIIVTarboro, ALLIVIIIV	Rumford, ALL	Ш	II	III
Seabrook-Urban land complexIVIIIVStallings, ALLIIIIIIIIState fine sandy loam, 0 to 2 percent slopesIIIIState fine sandy loam, 2 to 6 percent slopesIIIIIIIState loamy sand, 0 to 2 percent slopesIIIIStockade fine sandy loamIIIISuffolk loamy sand, 10 to 30 percent slopesIIIISwampIVIIIIVTarboro, ALLIVIIIV		IV	V	IV
Stallings, ALLIIIIIIState fine sandy loam, 0 to 2 percent slopesIIIState fine sandy loam, 2 to 6 percent slopesIIIIIState loamy sand, 0 to 2 percent slopesIIIStockade fine sandy loamIIISuffolk loamy sand, 10 to 30 percent slopesIIIISwampIVIIIIVTarboro, ALLIVIIIV	Seabrook, ALL	IV	II	IV
State fine sandy loam, 0 to 2 percent slopes I I I State fine sandy loam, 2 to 6 percent slopes II I II State loamy sand, 0 to 2 percent slopes I I I Stockade fine sandy loam I I I Suffolk loamy sand, 10 to 30 percent slopes I II I Swamp IV III IV Tarboro, ALL IV II IV	Seabrook-Urban land complex	IV	II	IV
State fine sandy loam, 2 to 6 percent slopes II I II State loamy sand, 0 to 2 percent slopes I I I Stockade fine sandy loam I I I Suffolk loamy sand, 10 to 30 percent slopes I II I Swamp IV III IV Tarboro, ALL IV II IV	Stallings, ALL	II	II	II
State loamy sand, 0 to 2 percent slopes I I I Stockade fine sandy loam I I I Suffolk loamy sand, 10 to 30 percent slopes I II I Swamp IV III IV Tarboro, ALL IV II IV	State fine sandy loam, 0 to 2 percent slopes	I	I	I
State loamy sand, 0 to 2 percent slopes I I I Stockade fine sandy loam I I I Suffolk loamy sand, 10 to 30 percent slopes I II I Swamp IV III IV Tarboro, ALL IV II IV	State fine sandy loam, 2 to 6 percent slopes	II	I	II
Stockade fine sandy loam I I I Suffolk loamy sand, 10 to 30 percent slopes I II I Swamp IV III IV Tarboro, ALL IV II IV		I	I	I
Suffolk loamy sand, 10 to 30 percent slopes I II II Swamp IV III IV Tarboro, ALL IV II IV		I	I	I
Swamp IV III IV Tarboro, ALL IV II IV	Suffolk loamy sand, 10 to 30 percent slopes	I	II	I
Tarboro, ALL IV II IV	Swamp	IV	III	IV
Tarboro-Urban land complex, 0 to 6 percent slopes IV II IV	Tarboro, ALL	IV	II	IV
	Tarboro-Urban land complex, 0 to 6 percent slopes	IV	II	IV

MLRA153A - Lower Coastal Plain

Map Unit Name	Agri	For	Hort
Tomahawk fine sand, 0 to 3 percent slopes	IV	II	IV
Tomahawk loamy fine sand	IV	II	IV
Tomahawk loamy fine sand	IV	II	IV
Tomahawk loamy sand, 0 to 3 percent slopes	III	II	III
Tomotley, ALL	I	I	I
Torhunta, ALL	II	I	II
Torhunta-Urban land complex	IV	I	IV
Tuckerman fine sandy loam	II	II	II
Udorthents, ALL	IV	VI	IV
Udults, steep	IV	VI	IV
Umbric Ochraqualfs	IV	VI	IV
Urban land	IV	VI	IV _
Valhalla fine sand, 0 to 6 percent slopes	III	II	III
Wagram loamy fine sand, 0 to 6 percent slopes	<u>II</u>	II	II
Wagram loamy sand, 6 to 10 percent slopes	III	II	III
Wagram loamy sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 10 to 15 percent slopes	IV	II	IV
Wahee, ALL	II	I	II
Wando fine sand, 0 to 6 percent slopes	IV	II	IV
Wando-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Wakulla sand, ALL	IV	V	IV
Wasda muck	I	I	I
Wehadkee silt loam	IV	III	IV
Wickham fine sandy loam, 0 to 2 percent slopes	I	I	I
Wickham fine sandy loam, 2 to 6 percent slopes	II	I	II
Wickham fine sandy loam, 6 to 10 percent slopes	II	I	II
Wickham loamy sand, 1 to 6 percent slopes	II	I	II
Wickham sandy loam, 0 to 2 percent slopes	I	I	I
Wickham sandy loam, 0 to 6 percent slopes	II	I	II
Wickham sandy loam, 0 to 6 percent slopes, rarely flooded	II	I	II
Wickham sandy loam, 2 to 6 percent slopes	II	I	II
Wickham-Urban land complex, 2 to 10 percent slopes	IV	I	IV
Wilbanks, ALL	IV	III	IV
Winton, ALL	IV	I	IV
Woodington, ALL	II	II	II
Wrightsboro fine sandy loam 0 to 2 percent slopes	I	I	I
Yaupon silty clay loam, 0 to 3 percent slopes	III	VI	III

MLRA153B - Tidewater Area

Map Unit Name	Agri	For	Hort
Acredale silt loam, 0 to 2 percent slopes, rarely flooded	Ī	I	I
Altavista ,ALL	I	I	I
Altavista-Urban land complex, 0 to 2 percent slopes	IV	Ī	IV
Arapahoe, ALL	I	I	Ī
Argent, ALL	II	I	II
Augusta ,ALL	II	I	II
Augusta-Urban land complex	IV	Ĭ	IV
Backbay mucky peat, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
Ballahack fine sandy loam, occasionally flooded	Ī	I	I
Barclay very fine sandy loam	ī	I	Ī
Bayboro, ALL	Ī	Ī	I
Baymeade ,ALL	IV	V	ĪV
Baymeade-Urban land complex 1 to 6 percent slopes	IV	V	IV
Beaches, ALL	IV	VI	IV
Beaches-Newhan association	IV	VI	IV
Beaches-Newhan complex, ALL	IV	VI	IV
Belhaven muck, 0 to 2 percent slopes, frequently flooded	IV	V	IV
	II	v	II
Belhaven muck, ALL OTHER	II	I	II
Bertie ,ALL	IV	III	IV
Bibb soils	III	I	III
Bladen ,ALL	IV	VI	IV
Bohicket silty clay loam	III	II	III
Bojac, ALL	II	I	II
Bolling loamy fine sand, 0 to 3 percent slopes, rarely flooded		VI	IV
Borrow pits	IV	I	II
Brookman loam, 0 to 2 percent slopes, rarely flooded	II	III	IV
Brookman mucky loam, frequently flooded	IV	I	I
Brookman mucky silt loam	I	I I	I
Cape Fear, ALL	I	VI	IV
Carteret, ALL	IV	I	T I
Chapanoke silt loam, ALL	I		
Charleston loamy fine sand	III	II	III
Chowan, ALL	IV	III	IV
Conaby muck, ALL	II	I	II
Conetoe, ALL	III	II	III
Corolla, ALL	IV	VI	IV
Corolla-Duckston complex, ALL	IV	VI	IV
Corolia-Urban land complex	IV	VI	IV
Currituck, ALL	IV	VI	IV
Dare muck	<u>IV</u>	V	IV
Deloss fine sandy loam	I	III	I
Deloss mucky loam, frequently flooded	IV	III	IV
Delway muck, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
Dogue, ALL	II	I	II
Dorovan, ALL	IV	V	IV
Dragston, ALL	II	I	II
Duckston, ALL	IV	VI	IV
Duckston-Corolla complex, 0 to 6 percent slopes, rarely flooded	IV	VI	IV
Dune land, ALL	IV	VI	IV
Dune land-Newhan complex, 2 to 40 percent slopes	IV	VI	IV
Elkton, ALL	II	I	II
Engelhard loamy very fine sand, 0 to 2 percent slopes, frequently flooded	IV _	III	IV

MLRA153B - Tidewater Area

	Agri	For	Hort
Map Unit Name	II	III	II
Engelhard loamy very fine sand, 0 to 2 percent slopes, rarely flooded	IV	I	IV
Fallsington fine sandy loam	I	Ī	I
Fork fine sandy loam, 0 to 2 percent slopes, rarely flooded	II	I	<u></u>
Fork loamy fine sand	I	III	Ī
Fortescue, ALL	IV	VI	ĪV
Fripp fine sand, 2 to 30 percent slopes	IV	II	IV
Galestown loamy fine sand		I	- II
Gullrock muck, 0 to 2 percent slopes, rarely flooded	IV	VI	IV
Hobonny muck, 0 to 1 percent slopes, frequently flooded	1	VI	IV
Hobucken, ALL	IV		Ī
Hyde, ALL	I	I	<u>I</u>
Hydeland silt loam, 0 to 2 percent slopes, rarely flooded	I	I	
Icaria loamy fine sand, 0 to 2 percent slopes, rarely flooded	II	I	II
Johns loamy sand, 0 to 2 percent slopes	II	I	II
Klej loamy fine sand	IV	II	IV
Kureb sand 1 to 8 percent slopes	IV	V	IV
Kureb-Urban land complex 1 to 8 percent slopes	IV	V	IV
Lafitte muck, ALL	IV	VI	IV
Lakeland sand 1 to 8 percent slopes	IV	V	IV
Leaf silt loam	III	I	III
Lenoir, ALL	III	I	III
Leon fine sand, 0 to 2 percent slopes, rarely flooded	IV	V	III
Leon sand	IV	V	Ш
Longshoal mucky peat, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
	IV	II	IV
Lynn Haven, ALL Made land and dumps	IV	VI	IV
	IV	III	IV
Masontown mucky fine sandy loam	I	II	I
Matapeake fine and very fine sandy loams	II	I	II
Mattapex, ALL	II	I	II
Munden, ALL	IV	VI	IV
Newhan, ALL	IV	VI	IV
Newhan-Beaches complex,	IV	VI	IV
Newhan-Corolla complex, ALL	IV	VI	IV
Newhan-Corolla-Urban land complex, 0 to 30 percent slopes	IV	VI	IV
Newhan-Urban land complex, ALL	IV	V	IV
Newholland mucky loamy sand, 0 to 2 percent slopes, frequently flooded	I	V	I
Newholland mucky loamy sand, 0 to 2 percent slopes, rarely flooded		I	i ii
Nimmo, ALL	II T	I	ĭ
Nixonton very fine sandy loam	<u>I</u>		IV
Osier fine sand, ALL	IV	I	I
Othello, ALL	I	V	IV
Ousley fine sand, ALL	IV		
Pactolus fine sand	IV	II	IV
Pasquotank, ALL	I	I	I
Paxville mucky fine sandy loam	II	III	II T
Perquimans, ALL	I	I	I
Pettigrew muck, ALL	II	I	II
Pits, mine	IV	VI	IV
Pocomoke, ALL	II	I	II
Ponzer, ALL	II	V	II
Portsmouth, ALL	I	I	I
Psamments, 0 to 6 percent slopes	IV	VI	IV
, sammer, o to a paragraph			

MLRA153B - Tidewater Area

Map Unit Name	Agri	For	Hort
Pungo muck, ALL	III	V	III
Roanoke, ALL	II	I	II
Roper muck, ALL	I	I	I
Sassafras loamy fine sand	II	I	II
Scuppernong muck, ALL	II	V	II
Seabrook, ALL	IV	II	IV
Seabrook-Urban land complex	IV	II	IV
Seagate fine sand	IV	II	IV
Seagate-Urban land complex	IV	II	IV
State fine sandy loam, ALL	I	I	I
State loamy fine sand, ALL	II	I	II
State sandy loam, ALL	I	I	I
State-Urban land complex, 0 to 2 percent slopes	IV	I	IV
Stockade loamy fine sand	I	III	I
Stockade mucky loam, ALL	IV	III	IV
Stono, ALL	I	I	I
Tarboro sand, ALL	IV	II	IV
Tidal marsh	IV	VI	IV
Tomotley fine sandy loam, ALL	I	I	I
Udorthents, ALL	IV	VI	ΙV
Urban land ALL	IV	VI	IV
Wahee, ALL	II	I	II
Wakulla sand, ALL	IV	V	IV
Wando, ALL	IV	II	IV
Wasda muck ALL	I	I	I
Weeksville loam, 0 to 2 percent slopes, frequently flooded	IV	I	IV
Weeksville, ALL OTHER	I	I	I
Wickham loamy sand, 0 to 4 percent slopes	II	I	II
Woodstown fine sandy loam	I	I	I
Wysocking very fine sandy loam, 0 to 3 percent slopes, rarely flooded	I	III	I
Yaupon fine sandy loam, 0 to 3 percent slopes	III	VI _	III
Yeopim loam, 0 to 2 percent slopes	I	I	I
Yeopim loam, 2 to 6 percent slopes	II	I	II
Yeopim silt loam, ALL	I	I	I
Yonges, ALL	I	I	I

NORTH CAROLINA GENERAL STATUTES PERTAINING TO PRESENT USE VALUE ASSESSMENT AND TAXATION OF AGRICULTURAL, HORTICULTURAL, AND FORESTLANDS

§ 105-277.2. Agricultural, horticultural, and forestland - Definitions.

The following definitions apply in G.S. 105-277.3 through G.S. 105-277.7:

- Agricultural land. Land that is a part of a farm unit that is actively engaged in (1)the commercial production or growing of crops, plants, or animals under a sound management program. Agricultural land includes woodland and wasteland that is a part of the farm unit, but the woodland and wasteland included in the unit must be appraised under the use-value schedules as woodland or wasteland. A farm unit may consist of more than one tract of agricultural land, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(1), and each tract must be under a sound management program. If the agricultural land includes less than 20 acres of woodland, then the woodland portion is not required to be under a sound management program. Also, woodland is not required to be under a sound management program if it is determined that the highest and best use of the woodland is to diminish wind erosion of adjacent agricultural land, protect water quality of adjacent agricultural land, or serve as buffers for adjacent livestock or poultry operations.
- (1a) Business entity. A corporation, a general partnership, a limited partnership, or a limited liability company.
- (2) Forestland. Land that is a part of a forest unit that is actively engaged in the commercial growing of trees under a sound management program. Forestland includes wasteland that is a part of the forest unit, but the wasteland included in the unit must be appraised under the use-value schedules as wasteland. A forest unit may consist of more than one tract of forestland, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(3), and each tract must be under a sound management program.
- Horticultural land. Land that is a part of a horticultural unit that is actively engaged in the commercial production or growing of fruits or vegetables or nursery or floral products under a sound management program. Horticultural land includes woodland and wasteland that is a part of the horticultural unit, but the woodland and wasteland included in the unit must be appraised under the use-value schedules as woodland or wasteland. A horticultural unit may consist of more than one tract of horticultural land, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(2), and each tract must be under a sound management program. If the horticultural land includes less than 20 acres of woodland, then the woodland portion is not required to be under a sound management program. Also, woodland is not required to be under a sound management program if it is determined that the highest and best use of the woodland is to diminish wind erosion of adjacent horticultural land or protect water quality of adjacent horticultural land. Land used to grow horticultural and

agricultural crops on a rotating basis or where the horticultural crop is set out or planted and harvested within one growing season, may be treated as agricultural land as described in subdivision (1) of this section when there is determined to be no significant difference in the cash rental rates for the land.

- (4) Individually owned. Owned by one of the following:
 - a. An individual.
 - b. A business entity that meets all of the following conditions:
 - 1. Its principal business is farming agricultural land, horticultural land, or forestland.
 - 2. All of its members are, directly or indirectly, individuals who are actively engaged in farming agricultural land, horticultural land, or forestland or a relative of one of the individuals who is actively engaged. An individual is indirectly a member of a business entity that owns the land if the individual is a member of a business entity or a beneficiary of a trust that is part of the ownership structure of the business entity that owns the land.
 - 3. It is not a corporation whose shares are publicly traded, and none of its members are corporations whose shares are publicly traded.
 - 4. If it leases the land, all of its members are individuals and are relatives. Under this condition, "principal business" and "actively engaged" include leasing.
 - c. A trust that meets all of the following conditions:
 - 1. It was created by an individual who owned the land and transferred the land to the trust.
 - 2. All of its beneficiaries are, directly or indirectly, individuals who are the creator of the trust or a relative of the creator. An individual is indirectly a beneficiary of a trust that owns the land if the individual is a beneficiary of another trust or a member of a business entity that has a beneficial interest in the trust that owns the land.
 - d. A testamentary trust that meets all of the following conditions:
 - 1. It was created by an individual who transferred to the trust land that qualified in that individual's hands for classification under G.S. 105-277.3.
 - 2. At the date of the creator's death, the creator had no relatives.
 - 3. The trust income, less reasonable administrative expenses, is used exclusively for educational, scientific, literary, cultural, charitable, or religious purposes as defined in G.S. 105-278.3(d).
 - e. Tenants in common, if each tenant would qualify as an owner if the tenant were the sole owner. Tenants in common may elect to treat their individual shares as owned by them individually in accordance with G.S. 105-302(c)(9). The ownership requirements of G.S. 105-277.3(b) apply to each tenant in common who is an individual, and the ownership requirements of G.S. 105-277.3(b1) apply to each tenant in common who is a business entity or a trust.
- (4a) Member. A shareholder of a corporation, a partner of a general or limited partnership, or a member of a limited liability company.

- (5) Present-use value. The value of land in its current use as agricultural land, horticultural land, or forestland, based solely on its ability to produce income and assuming an average level of management. A rate of nine percent (9%) shall be used to capitalize the expected net income of forestland. The capitalization rate for agricultural land and horticultural land is to be determined by the Use-Value Advisory Board as provided in G.S. 105-277.7.
- (5a) Relative. Any of the following:
 - a. A spouse or the spouse's lineal ancestor or descendant.
 - b. A lineal ancestor or a lineal descendant.
 - c. A brother or sister, or the lineal descendant of a brother or sister. For the purposes of this sub-subdivision, the term brother or sister includes stepbrother or stepsister.
 - d. An aunt or an uncle.
 - e. A spouse of an individual listed in paragraphs a. through d. For the purpose of this subdivision, an adoptive or adopted relative is a relative and the term "spouse" includes a surviving spouse.
- Sound management program. A program of production designed to obtain the greatest net return from the land consistent with its conservation and long-term improvement.
- Unit. One or more tracts of agricultural land, horticultural land, or forestland. Multiple tracts must be under the same ownership and be of the same type of classification. If the multiple tracts are located within different counties, they must be within 50 miles of a tract qualifying under G.S. 105-277.3(a). (1973, c. 709, s. 1; 1975, c. 746, s. 1; 1985, c. 628, s. 1; c. 667, ss. 1, 4; 1987, c. 698, s. 1; 1995, c. 454, s. 1; 1995 (Reg. Sess., 1996), c. 646, s. 17; 1998-98, s. 24; 2002-184, s. 1; 2004-8, s. 1; 2005-313, ss. 1, 2; 2008-146, s. 2.1.)

§ 105-277.3. Agricultural, horticultural, and forestland - Classifications.

- (a) Classes Defined. The following classes of property are designated special classes of property under authority of Section 2(2) of Article V of the North Carolina Constitution and must be appraised, assessed, and taxed as provided in G.S. 105-277.2 through G.S. 105-277.7.
 - Agricultural land. Individually owned agricultural land consisting of one or more tracts, one of which satisfies the requirements of this subdivision. For agricultural land used as a farm for aquatic species, as defined in G.S. 106-758, the tract must meet the income requirement for agricultural land and must consist of at least five acres in actual production or produce at least 20,000 pounds of aquatic species for commercial sale annually, regardless of acreage. For all other agricultural land, the tract must meet the income requirement for agricultural land and must consist of at least 10 acres that are in actual production. Land in actual production includes land under improvements used in the commercial production or growing of crops, plants, or animals.

To meet the income requirement, agricultural land must, for the three years preceding January 1 of the year for which the benefit of this section is claimed, have produced an average gross income of at least one thousand dollars (\$1,000). Gross income includes income from the sale of the agricultural products produced from the land, any payments received under a governmental soil conservation or land retirement program, and the amount paid to the

- taxpayer during the taxable year pursuant to P.L. 108-357, Title VI, Fair and Equitable Tobacco Reform Act of 2004.
- Horticultural land. Individually owned horticultural land consisting of one or more tracts, one of which consists of at least five acres that are in actual production and that, for the three years preceding January 1 of the year for which the benefit of this section is claimed, have met the applicable minimum gross income requirement. Land in actual production includes land under improvements used in the commercial production or growing of fruits or vegetables or nursery or floral products. Land that has been used to produce evergreens intended for use as Christmas trees must have met the minimum gross income requirements established by the Department of Revenue for the land. All other horticultural land must have produced an average gross income of at least one thousand dollars (\$1,000). Gross income includes income from the sale of the horticultural products produced from the land and any payments received under a governmental soil conservation or land retirement program.
- (3) Forestland. Individually owned forestland consisting of one or more tracts, one of which consists of at least 20 acres that are in actual production and are not included in a farm unit.
- (b) Individual Ownership Requirements. In order to come within a classification described in subsection (a) of this section, land owned by an individual must also satisfy one of the following conditions:
 - (1) It is the owner's place of residence.
 - (2) It has been owned by the current owner or a relative of the current owner for the four years preceding January 1 of the year for which the benefit of this section is claimed.
 - (3) At the time of transfer to the current owner, it qualified for classification in the hands of a business entity or trust that transferred the land to the current owner who was a member of the business entity or a beneficiary of the trust, as appropriate.
- (b1) Entity Ownership Requirements. In order to come within a classification described in subsection (a) of this section, land owned by a business entity must meet the requirements of subdivision (1) of this subsection and land owned by a trust must meet the requirements of subdivision (2) of this subsection.
 - (1) Land owned by a business entity must have been owned by one or more of the following for the four years immediately preceding January 1 of the year for which the benefit of this section is claimed:
 - a. The business entity.
 - b. A member of the business entity.
 - c. Another business entity whose members include a member of the business entity that currently owns the land.
 - (2) Land owned by a trust must have been owned by the trust or by one or more of its creators for the four years immediately preceding January 1 of the year for which the benefit of this section is claimed.
- (b2) Exceptions to Ownership Requirements. Notwithstanding the provisions of subsections (b) and (b1) of this section, land may qualify for classification in the hands of the new owner if all of the conditions listed in either subdivision of this subsection are met, even if the new owner does not meet all of the ownership requirements of subsections (b) and (b1) of this section with respect to the land.

- (1) Continued use. If the land qualifies for classification in the hands of the new owner under the provisions of this subdivision, then any deferred taxes remain a lien on the land under G.S. 105-277.4(c), the new owner becomes liable for the deferred taxes, and the deferred taxes become payable if the land fails to meet any other condition or requirement for classification. Land qualifies for classification in the hands of the new owner if all of the following conditions are met:
 - a. The land was appraised at its present use value at the time title to the land passed to the new owner.
 - b. The new owner acquires the land and continues to use the land for the purpose for which it was classified under subsection (a) of this section while under previous ownership.
 - c. The new owner has timely filed an application as required by G.S. 105-277.4(a) and has certified that the new owner accepts liability for any deferred taxes and intends to continue the present use of the land.
- Expansion of existing unit. Land qualifies for classification in the hands of the new owner if, at the time title passed to the new owner, the land was not appraised at its present-use value but was being used for the same purpose and was eligible for appraisal at its present-use value as other land already owned by the new owner and classified under subsection (a) of this section. The new owner must timely file an application as required by G.S. 105-277.4(a).
- (c) Repealed by Session Laws 1995, c. 454, s. 2.
- (d) Exception for Conservation Reserve Program. Land enrolled in the federal Conservation Reserve Program authorized by 16 U.S.C. Chapter 58 is considered to be in actual production, and income derived from participation in the federal Conservation Reserve Program may be used in meeting the minimum gross income requirements of this section either separately or in combination with income from actual production. Land enrolled in the federal Conservation Reserve Program must be assessed as agricultural land if it is planted in vegetation other than trees, or as forestland if it is planted in trees.
- (d1) Conservation Exception. Property that is appraised at its present-use value under G.S. 105-277.4(b) shall continue to qualify for appraisal, assessment, and taxation as provided in G.S. 105-277.2 through G.S. 105-277.7 as long as (i) the property is subject to a qualifying conservation easement that meets the requirements of G.S. 113A-232, without regard to actual production or income requirements of this section; and (ii) the taxpayer received no more than seventy-five percent (75%) of the fair market value of the donated property interest in compensation. Notwithstanding G.S. 105-277.3(b) and (b1), subsequent transfer of the property does not extinguish its present-use value eligibility as long as the property remains subject to a qualifying conservation easement. The exception provided in this subsection applies only to that part of the property that is subject to the easement.
- (d2) (Effective for taxes imposed for taxable years beginning on or after July 1, 2010) Wildlife Exception. When an owner of land classified under this section does not transfer the land and the land becomes eligible for classification under G.S. 105-277.15, no deferred taxes are due. The deferred taxes remain a lien on the land and are payable in accordance with G.S. 105-277.15.
- (e) Exception for Turkey Disease. Agricultural land that meets all of the following conditions is considered to be in actual production and to meet the minimum gross income requirements:

- (1) The land was in actual production in turkey growing within the preceding two years and qualified for present use value treatment while it was in actual production.
- (2) The land was taken out of actual production in turkey growing solely for health and safety considerations due to the presence of Poult Enteritis Mortality Syndrome among turkeys in the same county or a neighboring county.
- (3) The land is otherwise eligible for present use value treatment.
- (f) Sound Management Program for Agricultural Land and Horticultural Land. If the property owner demonstrates any one of the following factors with respect to agricultural land or horticultural land, then the land is operated under a sound management program:
 - (1) Enrollment in and compliance with an agency-administered and approved farm management plan.
 - (2) Compliance with a set of best management practices.
 - (3) Compliance with a minimum gross income per acre test.
 - (4) Evidence of net income from the farm operation.
 - (5) Evidence that farming is the farm operator's principal source of income.
 - (6) Certification by a recognized agricultural or horticultural agency within the county that the land is operated under a sound management program.

Operation under a sound management program may also be demonstrated by evidence of other similar factors. As long as a farm operator meets the sound management requirements, it is irrelevant whether the property owner received income or rent from the farm operator.

(g) Sound Management Program for Forestland. – If the owner of forestland demonstrates that the forestland complies with a written sound forest management plan for the production and sale of forest products, then the forestland is operated under a sound management program. (1973, c. 709, s. 1; 1975, c. 746, s. 2; 1983, c. 821; c. 826; 1985, c. 667, ss. 2, 3, 6.1; 1987, c. 698, ss. 2-5; 1987 (Reg. Sess., 1988), c. 1044, s. 13.1; 1989, cc. 99, 736, s. 1; 1989 (Reg. Sess., 1990), c. 814, s. 29; 1995, c. 454, s. 2; 1997-272, s. 1; 1998-98, s. 22; 2001-499, s. 1; 2002-184, s. 2; 2005-293, s. 1; 2005-313, s. 3; 2007-484, s. 43.7T(c); 2007-497, s. 3.1; 2008-146, s. 2.2; 2008-171, ss. 4, 5.)

§ 105-277.4. Agricultural, horticultural and forestland – Application; appraisal at use value; appeal; deferred taxes.

- (a) Application. Property coming within one of the classes defined in G.S. 105-277.3 is eligible for taxation on the basis of the value of the property in its present use if a timely and proper application is filed with the assessor of the county in which the property is located. The application must clearly show that the property comes within one of the classes and must also contain any other relevant information required by the assessor to properly appraise the property at its present-use value. An initial application must be filed during the regular listing period of the year for which the benefit of this classification is first claimed, or within 30 days of the date shown on a notice of a change in valuation made pursuant to G.S. 105-286 or G.S. 105-287. A new application is not required to be submitted unless the property is transferred or becomes ineligible for use-value appraisal because of a change in use or acreage. An application required due to transfer of the land may be submitted at any time during the calendar year but must be submitted within 60 days of the date of the property's transfer.
- (a1) Late Application. Upon a showing of good cause by the applicant for failure to make a timely application as required by subsection (a) of this section, an application may be approved by the board of equalization and review or, if that board is not in session, by the board of county commissioners. An untimely application approved under this subsection applies only to property

taxes levied by the county or municipality in the calendar year in which the untimely application is filed. Decisions of the county board may be appealed to the Property Tax Commission.

- (b) Appraisal at Present-use Value. Upon receipt of a properly executed application, the assessor must appraise the property at its present-use value as established in the schedule prepared pursuant to G.S. 105-317. In appraising the property at its present-use value, the assessor must appraise the improvements located on qualifying land according to the schedules and standards used in appraising other similar improvements in the county. If all or any part of a qualifying tract of land is located within the limits of an incorporated city or town, or is property annexed subject to G.S. 160A-37(f1) or G.S. 160A-49(f1), the assessor must furnish a copy of the property record showing both the present-use appraisal and the valuation upon which the property would have been taxed in the absence of this classification to the collector of the city or town. The assessor must also notify the tax collector of any changes in the appraisals or in the eligibility of the property for the benefit of this classification. Upon a request for a certification pursuant to G.S. 160A-37(f1) or G.S.160A-49(f1), or any change in the certification, the assessor for the county where the land subject to the annexation is located must, within 30 days, determine if the land meets the requirements of G.S. 160A-37(f1)(2) or G.S. 160A-49(f1)(2) and report the results of its findings to the city.
- (b1) Appeal. Decisions of the assessor regarding the qualification or appraisal of property under this section may be appealed to the county board of equalization and review or, if that board is not in session, to the board of county commissioners. An appeal must be made within 60 days after the decision of the assessor. If an owner submits additional information to the assessor pursuant to G.S. 105-296(j), the appeal must be made within 60 days after the assessor's decision based on the additional information. Decisions of the county board may be appealed to the Property Tax Commission.
- must be taxed on the basis of the value of the land for its present use. The difference between the taxes due on the present-use basis and the taxes that would have been payable in the absence of this classification, together with any interest, penalties, or costs that may accrue thereon, are a lien on the real property of the taxpayer as provided in G.S. 105-355(a). The difference in taxes must be carried forward in the records of the taxing unit or units as deferred taxes. The deferred taxes for the preceding three fiscal years are due and payable in accordance with G.S. 105-277.1F when the property loses its eligibility for deferral as a result of a disqualifying event. A disqualifying event occurs when the land fails to meet any condition or requirement for classification or when an application is not approved.
- (d) Exceptions. Notwithstanding the provisions of subsection (c) of this section, if property loses its eligibility for present use value classification solely due to one of the following reasons, no deferred taxes are due and the lien for the deferred taxes is extinguished:
 - (1) There is a change in income caused by enrollment of the property in the federal conservation reserve program established under 16 U.S.C. Chapter 58.
 - (2) The property is conveyed by gift to a nonprofit organization and qualifies for exclusion from the tax base pursuant to G.S. 105-275(12) or G.S. 105-275(29).
 - (3) The property is conveyed by gift to the State, a political subdivision of the State, or the United States.
- (e) Repealed by Session Laws 1997-270, s. 3, effective July 3, 1997. (1973, c. 709, s. 1; c. 905; c. 906, ss. 1, 2; 1975, c. 62; c. 746, ss. 3-7; 1981, c. 835; 1985, c. 518, s. 1; c. 667, ss. 5, 6; 1987, c. 45, s. 1; c. 295, s. 5; c. 698, s. 6; 1987 (Reg. Sess., 1988), c. 1044, s. 13.2; 1995, c. 443, s. 4; c. 454, s. 3; 1997-270, s. 3; 1998-98, s. 23; 1998-150, s. 1; 2001-499, s. 2; 2002-184, s. 3; 2005-313, s. 4; 2006-30, s. 4; 2008-35, s. 2.3.)

§ 105-277.5. Agricultural, horticultural and forestland - Notice of change in use.

Not later than the close of the listing period following a change which would disqualify all or a part of a tract of land receiving the benefit of this classification, the property owner shall furnish the assessor with complete information regarding such change. Any property owner who fails to notify the assessor of changes as aforesaid regarding land receiving the benefit of this classification shall be subject to a penalty of ten percent (10%) of the total amount of the deferred taxes and interest thereon for each listing period for which the failure to report continues. (1973, c. 709, s. 1; 1975, c. 746, s. 8; 1987, c. 45, s. 1.)

\S 105-277.6. Agricultural, horticultural and forestland – Appraisal; computation of deferred tax.

- (a) In determining the amount of the deferred taxes herein provided, the assessor shall use the appraised valuation established in the county's last general revaluation except for any changes made under the provisions of G.S. 105-287.
- (b) In revaluation years, as provided in G.S. 105-286, all property entitled to classification under G.S. 105-277.3 shall be reappraised at its true value in money and at its present use value as of the effective date of the revaluation. The two valuations shall continue in effect and shall provide the basis for deferred taxes until a change in one or both of the appraisals is required by law. The present use-value schedule, standards, and rules shall be used by the tax assessor to appraise property receiving the benefit of this classification until the next general revaluation of real property in the county as required by G.S. 105-286.
- (c) Repealed by Session Laws 1987, c. 295, s. 2. (1973, c. 709, s. 1; 1975, c. 746, ss. 9, 10; 1987, c. 45, s. 1, c. 295, s. 2.)

§ 105-277.7. Use-Value Advisory Board.

- (a) Creation and Membership. The Use-Value Advisory Board is established under the supervision of the Agricultural Extension Service of North Carolina State University. The Director of the Agricultural Extension Service of North Carolina State University shall serve as the chair of the Board. The Board shall consist of the following additional members, to serve ex officio:
 - (1) A representative of the Department of Agriculture and Consumer Services, designated by the Commissioner of Agriculture.
 - (2) A representative of the Division of Forest Resources of the Department of Environment and Natural Resources, designated by the Director of that Division.
 - (3) A representative of the Agricultural Extension Service at North Carolina Agricultural and Technical State University, designated by the Director of the Extension Service.
 - (4) A representative of the North Carolina Farm Bureau Federation, Inc., designated by the President of the Bureau.
 - (5) A representative of the North Carolina Association of Assessing Officers, designated by the President of the Association.
 - (6) The Director of the Property Tax Division of the North Carolina Department of Revenue or the Director's designee.
 - (7) A representative of the North Carolina Association of County Commissioners, designated by the President of the Association.
 - (8) A representative of the North Carolina Forestry Association, designated by the President of the Association.

- (b) Staff. The Agricultural Extension Service at North Carolina State University must provide clerical assistance to the Board.
- (c) Duties. The Board must annually submit to the Department of Revenue a recommended use-value manual. In developing the manual, the Board may consult with federal and State agencies as needed. The manual must contain all of the following:
 - The estimated cash rental rates for agricultural lands and horticultural lands for the various classes of soils found in the State. The rental rates must recognize the productivity levels by class of soil or geographic area, and the crop as either agricultural or horticultural. The rental rates must be based on the rental value of the land to be used for agricultural or horticultural purposes when those uses are presumed to be the highest and best use of the land. The recommended rental rates may be established from individual county studies or from contracts with federal or State agencies as needed.
 - The recommended net income ranges for forestland furnished to the Board by the Forestry Section of the North Carolina Cooperative Extension Service. These net income ranges may be based on up to six classes of land within each Major Land Resource Area designated by the United States Soil Conservation Service. In developing these ranges, the Forestry Section must consider the soil productivity and indicator tree species or stand type, the average stand establishment and annual management costs, the average rotation length and timber yield, and the average timber stumpage prices.
 - (3) The capitalization rates adopted by the Board prior to February 1 for use in capitalizing incomes into values. The capitalization rate for forestland shall be nine percent (9%). The capitalization rate for agricultural land and horticultural land must be no less than six percent (6%) and no more than seven percent (7%). The incomes must be in the form of cash rents for agricultural lands and horticultural lands and net incomes for forestlands.
 - (4) The value per acre adopted by the Board for the best agricultural land. The value may not exceed one thousand two hundred dollars (\$1,200).
 - Recommendations concerning any changes to the capitalization rate for agricultural land and horticultural land and to the maximum value per acre for the best agricultural land and horticultural land based on a calculation to be determined by the Board. The Board shall annually report these recommendations to the Revenue Laws Study Committee and to the President Pro Tempore of the Senate and the Speaker of the House of Representatives.
 - Recommendations concerning requirements for horticultural land used to produce evergreens intended for use as Christmas trees when requested to do so by the Department. (1973, c. 709, s. 1; 1975, c. 746, s. 11; 1985, c. 628, s. 2; 1989, c. 727, s. 218(44); c. 736, s. 2; 1997-261, s. 109; 1997-443, s. 11A.119(a); 2002-184, s. 4; 2005-313, s. 5; 2005-386, s. 1.3.)

§ 105-277.1F. Uniform provisions for payment of deferred taxes.

- (a) Scope. This section applies to the following deferred tax programs:
 - (1) G.S. 105-275(12)f., real property held for future transfer to government unit for conservation purposes.
 - (la) G.S. 105-275(29a), historic district property held as future site of historic structure.

- (2) G.S. 105-277.1B, the property tax homestead circuit breaker.
- (2a) (Effective for taxes imposed for taxable years beginning on or after July 1, 2010. See note for repeal.) G.S. 105-277.1D, the inventory property tax deferral.
- (3) G.S. 105-277.4(c), present-use value property.
- (4) G.S. 105-277.14, working waterfront property.
- (4a) (Effective for taxes imposed for taxable years beginning on or after July 1, 2010) G.S. 105-277.15, wildlife conservation land.
- (5) G.S. 105-278(b), historic property.
- (6) G.S. 105-278.6(e), nonprofit property held as future site of low- or moderate-income housing.
- (b) Payment. Taxes deferred on property under a deferral program listed in subsection (a) of this section are due and payable on the day the property loses its eligibility for the deferral program as a result of a disqualifying event. If only a part of property for which taxes are deferred loses its eligibility for deferral, the assessor must determine the amount of deferred taxes that apply to that part and that amount is due and payable. Interest accrues on deferred taxes as if they had been payable on the dates on which they would have originally become due.

The tax for the fiscal year that begins in the calendar year in which the deferred taxes are due and payable is computed as if the property had not been classified for that year. A lien for deferred taxes is extinguished when the taxes are paid.

All or part of the deferred taxes that are not due and payable may be paid to the tax collector at any time without affecting the property's eligibility for deferral. A partial payment is applied first to accrued interest. (2008-35, s. 2.2; 2008-107, s. 28.11(h); 2008-171, s. 2; 2009-308, s. 3.)

§ 105-289. Duties of Department of Revenue. (in part)

- (a) It is the duty of the Department of Revenue:
 - (5) To prepare and distribute annually to each assessor the manual developed by the Use-Value Advisory Board under G.S. 105-277.7 that establishes the cash rental rates for agricultural lands and horticultural lands and the net income ranges for forestland.
 - (6) To establish requirements for horticultural land, used to produce evergreens intended for use as Christmas trees, in lieu of a gross income requirement until evergreens are harvested from the land, and to establish a gross income requirement for this type horticultural land, that differs from the income requirement for other horticultural land, when evergreens are harvested from the land.
 - (7) To conduct studies of the cash rents for agricultural and horticultural lands on a county or a regional basis, such as the Major Land Resource Area map designated and developed by the U.S. Department of Agriculture. The results of the studies must be furnished to the North Carolina Use-Value Advisory Board. The studies may be conducted on any reasonable basis and timetable that will be reflective of rents and values for each local area based on the productivity of the land.

§ 105-296. Powers and duties of assessor. (in part)

(j) The assessor must annually review at least one eighth of the parcels in the county classified for taxation at present-use value to verify that these parcels qualify for the classification. By this method, the assessor must review the eligibility of all parcels classified for taxation at present-use value in an eight-year period. The period of the review process is based on the average of the preceding three years' data. The assessor may request assistance from the Farm Service Agency, the Cooperative Extension Service, the Division of Forest Resources of the Department of Environment and Natural Resources, or other similar organizations.

The assessor may require the owner of classified property to submit any information, including sound management plans for forestland, needed by the assessor to verify that the property continues to qualify for present-use value taxation. The owner has 60 days from the date a written request for the information is made to submit the information to the assessor. If the assessor determines the owner failed to make the information requested available in the time required without good cause, the property loses its present-use value classification and the property's deferred taxes become due and payable as provided in G.S. 105-277.4(c). If the property loses its present-use value classification for failure to provide the requested information, the assessor must reinstate the property's present-use value classification when the owner submits the requested information within 60 days after the disqualification unless the information discloses that the property no longer qualifies for present-use value classification. When a property's present-use value classification is reinstated, it is reinstated retroactive to the date the classification was revoked and any deferred taxes that were paid as a result of the revocation must be refunded to the property owner. The owner may appeal the final decision of the assessor to the county board of equalization and review as provided in G.S. 105-277.4(b1).

In determining whether property is operating under a sound management program, the assessor must consider any weather conditions or other acts of nature that prevent the growing or harvesting of crops or the realization of income from cattle, swine, or poultry operations. The assessor must also allow the property owner to submit additional information before making this determination.

§ 40A-6. Reimbursement of owner for taxes paid on condemned property.

- (a) An owner whose property is totally taken in fee simple by a condemnor exercising the power of eminent domain, under this Chapter or any other statute, shall be entitled to reimbursement from the condemnor of the pro rata portion of real property taxes paid by the owner that are allocable to a period subsequent to vesting of title in the condemnor, or the effective date of possession of the real property, whichever is earlier.
- (b) An owner who meets the following conditions is entitled to reimbursement from the condemnor for all deferred taxes paid by the owner pursuant to G.S. 105-277.4(c) as a result of the condemnation:
 - (1) The owner is a natural person whose property is taken in fee simple by a condemnor exercising the power of eminent domain under this Chapter or any other statute.
 - (2) The owner also owns agricultural land, horticultural land, or forestland that is contiguous to the condemned property and that is in active production.

The definitions in G.S. 105-277.2 apply in this subsection. (1975, c. 439, s. 1; 1981, c. 919, s. 1; 1997-270, s. 1.)

§ 136-121.1. Reimbursement of owner for taxes paid on condemned property.

- (a) A property owner whose property is totally taken in fee simple by any condemning agency (as defined in G.S. 133-7(1)) exercising the power of eminent domain, under this Chapter or any other statute or charter provision, shall be entitled to reimbursement from the condemning agency of the pro rata portion of real property taxes paid that are allocable to a period subsequent to vesting of title in the agency, or the effective date of possession of the real property, whichever is earlier.
- (b) An owner who meets the following conditions is entitled to reimbursement from the condemning agency for all deferred taxes paid by the owner pursuant to G.S. 105-277.4(c) as a result of the condemnation:
 - (1) The owner is a natural person whose property is taken in fee simple by a condemning agency exercising the power of eminent domain under this Chapter or any other statute.
 - (2) The owner also owns agricultural land, horticultural land, or forestland that is contiguous to the condemned property and that is in active production.

A potential condemning agency that seeks to acquire property by gift or purchase shall give the owner written notice of the provisions of this section. The definitions in G.S. 105-277.2 apply in this subsection. (1975, c. 439, s. 1; 1997-270, s. 2.)

NOTE: The following statutes are relevant only to annexation situations, and are not relevant to qualifying a parcel for present-use valuation.

§ 160A-58.54 Character of area to be annexed. (in part)

(c) As used in this subsection, "bona fide farm purposes" is as described in G.S. 153A-340. As used in this subsection, "property" means a single tract of property or an identifiable portion of a single tract. Property that is being used for bona fide farm purposes on the date of the resolution of intent to consider annexation may not be annexed without the written consent of the owner or owners of the property.

Note: The following section is a part of Chapter 153A (Counties), Article 18 (Planning and Regulation of Development).

§ 153A-340 Grant of power. (in part)

(b) (2) Except as provided in G.S. 106-743.4 for farms that are subject to a conservation agreement under G.S. 106-743.2, bona fide farm purposes include the production and activities relating or incidental to the production of crops, fruits, vegetables, ornamental and flowering plants, dairy, livestock, poultry, and all other forms of agriculture as defined in G.S. 106-581.1. For purposes of this subdivision, the production of a nonfarm product that the Department of Agriculture and Consumer Services recognizes as a 'Goodness Grows in North Carolina' product that is produced on a farm subject to a conservation agreement under G.S. 106-743.2 is a bona fide farm purpose. For purposes of determining

Form AV-4 (Rev. 02-15)

whether a property is being used for bona fide farm purposes, any of the following shall constitute sufficient evidence that the property is being used for bona fide farm purposes:

- a. A farm sales tax exemption certificate issued by the Department of Revenue.
- b. A copy of the property tax listing showing that the property is eligible for participation in the present use value program pursuant to G.S. 105-277.3.
- c. A copy of the farm owner's or operator's Schedule F from the owner's or operator's most recent federal income tax return.
- d. A forest management plan.
- e. A Farm Identification Number issued by the United States Department of Agriculture Farm Service Agency.

MAJOR LAND RESOURCE AREA - 136 Stanly County Present Use Value Schedule 2017

PIEDMONT			
Agriculture/CRP/CSE			
Land Class	Value		
Open-Good	\$865		
Open-Fair	\$590		
Open-Poor	\$385		
Non-Productive	\$40		
Horticulture			
Land Class	Value		
0 0	Φ4 OFO		
Open-Good	\$1,250		
Open-Good Open-Fair	\$1,250 \$810		
Open-Fair	\$810		
Open-Fair Open-Poor	\$810 \$560 \$40		
Open-Fair Open-Poor Non-Productive	\$810 \$560 \$40		
Open-Fair Open-Poor Non-Productive Forestland	\$810 \$560 \$40 I/CRP/CSE		
Open-Fair Open-Poor Non-Productive Forestland Land Class	\$810 \$560 \$40 I/CRP/CSE Value		
Open-Fair Open-Poor Non-Productive Forestland Land Class Wood-Good	\$810 \$560 \$40 I/CRP/CSE Value \$245		